From:	Lucy Gale <lucy_gale@outlook.com></lucy_gale@outlook.com>
Sent:	Tuesday, 26 June 2018 12:09 PM
То:	DPTI:scapreps
Subject:	Representation on application number 354/V003/18 Neoen Australia
Attachments:	representation on submission Neoen Australia Crystal Brook Energy Parkpdf

please find attached completed consultation form and additional information.

Kind regards,

Lucy Gale

( )

()

## DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Flinders Stre also be viewed during normal business hours at the lo	eet, Adelaide during normal business hours. Application documentation may ocal Council office (if identified on the public notice).
Myname: Lucy Gale	
My phone number: 04-30 98 111	1
PRIMARY METHOD(s) OF CONTACT: Email addres	s: lucy-gale Qoutlook. com
Postal addres	ss: 11 Mitchell Street
Crysta	Brook SA Postcode 5523
You may be contacted via your nominated PRIM be heard in support of your submission.	IARY METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are: [V owner of local [V occupier of loc [] a representativ [] a private citize	property al property ve of a company/other organisation affected by the proposal m
The address of the property affected is Scation	140, thunched of How, Beefaloo Valley
The specific aspects of the application to which I n	nake comment on are:
information attached.	
I [] wish to be heard in sup J do not wish to be heard (Please tick one)	port of my submission d in support of my submission
by [] appearing personally [] being represented by th (Cross out whichever de	he following person : oes not apply)
Data: 21/06/2018	Signature: Melfale
Return Address: The Secretary. State Commission	on Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or
scapreps@sa.gov.au	

/

203/

Submission to the SCAP - development 354/V003/18, applicant Neoen Australia Pty Ltd.

- 1. Visual intrusion
  - The Map within applications shows that all 26 turbines will be visible from everywhere in Crystal Brook Township, and many turbines will be visible from Beetaloo Valley properties and roads. Neoen states that residents will only suffer 'mild/moderate' visual impacts. Claiming that trees will screen from view. No trees will ever be 240m tall!
  - Negative affect on tourism- southern flinders ranges should be preserved as they are. These turbines will be an eyesore from everywhere. If these are approved- what stops more from being built further and further up the ranges? All 26 turbines are within 5 kms of Bowman Park. 6 are within only 2kms. There is also a promotion about to take place of the 6 nearby gorges. No one is going to want to look at 240m turbines when they come to explore these gorges. The turbines will also tower over the Heysen trail which runs right through the turbine area from Bowman Park through to Hughes Gap
- 2. Property Values
  - A real concern for many residents of both Crystal Brook and Beetaloo Valley is the negative affect this project will have on property prices. It is a reality for those living close by that once these turbines are in place, if they find they no longer wish to stay in their homes they will have difficulty selling their properties at a fair price. Who would want to buy a beautiful, quiet "lifestyle" acreage that is situated underneath 26 turbines?
  - Neoen state that there is not evidence that proximity to windfarms devalues properties. This is just not the case, it has happened at every location where windfarms have been built in SA and interstate. The only difference is that unlike the crystal brook windfarm, other farms are located away from towns and the only properties really affected are the "hosts", and they have the money to leave if they wish as they are supported financially by the wind farms.
  - A development like this just should not be able to be so close to peoples homes or any town. When the turbines are 240m tall, 1.3kms distance is not enough- not even close! Especially when the possible effects are truly not known until they are already built. The closest turbines currently to Crystal Brook township are that of Clements Gap wind farm. Those turbines are less than half the size of these proposed. Even the homes there have had to be double glazed windows and satellite TV!
- 3. Traffic disruption/ dangers
  - The proposal to enter the windfarm sites from Wilkins highway onto Heads Road is just a tragedy waiting to happen. That section of road is very steep and gets a lot of traffic already, trucks turning right across the highway at the bottom of the hill is very, very unsafe. If nothing else please, please consider an alternative route for vehicles entering the site. I know that my family and I will be driving that road every single day just hoping that nothing goes wrong. There may not be road accident statistics already, but that does not make it safe.

- 4. Environmental impacts
  - There were not supposed to be any turbines in the PP Regional Council's Landscape Protection Zone but turbine 18 is still within this zone on the maps provided in the application.
  - The environmental studies provided are weak at best. Copied from previous work by others and barely scraping the surface. Doing an inspection of the environment in March in South Australia is a very clever way of making sure you don't find anything to report on.
  - Also even if important species have not been found within the exact footprint of the proposal, how can we know that the turbines being in the vicinity of the very important ecological areas of Beetaloo valley and the flinders ranges will not deter birds and animals from being in the region at all? We know that turbines make noise and disrupt animals- how can the developer determine how their proposal will affect the biodiversity of the surrounding landscapes?
  - I also question the effects of the turbines on farm animals in the area? I have read of cases overseas where turbines have been known to affect the fecundity of sheep and other herd animals where they are kept nearby to turbines.
- 5. Noise
  - The size and proximity of these proposed turbines is unprecedented in Australia. There is nowhere else that turbines of this size have been built, and no-where in Australia that a windfarm has been proposed so close to a township and other un-associated dwellings. How can the SCAP truly determine whether the proposal is 'within the guidelines' when there are no guidelines which really apply to a development of this nature? What happens when the turbines are built and no-one can stand to live in their home anymore because of the noise, can't sell them because no-one want to buy them and can't afford to move? Will the government step in and help out... don't think so! Will the developers come in and buy up properties at rock bottom prices and then put in more wind turbines... maybe!

The developers have tried to smooth this over with the community by making claims about jobs for the region and payouts for community groups. The fact is the work force will mostly be people from overseas on 354 visas are they were at the Hallet windfarm. And the measly \$80,000 for the community is not even a drop in the ocean compared to the profits the company will be making. They claim to have consulted with the community and gained its support- this is just not the case, they have tried to hide it and play down the community feeling in their application. The facts are that in July 2017 a petition was handed into parliament with over 800 signatures stating that windfarms should not be allowed in areas of natural significance including the Flinders Ranges.

Their application is full of holes and is very poor quality, lots of corners have been cut and the effort has not been put in. This does not give me confidence that they are capable of completing this project to a high standard either. I can only hope that the people reviewing this application can see that this is not up to standard and therefore not a complying application.

# DEVELOPMENT ACT, 1993, S49/S49A -- CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

Applicant:	Neoen Australia Pty Ltd KECEIVED or hu
Development Number:	354/V003/18 JUN 2018
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a
	33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the applic Transport and Infrastructure, Level 5, 50 Flinders Street, also be viewed during normal business hours at the loca My name: Vicki Mitchell	ation documentation can be viewed at the Department of Planning, , Adelaide during normal business hours. Application documentation may al Council office (if identified on the public notice).
0438827630	
PRIMARY METHOD(s) OF CONTACT: Email address:	Vickimitchell 52@hotmail.com.
Postal address:	P. D. 10A 120
	LAURA Postcode 2480
You may be contacted via your nominated PRIMAI be heard in support of your submission.	RY METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are:          []       owner of local pr         []       occupier of local         []       a representative         []       a private citizen	operty property of a company/other organisation affected by the proposal
The address of the property affected is $368~{ m M}$	1115 Rd Beetaloo Vallepostcode 5523
The specific aspects of the application to which I mal	he comment on are: 100 Close to housing
hailt Flinder's Rame	are are an iconic destination bringing
tourist to Areadea	redation of hills to build towers !
De valuation of ham	d not hosting Turbines/
Excessive Infra Sou	nol
<ul> <li>Wish to be heard in suppo</li> <li>do not wish to be heard in (Please tick one)</li> </ul>	rt of my submission n support of my submission
by [] appearing personally [] being represented by the (Cross out whichever doe	following person :
Date:	Signature:
Return Address: The Secretary, State Commission <a href="mailto:scapreps@sa.gov.au">scapreps@sa.gov.au</a>	Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or

.

# DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION RECEIVED 25 JUN 2018

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	comprising a wind farm (26 turbines with a capacity up to
	125MW), a solar farm (400,000-500,000 solar panels with a
	capacity up to 150MW), an energy storage facility (Lithium-ion
	hattery with a capacity up to 130MW / 400MWh) and associated
	infrastructure for connection to the electricity grid (including a
	33kV/275kV substation and a 300m long 275kV transmission line
	between the substation and the 275kV Para-Bungama
	transmission line).
Zono / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and
Subject Land.	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the	application documentation can be viewed at the Department of Planning,
Transport and Infrastructure, Level 5, 50 Flinders	Street, Adelaide during normal business hours. Application documentation may
also be viewed during normal business hours at the	he local Council office (if identified on the public notice).
Ayname: Julie Thomson	
Ay phone number: <u>08 866323</u>	75
PRIMARY METHOD(s) OF CONTACT: Email add	dress: ithomson 31@qmail.com
	7 112/12/20 57
Postal ad	dress: <u>2</u> <u>WHTP ST.</u>
·	Lauva, S.A. Postcode $5480$
You may be contacted via your nominated P be heard in support of your submission.	RIMARY METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are: [] owner of lo	ocal property
[] occupier of	f local property
[] a represen	tative of a company/other organisation affected by the proposal
[X] a private ci	tizen
	Destando
The address of the property affected is	Postcode
The specific aspects of the application to which	n I make comment on are:
No Wind towers	in the Flinders Ranges
People choose to 1	ive there for a veason - life style
peace fulness, na	tural beauty:
[ ] wish to be heard in	support of my submission
do not wish to be h	eard in support of my submission
(Please tick one)	
by [] appearing personal	ly
[] being represented l	by the following person :
(Cross out whicheve	er does not apply)
	1 A Thomas
Date:	Signature:
Return Address: The Secretary, State Comm	ission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or
scapreps@sa.gov.au	

### DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION RECEIVED 2.5 JUN 2010

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park – Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the application documentation can be viewed at the Department of Planning, Transport and Infrastructure, Level 5, 50 Flinders Street, Adelaide during normal business hours. Application documentation may also be viewed during normal business hours at the local Council office (if identified on the public notice).	

My name: <u>BRETT THOMSON</u> My phone number: <u>/D8) 86632375</u> PRIMARY METHOD(s) OF CONTACT: Email address: <u>jthomson31@gmail.com</u> Postal address: <u>2 White Street</u>, <u>LAURA</u> <u>South Australia</u> Postcode <u>5480</u>.

You may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to be heard in support of your submission.

My interests are:

#### owner of local property

occupier of local property a representative of a company/other organisation affected by the proposal

a private citizen

[]

[]

N

The address of the property affected is . 2. White Street LAURA ...Postcode.5.4.8.0 SA Comment The specific aspects of the application to which I make comment on are: . seen ne on SI 250 1011 anges tor ۸ our area 15 TINANCIAMU Which TOURISM ap.I. wish to be heard in support of my submission [] do not wish to be heard in support of my submission (Please tick one) appearing personally X by being represented by the following person : ..... X (Cross out whichever does not apply) Date: 17TH JUNE 2018. Signature: ...

Return Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or scapreps@sa.gov.au

#### DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

RECEIVED: 2.5 JUN ZUTIO

#### Applicant: Neoen Australia Pty Ltd 354/V003/18 **Development Number:** Crystal Brook Energy Park - Hybrid renewable energy project Nature of Development: comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line). Primary Industry Zone - Port Pirie Regional Council Zone / Policy Area: 32 allotments, approximately 3.5km north of Crystal Brook and Subject Land: 23km south-east of Port Pirie. **Contact Officer:** Lee Webb 7109 7066 **Phone Number:** Friday 29 June 2018 **Close Date:** During the notification period, hard copies of the application documentation can be viewed at the Department of Planning, Transport and Infrastructure, Level 5, 50 Flinders Street, Adelaide during normal business hours. Application documentation may also be viewed during normal business hours at the local Council office (if identified on the public notice). Sle My name: 86C 32 My phone number: Email address: katies 11 Dicla PRIMARY METHOD(s) OF CONTACT: Postal address: Postcode You may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to be heard in support of your submission. owner of local property My interests are: occupier of local property a representative of a company/other organisation affected by the proposal a private citizen The address of the property affected is 606 Laura - Beetela ..Postcode.. The specific aspects of the application to which I make comment on are: ......OB. .... seem to the gate way anin and re- do you want to live in Val wish to be heard in support of my submission [] do not wish to be heard in support of my submission 1 (Please tick one) [] appearing personally bγ being represented by the following person : ..... [] (Cross out whichever does not apply) Signature: K. Slea Date: 15.6.2018 *th* . Return Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or

Return Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or scapreps@sa.gov.au

3.

## DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT RECEIVED 25, JUN 2018 REPRESENTATION ON APPLICATION

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies	s of the application documentation can be viewed at the Department of Planning,

During the notification period, hard copies of the application documentation can be viewed at the Department of Planning, Transport and Infrastructure, Level 5, 50 Flinders Street, Adelaide during normal business hours. Application documentation may also be viewed during normal business hours at the local Council office (if identified on the public notice).

Sleath My name: Geoff 632382 My phone number: PRIMARY METHOD(s) OF CONTACT: Email address: Postal address: R. D. Box \_Postcode\_5480 Laura SA

You may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to be heard in support of your submission.

My interests are:

owner of local property occupier of local property

M

[]

a representative of a company/other organisation affected by the proposal a private citizen

	[] a private citizen
The address of the prop	erty affected is (Stolaying - Beetako Rd Beetako Postcode 5523
The specific aspects of t	he application to which I make comment on are:
to the pro	posed wind from, this area is the start
of the Flin	deres Ganges and to turn this area into
a malustra	I park beggers belief.
, 	
I []	wish to be heard in support of my submission
M	do not wish to be heard in support of my submission
	(Please tick one)
by []	appearing personally
[]	being represented by the following person :
	(Cross out whichever does not apply)
Data: 18/61	2018 Signature: Ath 27th
Date: Addroscy Tho S	acretary State Commission Assessment Panel GPO Box 1875, Adelaide, SA 5001 or
Return Address, The s	concretely where commission rescannent rancel on a constantly marchine and a second
scapreps@sa.gov.au	

3.

## DEVELOPMENT ACT, 1993, S49/S49A -- CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	22 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	/109/066
Close Date:	ation documentation can be viewed at the Department of Planning.
Transport and Infrastructure, Level 5, 50 Flinders Street, also be viewed during normal business hours at the loca	Adelaide during normal business hours. Application documentation may il Council office (if identified on the public notice).
My name: CAAREN OBF	216~
My phone number: 0418 9009 8	50
PRIMARY METHOD(s) OF CONTACT: Émail address:	WARKEN OB @ DODO. COM. AU
Postal address:	TY MARY ELLEST
Dup	- PIRIE SA postcode STYO
102	A ALTHODIAL OF CONTACT If you indicate holew that you wish to
You may be contacted via your nominated PRIMAF	
be neard in support of your submission.	
My interests are: vowner of local pro- occupier of local pro- a representative of a private citizen	operty property of a company/other organisation affected by the proposal
The address of the property affected is	+ LOT 2 Postcode 5523 S PD BEETALOO VALLEY
The specific aspects of the application to which I mak	(e comment on are:
PROKIMINY TO SMALL	- LANDHOLDERS AND LOSS
UF VALUE OR INAT	SILITY TO SELL, NO
WINDFARMS IN 7	HE SOUTHERN FUNDER!
TOURISM AND KE	CKEATIONAL KEGION.
VISUAL IMPACT F	ROM KESDENCES
<ul> <li>I [√ wish to be heard in support</li> <li>[] do not wish to be heard in</li> <li>(Closes tick cup)</li> </ul>	n support of my submission
(Please uck one)	
[] being represented by the (Cross out whichever does	following person : s not apply)
Date: 15.6, 18	Signature:
Return Address: The Secretary, State Commission	Assessment Panel, GPP Box 1815, Adelaide, 94 5001 or
scapreps@sa.gov.au	

RECEIVED 2.5 JUN 2013

From: Sent: To: Subject: Louisa Berndt <Eastleigh41@hotmail.com> Monday, 25 June 2018 9:57 PM DPTI:scapreps Wind farm at Crystal Brook

We would like to declare our opposition to the proposed wind farm at Crystal Brook for the following reasons: Some of the towers' proposed positions in proximity to each other does not comply with manufacturer's recommendations. : At least one tower's proposed position in proximity to a dwelling does not comply with manufacturer's recommendations.

: The issue of negative health implications arising from low frequency sound waves is still unresolved. Yours Respectfully,

Dirk Plug and Louisa Berndt. Gladstone S. A.

From: Sent: To: Subject: Attachments: kyal kirk <kyalkirk@gmail.com> Monday, 25 June 2018 6:27 PM DPTI:scapreps Crystal Brook Wind Farm wind farm 2.jpg; wind farm.jpg

## DEVELOPMENT ACT, 1993, 549/549A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

211/

?

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion
	battery with a capacity up to 130MW / 400MWh) and associated
	infrastructure for connection to the electricity grid (including a
	33kV/275kV substation and a 300m long 275kV transmission line
	between the substation and the 275kV Para-Bungama
The start for the start	transmission line).
Zone / Policy Area:	32 allotments approximately 3 5km north of Crystal Brook and
Subject Land.	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the applic	ation documentation can be viewed at the Department of Planning,
also be viewed during normal business hours at the loc	al Council office (if identified on the public notice).
and the viewed during normal dubiness four of the last	/
Myname: Kygl Kivl	<u></u>
My phone number: 0437 5197	73
PRIMARY METHOD(s) OF CONTACT: Email address:	Kyalkirk @ amail.com
Postal aridress:	14 E-118 Aparl
C_ula)	Postcode 5523
You may be contacted via your nominated PRIMA	<u>RY METHOD(s) OF CONTACT if you indicate below that you wish to</u>
be heard in support of your submission.	
My interests are: [v] owner of local pr	roperty
[] occupier of local	property
[] a representative	of a company/other organisation affected by the proposal
[] a private citizen	CC17
The address of the property affected is	Eyre Rd Postcode 0523
The specific aspects of the application to which I ma	ke comment on are:
Close proximily of	turbles to housing/town.
Margaret and Visial a	umpinitio of Flinders Romass
- 1 V15041 0	
Inadequacy of Curr	ent EPFI wind tarm nuice brick lines
inpart on tV rece	pt- b~
1055 01 Properton	valuation.
I wish to be heard in suppo	ort of my submission
do not wish to be heard in	n support of my submission
(Please tick one)	λ.
by <b>54</b> appearing personally	felles des antiens :
being represented by the	rollowing person :
Cross out whichever doe	s loc apply)
Date: 20.6-18	Signature:
Return Address: The Secretary, State Commission	Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or
scapreps@sa.gov.au	

.

From:

Sent:

To:

John and Lindsey Williams <jandlwilliams@ihug.com.au> Monday, 25 June 2018 5:01 PM DPTI:scapreps Re: Development Application 354/V003/18 Subject: John Williams Representation on Application 25.6.18.pdf **Attachments:** 

Please find attached my representation regarding NEOEN's Development Application 354/V003/18 regarding the proposed Crystal Brook Energy Park for your action.

Regards, John Williams

#### DEVELOPMENT ACT, 1993, S49/S49A -- CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project
	comprising a wind farm (26 turbines with a capacity up to
	125MW), a solar farm (400,000-500,000 solar panels with a
	capacity up to 150MW), an energy storage facility (Lithium-ion
·	battery with a capacity up to 130MW / 400MWh) and associated
	infrastructure for connection to the electricity grid (including a
	33kV/275kV substation and a 300m long 275kV transmission line
	between the substation and the 275kV Para-Bungania
Second Section Access	transmission line).
Zone / Policy Area:	22 alletments approximately 2 5km porth of Costal Brook and
Subject Land:	22 anotheness approximately 5.5km north or crystar brook and
Contact Officer:	Lee Wehh
Bhone Mumber	7109 7066
Claro Data	Friday 29 June 2018
During the notification period, hard conies of the app	lication documentation can be viewed at the Department of Planning,
Transport and Infrastructure, Level 5, 50 Flinders Stre	et, Adelaide during normal business hours. Application documentation may
also be viewed during normal business hours at the l	ocal Council office (if identified on the public notice).
Paris 101 11000	
Ayname: KOSIE VV allace	
Ay phone number: 04044589	69
PRIMARY METHODIC) OF CONTACT. Email addres	· rosielizabeth wallace @gmail
	14 Euro Canal
Postal addres	ss: 11 Cyre Foad
Crys	Fal Brock Postcode 6023
You may be contacted via your nominated PRIM	ARY METHOD(s) OF CONTACT if you indicate below that you wish to
be heard in support of your submission.	
My interests are: + owner of local	property
[v occupier of loc	cal property
L] a representativ	ve of a company/other organisation affected by the proposal
a private citize	n
1 A C.	100 Paral 5523
The address of the property affected is	Postcode.
The specific aspects of the application to which I n	nake comment on are:
- Loss or pronenty	valuation
the second	
- Impalt visually	on the beautiful funders
Ranges	
Unpact on TV rece	eption, noise, lifestyle.
- LLOSK proximity to the	MNSMP-
wish to be heard in sup	port of my submission
do not wish to be heard	in support of my submission
(Please tick one)	
by if appearing personally	
being represented by the	he following person :
(Cross out whichever d	oes not apply)
2016-18	Por Do Do DI
Date: 201010	Signature:
Return Address: The Secretary, State Commission	on Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or

a .

212/

1

## DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

	Neces Australia Dtultd
Applicant:	
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid Tenewable energy project
	comprising a wind farm (26 turbines with a capacity up to
	125MW), a solar farm (400,000-500,000 solar parlets with a
	capacity up to 1500000), an energy storage facility (Lithuin-Ion
	battery with a capacity up to 130000 / 40000001 and associated
	infrastructure for connection to the electricity grid (including a
	33kV/275kV substation and a 300m long 275kV transmission line
	between the substation and the 275kV Para-Bungaria
	transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirle Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and
	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the	application documentation can be viewed at the Department of Planning,
Transport and Infrastructure, Level 5, 50 Flinders	Street, Adelaide during normal business hours. Application documentation may
also be viewed during normal business hours at tr	le local Council office (il identified on the public notice).
INHAL WILLIAM	ns
My name:	42
My phone number: 0439 6814	201 L
PRIMARY METHOD(s) OF CONTACT: Email add	iress: jand Lwilliams Oring, com, au
	d IDGA GODDWOOD ROAD
Postal ad	$\frac{1}{1}$
	MILLSW00D Postcode S034
You may be contacted via your pominated PI	MARY METHOD(s) OF CONTACT if you indicate below that you wish to
he heard in support of your submission	
be near a m support of your submission.	
My interests are: [J owner of lo	cal property
wighterests are. [v] owner of to	local property
[ ] a represent	ative of a company/other organisation affected by the proposal
[] a private cit	izen
The address of the property affected is $50$	PALMER ROAD Postcode SS 23
The address of the property affected is	25GTALOD VALLEY
The specific aspects of the application to which	make comment on are: SITE OFTURBINES FAR TOO CLOSE TO
The specific aspects of the application to which	
MANY DWELLINGS, TURBINES M	VCH TANER AND LARGER CAPACITY THAN PREVIOUS WIND
FARMS, CURRENT LEGISLATIO	W INSUFFICIENT TO CONTROL SUCH AN INCREASE
IN SIZE OF THESE INDUCTRIAL	MON STERS _ OVER TIME THISSCHEME WILL DESTROY
COCAL BUSINESSES AND COMMUN	JITIES STIE OF WIND FATE OF SPECIAL ENVIRONMENT
TOURISM SIGNIFICANCE - NEDEN'S	SUBMISSION IS A LITANY OF MISINFORMATION AND
I IM wish to be heard in s	support of my submission FALSE ASSUMPTION.
[] do not wish to be he	ard in support of my submission PLEASE SEE A TTACHED
(Please tick one)	
by Annearing personally	V .
[] heing represented h	v the following person :
(Cross out whicheve	r does not apply)
	L //
Date: 24/6/2018	Signature: MMMan
Baturn Address: The Secretary State Commis	ssion Assessment Panel, GPØ Box 1815. Adelaide, SA 5001 or
scapreps@sa.gov.au	

John Williams BA(Hons), DipArch, RAIA 59 Palmer Rd, Beetaloo Valley SA 5523 25 June 2018

Dear Planning Officer,

#### **DEVELOPMENT APPLICATION 354/V003/18**

I request your attention, consideration and valued appropriate action in relation to the comments below and NEOEN's application to install a mass of ¼ kilometre high wind turbines, associated roads and industrial size civil works, concentrating the towers on a small portion of land immediately above the outskirts of the township of Crystal Brook and directly facing the well-established Beetaloo Valley local community. I list the following issues that I believe require due and proper consideration before any development is granted approval on this special and significant site.

- a) The proposed wind turbines have been sited far too close to a significant number of dwellings without proper consideration of future health issues, loss of amenity, visual impact and loss of value to the adjoining properties and communities. These turbines will be some of the tallest structures in Australia, very considerably larger, and in a greater concentration than previous developments, rendering all previous guidelines, set back distances, and acoustic requirements seriously outdated. Unless the time is taken to independently review the impact of these towers with their much increased foil size, height and larger capacity turbines there is the risk of having a planning disaster which seriously compromises the various communities in the area.
- b) The proposal runs the risk of reducing future value and development potential of adjoining state and commonwealth owned conservation parks, local historic infrastructure, and the iconic Heysen and Mawson trails. It also risks the hard won 'good will' associated with current tourism ventures. If this massive industrial site reduces the viability of these current operations and any future development, then any short term gain with marginal job opportunities for locals during construction may be seriously outweighed by future degradation of economic opportunities. A few individuals large monetary gain may be at the expense of the wider community's future economic wellbeing and viability.
- c) The development site is part of Beetaloo Valley. On superficial inspection Beetaloo Valley may look void or only sparsely populated by affected residences. However due to the size and nature of the land titles there is a considerable concentration of full time residents directly affected along the valley. When independent verification was requested from NEOEN on future possible disruption from low frequency noise produced by the foils and turbines of the size proposed, with the concentration of turbines in this specific location at the base of the valley, it very soon became apparent that no meaningful data would be provided from NEOEN, and the consultants approached that had the expertise in this field were unlikely to give a residents association information that could jeopardise them getting future consultancy work within the wind farm industry. These turbines are not being sited on a ridge top well away from any homes like many other wind farm developments. The grave concern for Beetaloo Valley residents is, like the Welsh hill farmer calling up the valley to speak to their neighbour who due to the acoustics can very clearly hear what is being said 2 or 3 miles down the valley, with this concentration of turbines in this location there may be a similar affect to the old wind up gramophone where a vibrating needle on a piece of vinyl directed through a horn or a sound box projects the noise across the room or in this

case up the length of the valley. Until we can independently verify the acoustic effect on homes close by to these massive turbines there is a potential of an acoustic disaster for those living near the site. We note that NEOEN appear to be distancing themselves from this scheme and any future liability by getting the land owners of the turbine sites to provide written advice that the turbines will be noisy. South Australia's EPA Act clearly defines limits allowed for noise levels emitted by industrial plant and the like. If independent verification that the EPA requirements can be met by these much larger foils and generators isn't forthcoming, then any approval given prior to this verification would surely have a level of liability. Any independent noise monitoring carried out prior to completion of turbine construction using calibrated equipment to certifiable legally admissible standards could be used for future legal action. When asked at a public meeting what ongoing liability they considered they had for the design and location of these turbines, NEOEN stated very clearly that in their consideration if state government gave approval to this scheme, liability would passed to the government not NEOEN.

- d) If you look at a map of South Australia and the route the Goyder line takes, it will be seen to come diagonally across Eyre Peninsular across the gulf to Kadina then does a quite astounding loop north up between Port Pirie and the Flinders Ranges, then loops across the ranges at Melrose and down the eastern side as far as Kapunda, where it re-joins its original direction. The reason for noting this is to give some indication as to the very special nature of the Southern Flinders Ranges, including Beetaloo Valley and the hills immediately north of Crystal Brook. Throughout our discussions with NEOEN they seemed either not to understand or be disingenuous about the significance of their proposal on the natural environment. It also appears to be totally dismissed by the interstate landscape consultants used in NEOEN's supporting document. Many scientific establishments across Australia have grave concern for the current exponential degradation of flora and fauna across rural Australia. Flinders University are currently operating a survey to track the decline of goannas across the state. They have confirmed there are only 2 sites in this state where Lace Monitors have been consistently recorded. One is a small location on the Murray River; the other is Beetaloo Valley. If you live in Beetaloo Valley you become familiar with these large creatures and their movements up and down the valley along the creek system at different times of the year. To even contemplate blocking/disrupting the passage of wild life up and down Crystal Brook with massive industrial civil work seems incredibly short sighted at the very least. The idea that the landscape consultants suggest that as part of the planning approval the massive concrete foundations can be 'micro sited' and planting can be provided elsewhere to offset the disastrous effect of this proposal seems too ignorant and crass a statement to bear consideration. Understanding the detail of each of the separate regions of South Australia takes a lifetime of expert study. The risk of damage is too great not to get the correct level of independent expert assessment prior to any decision being made.
- e) The local residents have argued against a previous and equally ill-conceived wind farm scheme a few years ago, so inevitably there is a degree of battle weariness to go through it all again with this new proposal. The concern is that the current scheme is worthless without planning approval and will only gain legs if approval is given. If this happens we will have to fight it through the high court and beyond with all the attendant cost, time and stress. Local residents have spent very significant time and savings on building their homes in the most passive and sustainable way, and in harmony with their surroundings. If this scheme gets the go ahead their hard earned serenity will be blown apart. I can't believe that the potential

havoc wreaked by this scheme would be a fair exchange for the monetary gain of a few individuals who appear to be much happier living in Adelaide or Coffin Bay than being part of the community here.



Lace Monitor foraging, Beetaloo Valley

- f) Whenever decisions are made back in Adelaide regarding rural issues there is inevitably a feeling of loss of control by rural communities. Some decisions appear to be made without proper or with only a superficial understanding of the needs of the local community involved. When Mr Weatherill effectively told us we were part of turbine alley and we should put up and shut up in relation to any new proposal, again you felt that any decision arrived at was likely to be made without due consideration of the effect on the local community. You also felt that if towers were being proposed a similar distance away from Mr Weatherill's home they would have not a cats hope in hell of getting approval. Our expectation of a good decision should not be diminished just because we live some hours drive away from Adelaide or because we choose not to live in the metropolitan area or along the 'hills face zone'.
- g) There is also concern that short term advantage and the \$800,000 funding per year for these towers will be reducing over a relatively short period. When more effective technology like the Snowy 2.0, Tasmania's pumped hydro scheme and thermal solar plants start coming on line we will be left with a wind farm that becomes relatively less and less efficient and looks more like rusting dinosaurs marching across the landscape. The Netherlands currently has problems with competing on the European power network. They rely heavily on expensively constructed wind turbines providing electrical output that can't economically compete with other European countries' hydro technology and the like that are able to be turned on when

electricity prices peak and turned off immediately they drop. It seems we are at a stage where less incentive should be given to companies from the other side of the world to make huge profits from South Australia for wind turbines and recoup their construction costs through state funded subsidies within only a few months not years. We request that the state government and the SCAP as their representatives are rigorous in reviewing the viability of this scheme, including any potential problems, before giving approval and the ensuing subsidies. Please make sure in planning terms any approvals from here on in are able to future proof the power network in South Australia. No dinosaurs in our back yard please.

- h) The science is yet to be carried out on the health risk of low frequency noise at the level made by turbines of this size. Again to say that there is no known health risk as NEOEN's submission does is disingenuous to say the least. The wind turbine industry is beginning to get a reputation for tracking down and taking legal action against individuals that question the risks associated with their developments. Consultants that wish to remain on the payroll have to toe the industry's line. If we don't carry out independent assessment of turbines of this size prior to giving approval there is a very significant chance that we will be left with a whole range of problems on completion of construction that are impossible to resolve. Can you please make sure that all the necessary independent expert planning and consultation on this complex application is complete before planning approval is given?
- i) It is revealing to note the projections indicated in Tasmania Hydro's executive summary in support of their latest power network announcement. It clearly shows South Australia's ability to provide peak power, by wind turbines, bumping along the bottom of the graph compared to other states. It is also clear from this report that chemical batteries will never provide sufficient buffer to even out the troughs in supply that wind turbines experience in this state. If subsidies and planning approvals reflect a path best suited for wind farm profits by international companies rather that the best interest of south Australia's electricity users, where then will the money come for the alternative schemes that will solve the problem. Tasmania and many European countries have wind profiles that suit peak power requirements, what we have that Tasmania doesn't is clear skies for solar thermal production during peak power periods. Where will South Australia be when the current batch of wind farms are at end of life and they haven't produced the quality of peak power to sustain viability in this state.
- j) Chemical batteries are unlikely to solve an ailing power system. If Hydro Tasmania's report is correct, even by 2050 they will only be able to maintain a few hours backup nothing like the 24+ hours required to level out the troughs in wind turbine delivery. Federal government is also supporting the Snowy 2.0 planning report. The Tasmanian government is funding the equivalent pumped hydro report for their state, does South Australia have a comprehensive verifiable power network plan specific to our needs to guide planning authorities, or are we just guessing that the current grants to foreign companies, who are making massive instant profits, will give us a long term solution here in this state. Putting a defibrillator outside every pub or food outlet selling high sugar content processed foods may save lives and kick start someone after a heart attack but isn't it better to solve the core problem and have less heart attacks to deal with. Focus on the companies that make large profits from pushing alcohol and sugar intake. Likewise a well-balanced electrical network rather than one heavily loaded in favour of a single system that needs chemical batteries to kick start it back to life after a system failure.

- k) Too many wind farms will cause the problem not solve it. Again if Hydro Tasmania's projections are correct SA will not be able to keep up with the other states for peak power demand if they stick to building more and more wind farms. In planning terms money must be directed into diversification either by solar thermal or even SA's own pumped hydro scheme. If all tax payers' money is directed toward wind farms we are potentially planning for a failure.
- I) Site photos of much smaller turbines show the massive amount of work that goes into forming a footing. These turbines will require 20,000 tons of concrete <u>each</u> plus a quite staggering amount of reinforcement, prior to pouring the concrete steel reinforcement looks like a bird nest covering the whole massive foundation. These turbines are much closer together than previous projects and are being crammed together on the iconic Heysen Trail. As the Heysen Trail travels up through South Australia it picks up most of the best and iconic sites this state has to offer. When it reaches the Bundaleer Forest it takes a dramatic turn west to pick up Crystal Brook and the route up Beetaloo Valley. Crystal Brook at this location is sheer magic with old river gums lining the creek bed. A worthy inclusion in the Heysen Trail which will be totally devastated by this approval. The idea from any consultant with any level of expertise that 20,000 tons of concrete with all the attendant truck and equipment movement during construction can be 'micro managed' is so utterly unbelievable on such a stunningly beautiful site. Do we really have to take any of this report seriously?
- m) Will this planning approval eventually end up turning Crystal Brook into a ghost town? When asked at a public meeting NEOEN could not give an example of a wind farm that came anything like as close to adjoining owner's homes or townships.
- n) In planning terms I can't see how NEOEN's data can be taken at face value without truly independent engineering and scientific comment. If NEOEN's data is taken as verbatim without due diligence, surely, as NEOEN suggests, liability will be passed to the state government and any signatories to this approval. It is emerging in current high profile cases that individuals that thought they were fully protected by the institutions they represent can be found individually liable and sentenced accordingly. Certainly this has already occurred in planning cases in the Europe. If this approval becomes such a disaster that people lose their homes and all their financial assets I suspect there will be an opportunity for a lawyer at some time in the future to take on a class action. If a few landowners can appoint NEOEN to take their case I suspect a much greater number of home owners could appoint a Senior Counsel to act on their behalf.

"When you find something you love, you should look after it, nurture it, and fight for it"...

Yours faithfully,

John Williams.

From:	Irrgy <irrgy1@bigpond.net.au></irrgy1@bigpond.net.au>
Sent:	Monday, 25 June 2018 4:36 PM
То:	DPTI:scapreps
Cc:	DPTI:Minister Knoll; DEWNR:Minister Speirs; DEM:Minister Dan van Holst Pellekaan; admin@saplanningcommission.sa.gov.au; frome@parliament.sa.gov.au; mayor@pirie.sa.gov.au; lstephens@pirie.sa.gov.au; ddevlin@pirie.sa.gov.au; djohnson@pirie.sa.gov.au; azubrinich@pirie.sa.gov.au; kjackson@pirie.sa.gov.au; dgadaleta@pirie.sa.gov.au; nwilson@pirie.sa.gov.au; jpaparella@pirie.sa.gov.au; mhopgood@pirie.sa.gov.au
Subject:	Objection to the proposed Crystal Brook wind farm.
Attachments:	application.pdf

214

Please see the attached form regarding my objection to the proposed wind farm at Crystal Brook - I apologize for it being so short, but I was unaware until recently of the extent of this application and of the short time line. I am happy to expand further on my objections if you wish.

legards Brenton Irrgang 23 Brandis Street, Crystal Brook 5523 0427362778

---

This email has been checked for viruses by Avast antivirus software. https://www.avast.com/antivirus

## DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project
	comprising a wind farm (26 turbines with a capacity up to
	125MW), a solar farm (400,000-500,000 solar panels with a
	capacity up to 150MW), an energy storage facility (Lithium-ion
	battery with a capacity up to 130MW / 400MWh) and associated
	infrastructure for connection to the electricity grid (including a
	33kV/275kV substation and a 300m long 275kV transmission line
	between the substation and the 275kV Para-Bungama
	transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and
Combo at Officer	
Contact Officer:	
Phone Number:	71097008
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Flinders Stree also be viewed during normal business hours at the loc	t, Adelaide during normal business hours. Application documentation may cal Council office (if identified on the public notice).
My name: Brenton Irrgang	
My phone number: 0427362778	
PRIMARY METHOD(s) OF CONTACT: Email address:	irrgy1@bigpond.net.au
Postal address	23 Brandis Street, Crystal Brook
	Postcode 5523
My interests are: [x] owner of local p [] occupier of loca [] a representative [] a private citizen	roperty l property e of a company/other organisation affected by the proposal
The address of the property affected is	is St. Crystal Brook Postcode 5523
The specific aspects of the application to which I ma	ke comment on are:
I respectfully request that the wind tower app	lication not be approved for the following reasons:
Too close to the town and outlying residents	and would cause noise pollution, would restrict fire fighting
eg planes due to their height and possibly p	ut people at risk, the Flinders Ranges are a local, national and
international tourist attraction - who would wa	ant to go there to see a whole pile of unsightly wind towers.
Property values would fall and peoples health	- both mental and physical would be affected.
[X] wish to be heard in supp	ort of my submission
[] do not wish to be heard i	n support of my submission
(Please tick one)	
by [] appearing personally [] being represented by the (Cross out whichever doe	e following person : es not apply)
Date: 25/06/2018	Signature: B. Augang
Return Address: The Secretary, State Commission	Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or
scapreps@sa.gov.au	

From:Lindsey Williams < Iwilliams@ihug.com.au>Sent:Monday, 25 June 2018 4:14 PMTo:DPTI:scaprepsSubject:Representation on Application 354/V003/18Attachments:L Williams Representation on Application 25.6.18.pdf

Dear Sir/Madam,

Please refer to attached submission for your attention and action.

Regards,

()

Lindsey Williams

## DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/\003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Flinders S also be viewed during normal business hours at th	treet, Adelaide during normal business hours. Application documentation may e local Council office (if identified on the public notice).
Myname: LINDSEY WILLIA	MS
Ay phone number: 0405 559	130
RIMARY METHOD(s) OF CONTACT: Email add	ress: Iwilliams @ ihug. com.au
Postal add	lress:
	Postcode
All interests are: M owner of loc [Y occupier of [] a representa [] a private citi	cal property local property ative of a company/other organisation affected by the proposal izen
he address of the property affected is $59$ P	ALMER RD BEETALOO VALLEY Postcode 5523
he specific aspects of the application to which	I make comment on are: PLEASE REFER TO ATTACH
NETTER (5 PAGES)	
<ul> <li>wish to be heard in s</li> <li>do not wish to be heard</li> <li>(Please tick and)</li> </ul>	upport of my submission ard in support of my submission
by [U appearing personally [] being represented by (Cross out whichever	y the following person :
Date:	Signature: UWMAMJ
teturn Address: The Secretary, State Commis	sion Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or
capreps@sa.gov.au	

.

.

Lindsey Williams Iwilliams@ihug.com.au 25 June 2018

TO: SCAP scapreps@sa.gov.au

#### **REPRESENTATION ON APPLICATION**

I write regarding Development Application 354/V003/18.

I am completely supportive of the solar farm and battery storage aspects of the proposal. However I have significant concerns regarding the proposed windfarm component.

The proposed turbines are to be located on the southernmost tip of the Flinders Ranges. The beautiful landscape of the Flinders is an iconic natural feature in South Australia and an important state, national and international eco-tourism destination. It is also a magnificent and serene environment in which to live. We all need to be rigorous about the preservation of our remaining natural heritage and landscapes, not just for ourselves but for our grandchildren's grandchildren. To do this we must be prepared to look at the big picture, and call out inappropriate development in iconic settings. This is a proposal where short term gain will be at the expense of long term, irreparable physical damage. There may well be knock on effects for tourism at Crystal Brook, and there is a distinct possibility that jobs gained by the development will be offset by jobs lost in the ecotourism sector.

It is my belief that it would be reckless for the SCAP to grant approval for the application with the windfarm in this location. I consider the following aspects need to be fully resolved before any assessment is made by the Panel:

#### 1. Proposed development within the Rural Landscape Protection Zone

The proposal as submitted includes at least one Wind Turbine Generator (WTG) located in Rural Landscape Protection Zone (RLPZ) Policy Area 12. This is totally at odds with the desired character of the zone as described by the Port Pirie Council Development Plan, consolidated October 2017, and should be refused outright to avoid the possibility that a precedent is set for further industrial development within an zone where the intent is "to preserve the natural and rural character...of the ranges". Another 2 WTGs are proposed on land parcels that are partially or mostly within the RLPZ - due to the nature of the application it is difficult to assess whether the WTGs are within the RLPZ. These should be subject to specific conditions to ensure the zone boundary isn't traversed by micrositing. Preferably, if permitted at all, they should be relocated well clear of this boundary. Cabling through the RLPZ both north and south of Wilkins Highway should be subject to stringent conditions regarding land parcel-specific flora and fauna surveys (no survey appears to have been carried out north of the Wilkins Highway), construction methods and reparation proposals, to ensure the long term integrity of this zone. NEOEN's application states categorically that the proposed development is within the Primary Production Zone and does not include any acknowledgement of the WTGs or cabing routes within or immediately adjacent to the RLPZ.

#### 2. Height of WTGs as proposed

NEOEN has advised that the WTGs may be up to 240m in height. The proposed height of hubs (161m) is only 4 m short of the total height proposed at Palmer Wind Farm, which itself is well above the next tallest turbines approved in South Australia, and twice as tall as the majority of WTGs in this state. Most WTGs in South Australia are 100 - 140m high to blade tip, with hub heights of 60 - 90 m. 240m is only just short of some of the tallest buildings in Australia, and nearly twice as high as Westpac house (132m), the tallest building in Adelaide. That they are twice as high as others along Highway 1, ie, Snowtown, Clements Gap, approved Pt Augusta wind farm, indicates that this is perhaps not the best site for wind generation. The need for this enormous height is not explained anywhere except in relation to towers on flat land to the east of the ranges. I note also that 2 allotments nominated as WTG locations have none shown. Approaching the wind farm from either direction on the Wilkins Highway, the WTG closest to the road will be in the order of 290m – 300m above the road, and within the same distance set back. From Crystal Brook township, they will be 390m above the height of the main street. The Landscape Visual Impact Assessment (LVIA) asserts that that the project will not have a significant visual effect on the character of surrounding residential localities. That is a subjective viewpoint, at odds with the assessment of many local residents. The wind aspect (and therefore the application as submitted) should not be approved at all unless the maximum permissible height is significantly reduced and strictly enforced.

#### 3. Spacing of WTGs as proposed

The WTGs are shown irregularly spaced, between 400m and 730m apart as scaled from the mud maps provided in the application. Regular spacing is an explicit principle of Wind Farm development in terms of visual impact, refer p76 of the Port Pirie Council Development Plan, consolidated October 2017 and SA Windfarm Development Guidelines 2014. The proposal is therefore non-compliant. Spacing in the windward direction for 160m high turbines at Pt Augusta is 500m, so by interpolation these should be 750m apart to have the same density effect. Similarly, by interpolation, the regular rows should be a minimum of 1.2 km apart. Clearly these figures are based on achieving a similar density to a similar current project, where turbines will be only 60% of the height of the Crystal Brook proposal. I do not presume to suggest optimum spacing for wind turbulence or noise output minimisation and the like. Visually, the spacing needs to be regular. At the proposed height, there needs to be a much greater & enforceable, space between the WTGs.

#### 4. Inaccuracies, errors and omissions in documentation

Whilst reading the application, I noted a considerable number of errors and inaccuracies in the documentation submitted. Although these items might appear petty or minor, it seems to me that they are indicative of a proposal that is lacking in clarity and detail. Examples include: erroneous nomenclature such as the "Crystal Brook ranges" (they are the Flinders Ranges), erroneous information regarding the route of the Crystal Brook and Heysen trail route, lack of consistency in proposal between different site layouts. Table 3.1 calls up wind "s and n of Wilkins Highway". Two CTs are called up in the land parcel list for WTGs with no turbines noted on any of the site layouts. There is no site plan showing the CTs, which I understand to be a standard requirement for Development Applications. There is no standard format scale nominated on the site layouts provided. NEOEN's application does not include any reference to the fact that aspects of the project including turbines and cabling

are clearly located in the Rural Landscape Protection Zone, and states categorically on the application cover page that the proposed development is within the Primary Production Zone.

I note that all site layouts are labelled DRAFT. There are no identifiers against the WTGs in the primary document (Vol 1), and connection routes, private access roads including junctions with public roads, fence lines around various elements and the like are not identified on site layouts. Several of the WTGs appear to be located extremely close to public roads, and there is no indication of what safety measures will be in place to protect the general public from failure of towers or blades, or what actual setback is proposed. No geotech studies have been reported, so the "micrositing" of WTGs may become "macrositing" in order to find satisfactory founding material and provide cost-effective footing structures.

The LVIA assesses the characteristics of a number of properties as high sensitivity, high duration, high or moderate extent and high overall magnitude, but grades these properties as having only moderate visual effect. This seems an unlikely result. High + high + high + high would normally indicate a resultant outcome of high. The LVIA in its summary of visual impact notes that "2 of the 14 locations" would experience a moderate to high visual impact; however 1 of these "locations" refers to 15 individual dwellings, so in fact 16 of the 30 properties (more than 50%) assessed would experience a moderate to high visual impact. There are at least two other properties along Beetaloo Valley Rd, within a couple of hundred metres of H19 but located at higher elevations, which would have a constant, significant view of all turbine hubs and blades. These have not been mentioned in the assessment. The idea that the difference between views at 3 km and 3.2 km is so great as to render the latter undeserving of assessment would be laughable if it weren't so sad for the residents. All assessments take into account all three aspects of the development, i.e. solar farm and battery storage as well as wind farm even where the former are known to not be visible due to their relatively low height and intervening landforms. However these aspects are still used to downgrade the overall visual effect. This is disingenuous at least, and could be considered deceitful.

It seems unreasonable to expect that the Panel can properly assess a DRAFT layout. It could be inferred that this is something of an ambit application, submitted in a scramble just one day before expiry of Crown sponsorship.

#### 5. Inaccurate reporting and bias

The report uses poll data without qualification. The results of the poll trumpeted on page 3 of the application could (mathematically) be responses from as few as 43 individuals living more than 20 km from the site. There is no indication of when the poll was conducted, how long it ran for, whether multiple votes could come from 1 computer/user, or what the readership of the particular newsletter is. The poll should be discounted as an indication of local support for the project, particularly in light of the more than 800 signatories to a local petition against the wind farm component that was presented to the state government last year. The application also insinuates the BVA as troublemakers, not as residents who have a valid vested interest in the outcome of the proposal.

As would be expected, the various consultants' reports have been paid for by NEOEN or the proponent landholder. Naturally, each report has been constructed and edited to provide the best possible slant on the data collected. But there are omissions in reporting – such as the acoustic consultant's refusal to provide a copy of raw data collected to the households where sound monitoring was carried out, and the plethora of wildflowers which were not blooming when the landscape data was collected. The windfarm best practice guidelines for flora study advise that it should be carried out in spring when the majority of wildflowers are in growth/blooming. NEOEN have been working on this proposal for more than 12 months so had the opportunity to accomplish this but didn't.

I acknowledge the community consultation that was carried out by NEOEN in respect of the property owners and residents of Beetaloo Valley. However the residents of Crystal Brook were not recipients of anything like the same level of genuine consultation. In fact the revised scheme as submitted, with significantly higher impact on the township and surrounding rural households than the initial scheme, was shown to residents without overarching explanation (eg public meeting/presentation), just a display on a weekday to individuals as they came along, and without the benefit of a public forum, THREE DAYS before the application was submitted. This is hardly community consultation let alone best practice consultation. Although NEOEN claim that this was the third public display in Crystal Brook, I can find no record, including on NEOEN's Crystal Brook Energy Park website, of the 2<sup>nd</sup> open day they claim to have held in August 2017. I was certainly not aware of it at the time. The open day held back on March 2017 was for a significantly different proposal.

NEOEN acknowledge that there may be interference to TV reception, but propose to "maybe choose" to do something about it. How will NEOEN come to a decision about whether they choose to make reparation for disruption of TV reception? The people of Crystal Brook and others in direct line of the Bluff south and east of the proposed WTGS deserve to be able to access local TV content as they can at present, and which is not available via Satellite TV. There is no mention in any report about whether there will be interference with mobile phone coverage – this is already an issue in this area and must not be reduced by the proposed development.

#### 6. Inappropriate or naïve proposals

My understanding of fauna movement is that it varies according to season and available food and water sources, and relies on flora corridors rather than discrete patch habitats. How will diamond firetails know to stay within 100m of the habitat assigned to them?

How will the assessment be made as to whether turbine footing requirements outweigh the requirements of native flora and fauna habitat? If 20,000 tonnes or more of concrete is required for each footing, this can hardly be expected not to displace local native vegetation and disrupt local fauna habitat.

With WTGs 240m high, on top of hills which sit significantly above adjacent roads, towns and individual residences, how can any assessment of visual impact come up with a finding of moderate? The whole landscape of the Flinders Ranges immediately north of Crystal Brook will be massively affected.

I note the intent to address potential impacts to Aboriginal Heritage during construction phase. By the time constructions starts surely it will be too late to do this.

#### Conclusion

In conclusion, I reiterate my belief that locating a windfarm on the Flinders ranges is illjudged, short-sighted and driven by the greed of a handful of local landowners to the detriment of hundreds of other local people including the property owners and residents of Crystal Brook, Beetaloo Valley and Gladstone. The Crystal Brook Energy Park should not be approved to proceed in its current form.

Lindsey Williams 25 June 2018

From:	Jessica Koch <jkoch@pringlescrouch.com.au></jkoch@pringlescrouch.com.au>
Sent:	Monday, 25 June 2018 11:45 AM
То:	DPTI:scapreps
Cc:	DPTI:Minister Knoll; ministerspeirs@sa.gov.au; lstephens@pirie.sa.gov.au; azubrinich@pirie.sa.gov.au; nwilson@pirie.sa.gov.au; DEM:Minister Dan van Holst Pellekaan; admin@saplanningcommission.sa.gov.au; ddevlin@pirie.sa.gov.au; kjackson@pirie.sa.gov.au; paparella@pirie.sa.gov.au; frome@parliament.sa.gov.au; mayor@pirie.sa.gov.au; djohnson@pirie.sa.gov.au; dgadaleta@pirie.sa.gov.au; mhopgood@pirie.sa.gov.au
Subject:	Attn: Secretary, Statement Commission Assessment Panel
Attachments:	Wind farm oppose.docx; WINDFARM002.pdf

To Whom it may concern,

Please find attached our submission form in opposition to the proposed energy park at Crystal Brook, have also attached a letter explain why we are strongly against this project going ahead, rust you take our concerns in to consideration when commenting on Neoen's proposal, Kind Regards,

Jessica & Joe Koch

Kind regards Jessica Koch Precision Ag Consultant P: F: 08 8636 2088 E: jkoch@pringlescrouch.com.au W: www.pringlescrouch.com.au





Wudinna | Kimba | Cleve | Cummins | Crystal Brook 26 Brandis St, Crystal Brook, SA, 5523

is e-mail and its attachments may be confidential and are intended solely for the use of the individual to whom it is addressed. If you are not the ended recipient of this e-mail and its attachments, you must take no action based upon them, nor must you copy or show them to anyone. Please contact the sender if you believe you have received this e-mail in error.

## DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT **REPRESENTATION ON APPLICATION**

216/

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project
	comprising a wind farm (26 turbines with a capacity up to
	125MW), a solar farm (400,000-500,000 solar panels with a
	capacity up to 150MW), an energy storage facility (Lithium-ion
	battery with a capacity up to 130MW / 400MWh) and associated
	infrastructure for connection to the electricity grid (including a
	33kV/275kV substation and a 300m long 275kV transmission line
x	between the substation and the 275kV Para-Bungama
	transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and
•	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the application	ation documentation can be viewed at the Department of Planning,
Transport and Infrastructure, Level 5, 50 Flinders Street.	Adelaide during normal business hours. Application documentation may
also be viewed during normal business hours at the loca	I Council office (if identified on the public notice).
Nname: JESSICA KATE K	$\angle OC   -  $
1000000000000000000000000000000000000	5
	income bung will be when to
RIMARY METHOD(s) OF CONTACT: Email address: _	Jessica. Dreezin, Mauniour. CCM
Postal address:	PO POX 13 BOOLEROO
CENITA	E Ch 5487 Data = 487
CEIVIK	C 07 5102 Posicode 990 2
ou may be contacted via your nominated PRIMAR	RY METHOD(s) OF CONTACT if you indicate below that you wish to
ou may be contacted via your nominated PRIMAR	<u> Y METHOD(s) OF CONTACT if you indicate below that you wish to</u>
ou may be contacted via your nominated PRIMAF e heard in support of your submission.	RY METHOD(s) OF CONTACT if you indicate below that you wish to
ou may be contacted via your nominated PRIMAF e heard in support of your submission.	<b>RY METHOD(s) OF CONTACT if you indicate below that you wish to</b>
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ay interests are: [] owner of local pro	<u>RY METHOD(s) OF CONTACT if you indicate below that you wish to</u> operty property
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ay interests are: [] owner of local pro [] occupier of local pro [] a representative of	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ay interests are: [] owner of local pro [] occupier of local pro [] a representative of [] a private citizen	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal
You may be contacted via your nominated PRIMAF         The heard in support of your submission.         Aly interests are:       []         Owner of local properties         []       occupier of local properis         []       occupier of	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal
ou may be contacted via your nominated PRIMAF <u>e heard in support of your submission.</u> Ay interests are: [] owner of local pro [] occupier of local pro [] a representative of [] a private citizen be address of the property affected is 26 BCF	appropriate the property of a company/other organisation affected by the proposal $\Delta \mathbf{N}$ DIS ST CRYSTAL BROK postcode 5523
ou may be contacted via your nominated PRIMAF         e heard in support of your submission.         Ay interests are:       []         owner of local pro         []       occupier of local pro         []       a representative of []         []       a private citizen         he address of the property affected is       2.6	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal
ou may be contacted via your nominated PRIMAF <u>e heard in support of your submission.</u> Ay interests are: [] owner of local pro [] occupier of local [ [] a representative of [] a private citizen he address of the property affected is 26.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRASTAL BROWPostcode 5523
ou may be contacted via your nominated PRIMAF <u>e heard in support of your submission.</u> Ay interests are: [] owner of local pro [] occupier of local [ [] a representative of [] a private citizen he address of the property affected is 26.6.6 he specific aspects of the application to which I mak	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROWPostcode 5523 Recomment on are:
ou may be contacted via your nominated PRIMAF         e heard in support of your submission.         Ay interests are:       []         owner of local pro         []       occupier of local pro         []       a representative of         []       a representative of         []       a private citizen         he address of the property affected is       2.6         he specific aspects of the application to which I mak       Precedence	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROWPostcode 5523 Recomment on are:
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ay interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a private citizen he address of the property affected is 26 BCC he specific aspects of the application to which I mak Precedence of building t	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROW Postcode 5523 Recomment on are: HUNDINES CON Flinders Range
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ay interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a private citizen he address of the property affected is $26$ BCF he specific aspects of the application to which I mak Precedence of building to 2000000000000000000000000000000000000	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROG Postcode 5523 ADOIS ST CRYSTAL BROG Postcode 5523 ADOIS ST CRYSTAL BROG Postcode 5523 ADOIS ST CRYSTAL BROG Postcode 5923
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ay interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a representative of [] building for the application to which I make Precedence of building for the application to which I make [] building for the application to which I make building for the application to which	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ANDIS ST CRYSTAL BROW Postcode 5523 Recomment on are: HUY bines on Flinders Range Wireless in ternet
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ay interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a representative of [] building for the application to which I make Precedence of building for the application of the property of the application to which I make [] building for the property of the application to which I make [] building for the property of the property	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROWPostcode 5523 Recomment on are: LUX bines on Flinders Range Mireless internet to fight wildfire in the Fli
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Any interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a representative of [] building for the application to which I make Precedence of building for the application to which I make [] building for the application to which I make building for the ap	AY METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROW Postcode 5523 Recomment on are: LUX bines on Flinders Range Wireless internet to fight wildfire in the Fli
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ay interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a representative of [] a representative of [] building f [] building	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROWPostcode 5523 Recomment on are: LUX bines on Flinders Range WIRELESS internet to Fight Wildfire in the Fli the SC + 26 Port Pirie
<u>ou may be contacted via your nominated PRIMAF</u> <u>he heard in support of your submission.</u> Ay interests are: [] owner of local provide the specific of local provide the property affected is 26. BFF he address of the property affected is 26. BFF he specific aspects of the application to which I make <u>Precedence</u> of building the property of the project of the property of the project of the p	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROWPostcode 5523 Recomment on are: tuy bines on Flinders Range Wireless internet to fight wildfire in the Fli these 26 Port Pirie
<u>ou may be contacted via your nominated PRIMAF</u> <u>he heard in support of your submission.</u> Ay interests are: [] owner of local property affected is local p	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROWPOStcode 5523 Recomment on are: turbines on Flinders Range Wireless internet to fight wildfire in the Fli these 26 Port Pivie Takers - Hoots viduations
ou may be contacted via your nominated PRIMAF e heard in support of your submission. All interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] occupier of local pro- [] occupier of local pr	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROKPostcode 5523 Recomment on are: turbines on Flinders Range turbines on Flinders Range turbines internet to fight wildfire in the Fli these 26 Port Pirie Towers - thats ridiculous
ou may be contacted via your nominated PRIMAF e heard in support of your submission. All interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] occupier of local pro- [] occupier of local pr	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROKPostcode 5523 Recomment on are: turbines on Flinders Range wireless internet to fight wildfire in the Fli these 26 Port Pirie Towers - thats ridiculous rt of my submission
ou may be contacted via your nominated PRIMAF e heard in support of your submission. All interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a representative of [] a private citizen he address of the property affected is 26 Bre- he specific aspects of the application to which I mak Precedence of building to [] he specific aspects of the application to which I mak Precedence of building to [] he specific aspects of the application to which I mak [] he specific aspecific aspecific aspecific aspecific aspecific aspecific a	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROKPostcode 5523 see comment on are: turbines on Flinders Range turbines on Flinders Range turbines internet to fight wildfire in the Fli these 26 Port Pirie towers - thats ridiculous rt of my submission
ou may be contacted via your nominated PRIMAF e heard in support of your submission. All interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a representative of [] a private citizen he address of the property affected is 26 BCA he specific aspects of the application to which I mak Precedence of building to [] Mage to be able [] Mage to be able [] Mage to be able [] Mage to be able [] Mage to be heard in suppor [] do not wish to be heard in suppor [] do not wish to be heard in suppor [] do not wish to be heard in suppor	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROCKPostcode 5523 Recomment on are: HUNDINES ON Flinders Range Wireless internet to fight wildfire in the Fli these 26 POrt Pivie towers - thats ridiculous rt of my submission
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ally interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] building for [] building f	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROWPostcode 5523 see comment on are: turbines on Flinders Range Wireless internet to fight wildfive in the Fli these 26 Port Pirie tawers - Hats ridiculous rt of my submission
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ally interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a private citizen he address of the property affected is 26 BCF he specific aspects of the application to which I mak Precedence of building to [] he specific aspects of the application to which I mak Precedence of building to [] he specific aspects of the application to which I mak [] he specific aspects of th	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROWPostcode 5523 see comment on are: turbines on Flinders Range Wireless internet to fight wildfive in the Fli these 26 Port Pirie tawers - Hoats ridiculous rt of my submission support of my submission
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Any interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a representative of [] a representative of [] a private citizen he address of the property affected is $26$ . BCF he specific aspects of the application to which I mak Precedence of building to Precedence of building to [] he sheev size of [] he sheev size of [] do not wish to be heard in suppor [] do not wish to be heard in suppor [] do not wish to be heard in (Please tick one) [] being represented by the f (Cross out whichever does	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ADOIS ST CRYSTAL BROWPostcode 5523 we comment on are: twbines on Flinders Range Wireless internet to fight wildfire in the Flinders to my submission
ou may be contacted via your nominated PRIMAF e heard in support of your submission. All interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a private citizen he address of the property affected is 26.664 he specific aspects of the application to which I mak Precedence of building for [] he specific aspects of the application to which I mak Precedence of building for [] he specific aspects of the application to which I mak Precedence of building for [] he specific aspects of the application to which I mak Precedence of building for [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he appearing personally [] he ing represented by the for [] he appearing personally [] he ing represented by the form of the application to which ever does [] he appearing personally [] he ing represented by the form of the application to which ever does [] he appearing personally [] he ing represented by the form of the application to which ever does [] he applicatio	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ANOIS ST CRYSTAL BROWPostcode 5523 we comment on are: turbines on Flinders Range uvireless internet to fight wildfire in the Flinders to fight
ou may be contacted via your nominated PRIMAF e heard in support of your submission. Ally interests are: [] owner of local pro- [] occupier of local pro- [] occupier of local pro- [] occupier of local pro- [] a representative of [] a representative of [] a representative of [] a private citizen he address of the property affected is 26.664 he specific aspects of the application to which I mak Precedence of building to [] he specific aspects of the application to which I mak Precedence of building to [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he specific aspects of the application to which I mak [] he ing represented by the f [] he ing represented by the	AV METHOD(s) OF CONTACT if you indicate below that you wish to operty property of a company/other organisation affected by the proposal ANOIS ST CRYSTAL BACKPostcode 5523 see comment on are: twibines on Flinders Range Wireless internet to fight wildfire in the Fli the SC 26 POrt Pirie towers - thats ridiculous rt of my submission support of my submission following person : not apply) Signature: Method

P.

# Breezy Hill Ag

PO Box 13 Booleroo Centre SA 5482 Phone: 0407986557

Email: Jessica.breezyhill@outlook.com

I write to you with grave concerns about the proposed wind turbines planned for Crystal Brook. Although I no longer reside at Crystal Brook, I lived there for the first 19 years of my life and it is still my workplace. I now live at Booleroo Centre.

Building a wind farm on the Flinders Ranges sets a dangerous precedence for companies like Neoen in to the future. Where will it stop?! There are already test towers placed at Murraytown, and once the floodgates are open to build these structures on the Flinders we are frightened that we will have our section of the range targeted next. Melrose has gone from a sleepy quiet town to a booming tourism hub that thousands visit on the way the upper Flinders. Why risk tourism on any stretch of this ancient range?

We feel that wind turbines are one of the most invasive, unimaginative, unnecessary, community dividing, nature destroying forms of renewable energy. We would love to see more renewable energy options available in the Mid North but would prefer to see solar parks built on low productive land where they have far less visual impact on the landscape.

As an employee of a business based in Crystal Brook, I am concerned about the effect on our wireless broadband. My job relies on high speed, reliable internet, and at the moment our business already struggles to obtain the speeds we need upload and download agricultural data. Neon have acknowledged in their application that wireless broadband will be affected in Crystal Brook but cannot comment to what extent. This is not good enough.

We are CFS volunteers at Booleroo Centre, and my brother (who resides in Crystal Brook) is a volunteer at the Crystal Brook brigade. We were both involved in fighting the Bangor fire back in 2014. We know full well how the slow reaction time with air bombers caused the fire to get away – we were fighting it on foot when it happened. If a fire of this nature broke out in the vicinity of the wind turbines, aerial bombers would not be able to affectively assist. Given the increased stubble load on paddocks in this day and age, this is incredibly dangerous and puts Crystal Brook at risk.

Although some residents have expressed their excitement for \$80,000 per year to go to Crystal Brook community, we personally think this is a pathetic reimbursement for the negative impacts their project will incur to the people. My brother has recently spent his life savings to purchase a large block on Talbot Road, facing the proposed windfarm. He is in the twenties, and along with many other young couple has chosen this location for its beautiful view and his love for the rural living, he is a community volunteer and intends to be a long term resident at Crystal Brook and raise a family here. How is it fair that he could now spend the rest of his life staring at

turbines which peak at 380m above sea level?! NO OTHER WIND TURBINES ARE AS CLOSE OR AS INTRUSIVE ON A REGIONAL TOWN IN AUSTRALIA AS THESE WOULD BE. 26 TOWERS THE SIZE OF THE PORT PIRIE LEAD SMELTER, JUST 3KM FROM HIS HOUSE! Personally I think it gives little incentive for more young couples to purchase and invest in blocks and homes on the Northern side of the town.

I feel than anything less than a strong opposing position from the local Members, Chairs and Councilors of Crystal Brook and Port Pirie districts would be a gross misrepresentation of what the community wants and needs – this windfarm proposal to be squashed.

Joe and Jess Koch

Breezy Hill Ag

29/03/2016

From: Sent: To: Subject: Attachments: Julie Arbon <susan.arbon@bigpond.com> Monday, 25 June 2018 10:05 AM DPTI:scapreps CB energy park IMG\_1461.JPG; ATT00001.txt

217/

DEVELOPMENT ACT, 1993, SARYOPA - CREATER COTT REPRESENTATION ON APPLICATION		
hadring	Neuron Apatrona Phy 114	
Convertedpression for another:	1 Maryany 36	
Kathers of Development.	Consequences a solid factor (16 solidones with a consecting system 12-bitwey), a similar factor (160 solid spits) for consecting system conserving as in to Utobarroy, and some gravity and present with a formative structure of the consection for the conserving spit factors for a final distribution factor consections for the conserving spit factors which factor formative factors and a structure of the conserving spit factors which factor formative factors and a structure of the conserving spit factors which factor formative factors and a structure of the conserving spit factors which factor formative factors induced and the 27 party Paces theory and factors and a structure of the structure factors.	
	Rearry Colors Body Port Pole Beginnal Church	
Zana / Pulley Arek	A standard and a standard and a standard at the source of Constant Broads and	
Subject Land:	2 Thm iduate east of Part Fine.	
Contraction Statistics	Les Wind	
Constant Constant	710% 70%	
Circus Budat	Foldary 29 Junio 2018	
Enough the excitation period, here a commu- tion opport and hit converting, tarrel 5, 50 Hz adult to vieweed their operand business from	A few Money, Andrody during record business fourt. Application decommentation on edges based toward office of Manifold on the public notice).	
ROBYH COMI	AE	
Advantage monthly		
success to the second s	and address	
Animates we consider a structure	11 PO Bes 160 5500	
	CEVERI PEOOR PURCHE 2323	
You may be contacted the send resting to based in support of your submission	AND PROMARY METHODOLO OF CONTACT IF you indicate links that you will	
the solution of the property alleded to Two specific segments of the mediation to Two Choice Angellier <u>Two Choice Angellier</u> <u>Two Choice Angellier</u> <u>Two Choice Angellier</u>	is of the distances in a company without angunation allocted by the proposal internation of a company with company with company with company of the company	
21 mmh Hallen h	and in support of my submittees.	
M da rod with Dissor bits by 11 Augustria pro- Dissor bits Data pro-	to be heard in support of any solitonistics one) estimately manadity (he billowing period) Authories item apply)	
	and they take	

 $\bigcirc$ 

 $\bigcirc$
From:	Stuart Beinke <mambinx@hotmail.com></mambinx@hotmail.com>
Sent:	Monday, 25 June 2018 7:44 AM
То:	DPTI:scapreps
Subject:	Response to Neoen Crystal Brook Energy Park Development Application
Attachments:	SB_Coversheet.jpeg; SBResponse to Neoen Application.docx

Dear SCAP Members, Please find attached my response to the Neoen Development Application

Sincerely Stuart Beinke

Development Number:       354/003/18         Nature of Development:       Crystal Brock Energy Park - Hybrid renewable energy project         Comprising a wind farm (26 turbines with a capacity up to 125MW), as olar farm (400,000-500,000 solar panels with a capacity up to 130MW), an energy storage failing (Lithium-ion battery with a capacity up to 130MW), and sociated infrastructure for connectivity and including a 33KV/275KV substation and a 300m long 275KV transmission line between the substation and the 275KV Para-Bungama transmission line).         Zone / Policy Area:       Primary Industry Zone - Port Price Regional Council 23km south-east of Port Price.         Contact Officer:       Lee Webb         Phone Number:       7109 7066         Cose Date:       Friday 29 June 2018         During the notification period, hard copies of the application documentation and be viewed at the Department of Planning.         Transport and Infrastructure, Lever S, Soff Mider Street, Adelaid during normal busines shours, application documentation mails be viewed during normal busines hours at the local Council office (if identified on the public notice).         Mame:       State Added during normal busines hours at the local Council office (if identified on the public notice).         Mare METHOD(s) OF CONTACT:       Email address:       Soff Address Street, Addelaid during normal busines, Boerda Lever Malley, Red       Sof 23         out may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish e heard in support of only submission       If with to be heard in support of	Applicant:	Neoen Australia Pty Ltd
Nature of Development:       Crystal Brook Energy Park - Hybrid renewable energy project         comprising a wind fam (25 turbines with a capacity up to 125MW), a solar fam (400,000-500,000 solar panels with a capacity up to 125MW), an energy storage facility (Liblum-ionated infrastructure for connection to the electricity grid (nucling a 33W/275K) variantsion line battery with a capacity up to 125MW // 400MWh) and associated infrastructure for connection to the electricity grid (nucling a 33W/275K) variantsion line battery with a capacity up to 125MW // 400MWh) and associated infrastructure for connection to the electricity grid (nucling a 33W/275K) variantsion line between the substation and the 275KP Para-Bungama transmission line).         Zone / Policy Area:       Primary Industry Zone - Port Price Regional Council         Zone / Subject Land:       22 allotments, approvimatively 35km north of Crystal Brook and 23km south-east of Port Price.         Lee Webb       Prinary Industry Zone - Port Price Regional Council         Phone Number:       7109 7066         Close Date:       Friday 29 June 2018         During the notification period, hard copies of the application documentation can be viewed at the Department of Planning.         Transport and Infrastructure, Level 5, 50 Finders Street, Adelaide during normal business hours, Application documentation main acto be viewed during normal business hours. Application documentation and be viewed at the Department of Planning.         Ymame:       Study and berge         Yup Area       Berkel Koo Valley         Yothone number:       Goog Berge Kel Koo Valley </td <td>Development Number:</td> <td>354/V003/18</td>	Development Number:	354/V003/18
Zone / Policy Area:       Primary Industry Zone - Port Pirie Regional Council         Subject Land:       32 allotments, approximately 3.5km north of Crystal Brook and         Subject Land:       32 allotments, approximately 3.5km north of Crystal Brook and         Contact Officer:       Lee Webb         Phone Number:       7109 7066         Coses Date:       Friday 29 June 2018         During the notification period, hard copies of the application documentation can be viewed at the Department of Planning,         Transport and Infrastructure, Level 5, 50 Finders Street, Adelaide during normal business hours. Application documentation ma         also be viewed during normal business hours at the local Council office (if identified on the public notice).         ty name:       Studart Bernke         wighther instructure, Level 5, 50 Finders Street, Adelaide during normal business hours. Application documentation ma         also be viewed during normal business hours at the local Council office (if identified on the public notice).         ty name:       Studarts:         Studers:       Studarts:         Yotal address:       Studarts:         Yotal	Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Subject Land:       22 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.         Contact Officer:       Lee Webb         Phone Number:       7109 7066         Close Date:       Friday 29 June 2018         During the notification period, hard copies of the application documentation can be viewed at the Department of Planning, Transport and infrastructure, Level 5, 50 Finders Street, Adelaide during normal business hours at the local Council office (if identified on the public notice).         tay phone number:	Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Contact Officer: Lee Webb Phone Number: 7109 7066 Cose Date: Friday 29 June 2018 During the notification period, hard copies of the application documentation can be viewed at the Department of Planning, Transport and Infrastructure, Level 5, 50 Therefore Street, Adelaide during normal business hours: Application documentation mails be viewed during normal business hours at the local Council office (Fidentified on the public notice). It name: Stuart Beinke (v phone number: RIMARY METHOD(s) OF CONTACT: Email address: Mambinx @ hot mail.gom Postal address: SO3_Beela too Valley_Rd Beela too Valley_Rd Postode ≤5523 Dou may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish e heard in support of your submission. It is not wish to be heard in support of my submission (I wish to be heard in suppo	Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Phone Number: 7109 7066 Close Date: Friday 29 June 2018 During the notification period, hard copies of the application documentation can be viewed at the Department of Planning. Transport and Infrastructure, Level 5, 50 Finders Street, Adelaide during normal business hours. Application documentation maile to be viewed during normal business hours at the local Council office (if identified on the public notice). Ity name: Stuart Beinke for phone number: RIMARY METHOD(s) OF CONTACT: Emaileddress: Mambinx @ hot mail . Gom Postal address: S03_Beela to Valley Postcode 5523 ou may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish e heard in support of your submission. Ity interests are: w owner of local property occupier of local property a representative of a company/other organisation affected by the proposal w a private citizen ne address of the property affected is	Contact Officer:	Lee Webb
Close Date:       IFriday 29 June 2018         During the notification period, hard copies of the application documentation can be viewed at the Department of Planning.         Transport and Infrastructure, Level 5, 50 Flinders Street, Adelaide during normal business hours. Application documentation mails be viewed during normal business hours at the local Council office (if identified on the public notice).         Ity name:       Study 1         Wight Provide the application documentation can be viewed at the Department of Planning.         Wight Provide the application documentation can be viewed at the Department of Planning.         Ity name:       Study 29 June 2018         Wight Provide the application documentation can be viewed at the Department of Planning.         Ity name:       Study 29 June 2018         Wight Provide the application documentation can be viewed at the Department of Planning.         Ity name:       Study 29 June 2018         Wight Provide the application documentation can be viewed at the Department of Planning.         Postal address:       Study 29 June 2018         Postal address:       Study 20 June 2018         Postal address:       Study 20 June 2018         Postal address:       Study 20 June 2018         Pos	Phone Number:	7109 7066
During the notification period, hard copies of the application documentation can be viewed at the Department of Planning. Transport and Infrastructure, level \$, 50 flinkers Street, Adellaled during normal business hours. Application documentation maralso be viewed during normal business hours at the local Council office (if identified on the public notice).  Ity name: <u>54Uar4 Benke</u> Ity name: <u>54Uar4 Benke</u> RIMARY METHOD(s) OF CONTACT: Email address: <u>Mambunx @ hot mail . com</u> Postal address: <u>503 Beeta too Valley Rd</u> <u>Beeta too Valley Rd</u> <u>Coo Valley Rd</u> <u>Beeta too Valley Rd</u> <u>Coo Valley Coo Rd</u> <u>Coo Valley Rd</u> <u>Coo Rd</u> <u>Coo Rd</u> <u>Coo Rd</u> <u>Coo R</u>	Close Date:	Friday 29 June 2018
Ny phone number:   NIMARY METHOD(s) OF CONTACT:   Email address:   Dottal address:   Solar address: </th <th>also be viewed during normal business hours at the Ay name: Stuart Beinke</th> <th>he local Council office (if identified on the public notice).</th>	also be viewed during normal business hours at the Ay name: Stuart Beinke	he local Council office (if identified on the public notice).
RIMARY METHOD(s) OF CONTACT: Email address: <u>S03</u> <u>Bethaloo Valley</u> Rd <u>Bethaloo Valley</u> Rd <u>Bethaloo Valley</u> <u>Postcode</u> <u>5523</u> ou may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish e heard in support of your submission. Ity interests are: <u>w</u> owner of local property occupier of local property (1) a representative of a company/other organisation affected by the proposal me address of the property affected is <u>ass</u> <u>above</u> . Postcode. Noise <u>visual</u> <u>impact</u> <u>Environmental</u> <u>impact</u> . <del>*</del> Site <u>affactment</u> (v wish to be heard in support of my submission (1) do not wish to be heard in support of my submission (1) do not wish to be heard in support of my submission (1) do not wish to be heard in support of my submission (1) do not wish to be heard in support of my submission (1) do not wish to be heard in support of my submission (1) do not wish to be heard in support of my submission (2) appearing personally (3) being represented by the following person : (Cross out whichever does not apply) ate: <u>24</u> <u>func</u> <u>2018</u> Signature: <u>Suffactore</u>	Av phone number:	
[]       a representative of a company/other organisation affected by the proposal a private citizen         he address of the property affected is       a. gbove         he specific aspects of the application to which I make comment on are:       Postcode         Noise       Visual       Impact         K       See       Attach         Main       a private citizen       Postcode         Noise       Visual       Impact         K       See       Attach         Main       be heard in support of my submission         []       a on twish to be heard in support of my submission         []       Being represented by the following person :         []       being represented by the following person :         []       being represented by the following person :         []       Gradient 2018         Signature:       Signature:         24       June         2018       Signature:         Signature:       Start	RIMARY METHOD(s) OF CONTACT: Email add Postal ad <u>'ou may be contacted via your nominated Pl</u> <u>ie heard in support of your submission.</u> Ay interests are: owner of lo	dress: SO,3 Belta loo Valley Ro Beeta loo Valley Ro Beeta loo Valley Postcode 5523 RIMARY METHOD(s) OF CONTACT if you indicate below that you wish ocal property
Noise Visual impact Environmental impact Noise Visual impact Environmental impact ★ See attachment (v wish to be heard in support of my submission 1 do not wish to be heard in support of my submission (Please tick one) v appearing personally 1 being represented by the following person : (Cross out whichever does not apply) ate: 24 June 2018 Signature: Signature: Market State Commission Assessment Panel, GPO Box 1815, Adetaide, SA 5001 or	I a represent I a private cit he address of the property affected is	lative of a company/other organisation affected by the proposal tizen
★ See attachment          [v]       wish to be heard in support of my submission         [1]       do not wish to be heard in support of my submission         [1]       do not wish to be heard in support of my submission         [V]       appearing personally         []       being represented by the following person :         []       (Cross out whichever does not apply)         ate:       24         June       2018         Signature:       Signature:         aturn Address:       The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or	Noise Visual impo	act Environmental impact.
[v]       wish to be heard in support of my submission         []       do not wish to be heard in support of my submission         []       do not wish to be heard in support of my submission         []       generating personally         []       being represented by the following person :         (Cross out whichever does not apply)       Gross out whichever does not apply         ate:       24         June       2018         Signature:       Signature:         aturn Address:       The Secretary, State Commission Assessment Panel, GPO Box 1815, Addeded, SA 5001 or	* See attachment	
[]       do not wish to be heard in support of my submission (Please tick one) appearing personally []         y       []         y       []         being represented by the following person : (Cross out whichever does not apply) ate:       24         ate:       24         June       2018         Signature:       Signature:         aturn Address:       The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or	wish to be heard in s	support of my submission
ate: 24 June 2018 Signature: X4450 aturn Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or	[]       do not wish to be he         (Please tick one)         appearing personally         []       being represented b         (Cross out whicheve)	eard in support of my submission y y the following person : r does not apply)
eturn Address: VThe Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or	14 /	
	ate: 24 June 2018	Signature:

218/

## 24/06/2018 Dear Commission Members,

I wish to comment on the Development Application from Neoen for the Crystal Brook Energy Park.

Like most people I have talked to, I do not have any real issues with the Solar Power or storage aspects of this DA but it is the windfarm proposal that causes me great concern.

I believe that this report understates the effect of a dense cluster of the tallest machines in SA at the beginning of the most recognised and significant mountain range in the state. It understates the visual impact, the noise impact and the environmental impact. It refuses to to recognise the considerable local disapproval and the effect of these machines will have on the daily lives of residents who have no recourse to meaningful compensation for the noise and loss of local landscape value.

I believe that this proposal is for a poorly planned development, shoehorned into an inappropriate space for the sake of expediency and greed.

#### Noise

The current guidelines for noise regulation cannot be accurate when assessing these 240m turbines, the size and close spacing of which are unprecedented. I understand that there has been no research on the level of noise that these turbines produce or the subsequent affect on those living nearby. People living in Beetaloo Valley are aware of the traffic noise that travels up the valley for many kilometres from the Wilkins Highway. We are unconvinced by the assurances from Neoen that noise should not be a problem, with 26 giant machines, placed closer together than recommended, further down the valley. Unfortunately, once the machines are built we will be the 'guinea pigs' having to cope with constant turbine noise and being unable to sleep. We fear that we will be battling this large foreign company for the rest of our lives over the issue, as others are at places like Hallett and Mt Brian.

#### Flora and Fauna

The Southern Flinders Ranges is renowned for the reservoir of biodiversity that is held within it's parks, reserves, heritage agreements and areas of native vegetation.

Impacts on wildlife cannot be accurately assessed against the enormous size of the turbines and their indifferent positioning on the ranges. Each year we observe wedge tailed Eagles soaring along the whole range. A 500m buffer around a nest is not a realistic solution to minimising impact on these free-ranging birds.

The movement of all animals is poorly understood in the area but as local residents, this seasonal movement up and down the valley is something that we notice and enjoy. The meagre amount of surveying undertaken for this development (in an inappropriate season), cannot capture this complexity. The flocks of waterbirds that we hear moving down the valley on moonlit nights will encounter these machines.

From the position of an interested observer of the local wildlife I would be concerned that the movement of many of the threatened species in the area will be affected.

These may include Musk Duck, Australian Shoveller, White Winged Triller, Diamond Firetail, Black Falcon, Peregrine Falcon, Spotted Harrier, Bustard, Mulga Parrot and Crested Shriketit as just a few that I have seen in the area. Residents are familiar with the call of the Bush Stonecurlew in Beetaloo, which is critically endangered.

I have personally found Flinders Ranges worm lizards many times on our property 5km from the development site. I believe that it would be found in the development footprint and that the term 'Unlikely' used to describe the chance of finding it on site are erroneous and misleading

#### Protected Areas.

There has been a considerable change to public land ownership to the north of the development in the last 12 months. Neoen seem to have completely missed this and the opportunities it presents.

The Mt Remarkable NP (MRNP) mentioned in Vol2 3.2.2 is not 18,000 Ha but refers to the Napperby Block of MRNP which is less than 2,000 Ha. The Napperby Block is non contiguous part of MRNP (situated 30km north) but it does now join the newly proclaimed Wirrabara Range Conservation Park and another ~1700ha parcel of land (unnamed) recently acquired by Department for Environment and Water. Further to this, other adjoining parcels of Government Land include Telowie Gorge CP ~1900ha (DEW), Spaniards Gully CP ~800Ha (DEW) and Beetaloo Reservoir Catchment (SA Water) to form an area of public land with considerable tourism and conservation potential. This placement of a cluster of wind turbines a short distance from these reserves would impinge significantly on the natural and scenic values of the area. The proposal shows a gross mis-understanding by Neoen of the value of the area to the future of the State. Neoen's bizarre statement in DA Vol1 1.3.1 touting the windfarm development as having tourism potential illustrates this.

#### Visual Assessment

The proposed development is completely out of character with this rural and conservation area that sits at the very start of the Flinders Ranges. These turbines would fundamentally change the look of the landscape. Attempts to white wash the visual aspects of the argument are appalling. The cumulative affect of these developments across the landscape is completely understated. At what point will the increasing effect of these developments be taken into account? At the current rate of development, soon every hill in the area will have a turbine on it with companies still claiming that there is no cumulative affect.

The visual assessment report is vague at best and generalistic. It relies on sweeping statements, like the one below from Vol1 5.3, that does not reflect the reality for local residents.

• Overall this LVIA concludes that the Project would not have an unreasonable impact on the landscape character, or the visual amenity of people living, working, or travelling through the landscape surrounding the Project Site.

Beetaloo Valley , Crystal Brook and surroundings is a picturesque area and views from residences and roads will be catastrophically changed by this development. These are large spinning machines that will continually draw the eye of visitors and residents.

The view from many properties in Beetaloo Valley, even those of moderate elevation would have the unwanted view of turbines. The report seems to concentrate on views from houses but most people in Beetaloo Valley have acreages that they regularly use and enjoy. This scenic aspect of their lives will be fundamentally changed due to the distractive nature of moving turbines. The amenity of the whole area will be negatively affected, reducing property values and the potential for further settlement.

When driving from Crystal Brook to Beetaloo, the hills are between 40m and 100m in height above the road. The proposed turbines will be 240m above that making the turbines appear between 2 and 6 times the height of the hills, relative to the viewers level. How can this not be a significant visual impact?

Heysen Trail walkers walking south from the Bluff would have the development dominating their view for about 20km instead of being able to appreciate the natural beauty of the landscape. How can this not be a significant visual impact?

#### In conclusion

The scenario has been played out too many times where large industrial windfarm developments are proposed and placed too close to communities and in landscapes where they do not fit. Notwithstanding my comments on cumulative effect, there are far better places to put wind turbines where they are a better fit for the landscape, and where they do not fracture communities and impinge on people's lives. This is a divisive and destructive process. We know that that this development will deliver noise, disruption and visual blight. It will devalue our landscape for decades and have a negative impact on more appropriate development for the region. We cannot rely on Neoen's promises. They will make as much money as they can for minimum outlay. We are distraught and traumatised by what we have had to endure so far and the prospect of what we may have to endure in the future.

Please consider Neoen's flawed development application carefully. The Southern Flinders Ranges deserve a more considered, appropriate and respectful approach to development than Neoen supplies.

I would like to discuss these matters with you in person.

Yours Sincerely Stuart Beinke 503 Beetaloo Valley Road Beetaloo Valley 5523

From: Sent: To: Subject: Attachments: Heather Flavel <heatherjflavel@gmail.com> Sunday, 24 June 2018 3:55 PM DPTI:scapreps Submission SCAP Submission Heather.pdf

Dear Sir/Madam

Please find attached a submission for Development Plan 354/V003/18

Yours sincerely

Heather Flavel

From: Sent: To: Subject: Attachments: Michael Taylor <taylor83@live.com.au> Sunday, 24 June 2018 10:30 AM DPTI:scapreps Neoen Submission Submission to State Planning Commission.pdf

Applicant:	MQO greek	Neoen Australia Pty Ltd
)evelopment Num	ber:	354/V003/18
lature of Developr Zone / Policy Area	ment:	<ul> <li>Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).</li> <li>Primary Industry Zone - Port Pirie Regional Council</li> <li>32 allotments, approximately 3.5km north of Crystal Brook and</li> </ul>
Subject Land.	0.000-500,000 solar pane	23km south-east of Port Pirie.
Contact Officer:	up to 150MW), an energy	Lee Webb
Phone Number:	E NEW VISIOSO ROI-MUNIC	7109 7066
Close Date:		Friday 29 June 2018
Ay name: <u>HE1</u>	ATHER JOY FL	AVEL
ly phone number:	000000000000	harther iflavel @ amail.com
RIMARY METHOD(s)	OF CONTACT: Email addres Postal addr BEE	ress: 676 BEETALOD VALLEY RD TALOOVALLEY SA Postcode 5523
	<u></u>	, , , , , , , , , , , , , , , , , , ,
/ou may be contac be heard in suppor	<u>cted via your nominated PRI</u> t of your submission.	MARY METHOD(S) OF CONTACT IT you multate below and you
My interests are:	<ul> <li>owner of loc</li> <li>occupier of loc</li> <li>a representa</li> <li>a private citization</li> </ul>	al property ocal property itive of a company/other organisation affected by the proposal zen Beefaloo Valley Rd Beetaloo billepostcode 5523
The address of the	property affected is	/ , , , , , , , , , , , , , , , , , , ,
The specific aspect	s of the application to which	I make comment on a c.
P	Vease see atte	ached document
on sortin ero.		Written representations must be received by the unit
mel (SCAP). A	ommission Assessment Pi	posted, hand-delivered, faxed or emailed to the State C representation
	wish to be heard in s	support of my submission
	[ ] do not wish to be he (Please tick one)	eard in support of my submission
by	appearing personally	State Commission Assessment Panel
S y	[] being represented b (Cross out whicheve	y the following person : r does not apply)
	5 . 0 - 18	11 ather- 1. Hervel
Date: 24	une 20/8	Signature:
	mi a true Chaha Camanai	ACCOCCMONT PANPI GPUI NOX 1813, AUCIDIUC, JA JUL VI

Submission to the State Commission Assessment Panel regarding application by NEOEN Australia Pty. Ltd. for the Crystal Brook Energy Park.

Devt. No. 354/V003/18

# I wish to state my total opposition to this proposal.

This Application is late rushed, incomplete, inaccurate and quotes dubious borrowed studies.

This is the Flinders Ranges, a jewel in our State's historical, cultural and tourism crown and spiritual heartland to many South Australians. Such a development would set a dangerous precedent.

The Regulations covering Wind Farms were written when towers

# were HALF this height and HALF this powerful.

# COMMUNITY CONSULTATION

The Beetaloo Valley Association has never been involved in consultation with Neoen as an entity because some of its members are or were host land owners. It owns no land or houses in Beetaloo Valley as the application implies.

A majority of residents in Beetaloo Valley have been implacable in their opposition since Feb. 2017.

Pages of written questions submitted to Neoen in April last year have received no response despite promises made in public.

·Neoen claims community support.

No data or evidence of this is supplied.

A survey was conducted by Messenger Newspaper within Pt Pirie, 27kms away.

A petition against the proposal, tabled in Parliament by Geoff Brock in July 2017, collected 800 signatures.

# TOWERS

Tower CB18 is located in the Port Pirie Council Landscape Protection Zone.

Towers are too close together.

The total area for 26 towers covers 3.7kms x 3.8kms.

Industry standard distance apart is 10 blade lengths. **These will be 3.** Where are the studies to show the effects of this crowding on turbulence, noise downwind, bird navigation, and aviation firefighting capability?

Towers are too close to a town.

Where are the studies which show the effect of this many towers, this high, this powerful, this close to this many people?

It seems EACH turbine will produce sound at 105db (A) AT LEAST.

Where is the evidence to show that this will <u>**not**</u> cause nuisance to residents?

Towers are too close to rural homes.

The closest will be 1.3kms from a home.

Towers will ruin Visual Amenity.

They will be on the crests of hills 240m above sea level. These hills rise from a flat, almost sea level plain. They will be seen for many kilometres in every direction. Highway 1 passes close by. The Wilkins Highway will pass directly under them approaching from the plains to the West and from hills to the East. They will be visible from my property and from every direction I must travel to and from my home.

#### BIODIVERSITY

The Application fails to mention that the Crystal Brook rises approximately 10 km North of this Project boundary. It provides a vital riparian and biodiversity corridor linking protected native scrubland to the North (National Park, Water

Reserve, Private Heritage agreements) with the Broughton River to the South West.

Surveys of plants and animals in this Project area are manifestly inadequate.

Biodiversity Database of SA admits little is known to Science of the species in that area. Local knowledge is that the biodiversity there is vast.

Studies were done by a random walk through in March and May when many seasonal species (grasses, lilies, lace monitors and migratory birds) are not in evidence.

The Lace Monitor(*Varanus varius*) which by local knowledge is widely present from Beetaloo Valley Reservoir to central Crystal Brook, has not been mentioned. These reptiles are arboreal. They rely on ancient trees to provide habitat during cooler months. They can range as far as 3km each day.

No scientific evidence is provided that the 100m offsets will actually protect the habitats of endangered species i.e. The Diamond Firetailed Finch.

# ACCESS ROADS

Heaslip Highway is in Northern Areas Council. What evidence is there of consultations with this Council?

The Access roads concerned are *both on extremely dangerous intersections* with Wilkins Highway which carries heavy traffic, especially in Harvest season.

Both access roads are on the Eastern side of the Crystal Brook. What will be the effect of a creek crossing on the siltation of the creek or the riparian flora and fauna?

No mention has been made in the Application to any plans to minimise the impact on riparian environs or remnant vegetation.

# **PROPERTY VALUES**

Evidence submitted to the Senate Enquiry into Windfarms states that *property* values near windfarms drop by one third to one half.

Such a loss of land value will have *significant* impact on the rates income of two local councils.

Many of us within 15kms have invested our life savings in our real estate. The risk of financial loss to us is FAR in excess of that faced by the company.

# CONCLUSION

In light of the proposed review of Regulations and Standards for windfarm developments, *Duty of Care to citizens and the environment means a Precautionary View should be taken and the Application refused* 

This Application is not accurate enough for an informed decision by SCAP.

Thank you for your attention.

Heathere J. Havel.

Heather Flavel.

676 Beetaloo Valley Rd

Beetaloo Valley SA 5523

Ph. 08 86362326

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project
	comprising a wind farm (26 turbines with a capacity up to
a d	125MW), a solar farm (400,000-500,000 solar panels with a
	capacity up to 150MW), an energy storage facility (Lithium-ion
	battery with a capacity up to 130MW / 400MWh) and associated
	infrastructure for connection to the electricity grid (including a
	33kV/275kV substation and a 300m long 275kV transmission line
	between the substation and the 275kV Para-Bungama
	transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and
	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the applic	ation documentation can be viewed at the Department of Planning,
Transport and Infrastructure, Level 5, 50 Flinders Street	Adelaide during normal business hours. Application documentation may
also be viewed during normal business hours at the loca	al Council office (if identified on the public notice).
My name: Michael Charles Laylor	
My phone number: <u>0438810660</u>	
PRIMARY METHOD(s) OF CONTACT: Email address:	taylor83@live.com.au
Postal address:	c/o PO Box 169

Crystal Brook SA

Postcode 5523

You may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to be heard in support of your submission.

My interests are:	[x]	owner of local property
	[]	occupier of local property
	[]	a representative of a company/other organisation affected by the proposal
	[ <sub>X</sub> ]	a private citizen

The address of the property affected is 106 Talbot Road Crystal Brook SApostcode 5523

The specific aspects of the application to which I make comment on are As a home owner in Talbot Road Crystal Brook

I wish to register my objections to the proposed Neoen wind farm. The visual impact and consequent

devaluation of my home is unacceptable. The impact of the size, location spacing and turbine type

on communications reception, noise intensity, tourism, health, flora and fauna and fire risk has not been

investigated thoroughly enough for this application to be considered, especially being situated so close to

## a rural community and the start of our beautiful Flinders Ranges.

I	[]	wish to be heard in support of my submission
	[A]	do not wish to be neard in support of my submission
		(Please tick one)
by	[]	appearing personally
	[]	being represented by the following person :
		(Cross out whichever does not apply)

Date:24/0	6/2018	Signature:
<b>Return Addres</b>	s: The Secretary, State Commission Assessm	ent Panel, GPO Box 1815, Adelaide, SA 5001 or
scapreps@sa.	ov.au	

From: Sent: To: Subject: Attachments: Sharon Jeffries <jeffers2@bigpond.com> Saturday, 23 June 2018 7:34 PM DPTI:scapreps Notice of Objections Crystal Brook Windfarm form pge 2- Sharon Jeffries.pdf

Good evening

Please see attached a list of my objections to the proposed Crystal Brook Energy Park.

Regards, Sharon Jeffries

Sent from Mail for Windows 10

	Name Assets Ba Dha Lind	
Applicant:	Neoen Australia Pty Ltd	
Development Number:	354/VUU3/18	
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).	
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council	
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.	
Contact Officer:	Lee Webb	
Phone Number:	7109 7066	
Close Date:	Friday 29 June 2018	
During the notification period, hard copies of the applica Transport and Infrastructure, Level 5, 50 Flinders Street, also be viewed during normal business hours at the local	tion documentation can be viewed at the Department of Planning, Adelaide during normal business hours. Application documentation may Council office (if identified on the public notice).	
My name: SHARON JEFFRIES		
My phone number:0439 825 781		
PRIMARY METHOD(s) OF CONTACT: Email address: _	jeffers2@bigpond.com	
Postal address:	21 Frith Road	
Crystal Broo	k SAPostcode_5523	
You may be contacted via your nominated PRIVIAR         be heard in support of your submission.         My interests are:       [y]         \[y]       owner of local pro         \[y]       occupier of local pro         []       a representative of local pro	pperty property of a company/other organisation affected by the proposal	
[ ] a private citizen The address of the property affected is .21 Frith Ro	ad, Crystal Brook SAPostcode5523	
The address of the property affected is		
The specific aspects of the application to which I make	e comment on are:	
* This development is on the Flinders Ranges! known as the "Gateway to the Flinders" Any dev wind development right along the range. Isn't it	This is a precious range and Crystal Brook has long been velopment will set a dangerous precedent in allowing further time we protected these valuable areas.	
* The proximity to houses – the closest houses The closest tower is only 3.5 km from the centre	are only 1.3 km from the wind turbines. This is too close! e of the town. The whole town is within only 5 km.	
I [/] wish to be heard in suppor [] do not wish to be heard in (Please tick one)	t of my submission support of my submission	
by [v] appearing personally [] being represented by the for (Cross out whichever does	ollowing person : not apply)	
Date: 23/6/2018	Signature: Sharon Oeffries	
Return Address: The Secretary, State Commission A	Assessment Panel, GPO Box 1815, Adetaide, SA 5001 or	
scapreps@sa.gov.au	a a	

 $\bigcirc$ 

 $\bigcirc$ 

224

From: Sent: To: Subject: Attachments: PAT <bpat2@bigpond.com> Friday, 22 June 2018 11:04 AM DPTI:scapreps Neoen Submission Trish Taylor Taylor.vcf; NEOEN Submission.pdf; Submission.docx

Dear Secretary,

Please find attached our submission re the proposed Neoen Wind farm at Crystal Brook, and our objections to this project.

Sincerely, Trish and Brian Taylor.

J408810660 bpat2@bigpond.com

▼ Wirus-free. <u>www.avg.com</u>

Amultant	Alexand Acceluit Day 14-1	
Applicant:	Neoen Australia Pty Ltd	
Development Numbe	er: 354/V003/18	whild ronowable onergy project
Nature of Developme	ent: Crystal Brook Energy Park - H	whines with a capacity up to
	125MW) a solar farm (400.00	0. 500 000 color papels with a
	capacity up to 150MW), an er	pergy storage facility (Lithium-ion
	battery with a capacity up to	130MW / 400MWh) and associated
	infrastructure for connection	to the electricity grid (including a
	33kV/275kV substation and a	300m long 275kV transmission line
	between the substation and t	he 275kV Para-Bungama
	transmission line).	
Zone / Policy Area:	Primary Industry Zone - Port I	Pirie Regional Council
Subject Land:	32 allotments, approximately	3.5km north of Crystal Brook and
,	23km south-east of Port Pirie	
Contact Officer:	Lee Webb	
Phone Number:	7109 7066	
Close Date:	Friday 29 June 2018	
During the notification	period, hard copies of the application documentation can be viewe	d at the Department of Planning,
Transport and Infrastru	cture, Level 5, 50 Flinders Street, Adelaide during normal business	hours. Application documentation may
also be viewed during n	ormal business hours at the local Council office (if identified on the	e public notice).
D ( ' '		
ly name: Patricia	laylor	
ly phone number: 04	08810660	
	CONTACT: Empileddrass: bpat2@bigpond.com	
KINAKY WETHOD(S) OF	$\frac{1}{1000} = \frac{1}{1000} = 1$	
	Postal address: PO BOX 169	
	Crystal Brook SA	Postcode 5523
ou may be contacted	I via your nominated PRIMARY METHOD(s) OF CONTACT if your submission.	you indicate below that you wish t
ou may be contacted the heard in support of Ay interests are:	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         [x]       occupier of local property         [x]       a representative of a company/other organisatio         [x]       a private citizen	you indicate below that you wish the proposal
You may be contacted be heard in support of Any interests are:	I via your nominated PRIMARY METHOD(s) OF CONTACT if your submission.         [x]       owner of local property         [x]       occupier of local property         [x]       occupier of local property         [x]       a representative of a company/other organisatio         [x]       a private citizen         118 Talbot Road Crystal Brook SA	you indicate below that you wish to n affected by the proposal Postcode, 5523
You may be contacted the heard in support of Ay interests are: he address of the prop	I via your nominated PRIMARY METHOD(s) OF CONTACT if your submission.         [x]       owner of local property         [x]       occupier of local property         [x]       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       118 Talbot Road Crystal Brook SA	you indicate below that you wish the proposal
<u>ou may be contacted</u> <u>e heard in support of</u> Ay interests are: he address of the prop he specific aspects of	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         [x]       occupier of local property         [x]       a representative of a company/other organisatio         [x]       a private citizen         perty affected is	you indicate below that you wish the proposal
You may be contacted be heard in support of Ay interests are: he address of the prop he specific aspects of	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         [x]       a representative of a company/other organisatio         [x]       a private citizen         perty affected is	you indicate below that you wish the proposal sion attached
You may be contacted be heard in support of Ay interests are: The address of the prop he specific aspects of	I via your nominated PRIMARY METHOD(s) OF CONTACT if your submission.         [x]       owner of local property         [x]       occupier of local property         [x]       occupier of local property         [x]       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       Submission	you indicate below that you wish the proposal sion attached
You may be contacted be heard in support of Ay interests are: he address of the prop he specific aspects of	I via your nominated PRIMARY METHOD(s) OF CONTACT if         Your submission.         [x]       owner of local property         [x]       occupier of local property         [x]       a representative of a company/other organisatio         [x]       a private citizen         perty affected is	you indicate below that you wish in affected by the proposal
You may be contacted be heard in support of Ay interests are: The address of the prop The specific aspects of	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         [x]       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       .118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       .Submiss	you indicate below that you wish in affected by the proposal
You may be contacted be heard in support of My interests are: The address of the prop the specific aspects of	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         [x]       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       .118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       .Submission	you indicate below that you wish in affected by the proposal
You may be contacted be heard in support of My interests are: The address of the prop the specific aspects of	I via your nominated PRIMARY METHOD(s) OF CONTACT if your submission.         [x]       owner of local property         [X]       occupier of local property         [X]       occupier of local property         [J]       a representative of a company/other organisatio         [X]       a private citizen         perty affected is	you indicate below that you wish the proposal
You may be contacted the heard in support of Ay interests are: he address of the prop he specific aspects of	I via your nominated PRIMARY METHOD(s) OF CONTACT if your submission.         [x] owner of local property         [x] occupier of local property         [] a representative of a company/other organisatio         [x] a private citizen         perty affected is       .118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       .Submission	you indicate below that you wish the proposal protocode
ou may be contacted te heard in support of Ay interests are: he address of the prop he specific aspects of	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         []       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       Submission	you indicate below that you wish the proposal sion attached
iou may be contacted te heard in support of Ay interests are: he address of the prop he specific aspects of [X]	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         [J]       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       Submission         wish to be heard in support of my submission	you indicate below that you wish n affected by the proposal Postcode. 5523 sion attached
Ou may be contacted         ie heard in support of         Ay interests are:         he address of the propherests         he specific aspects of         [X]         [X]         []	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         [J]       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       .118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       .Submission         wish to be heard in support of my submission       do not wish to be heard in support of my submission	you indicate below that you wish n affected by the proposal Postcode. 5523 sion attached
Ou may be contacted         ie heard in support of         Ay interests are:         he address of the propherests         he specific aspects of         [X]         [ ]	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         []       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       Submission         wish to be heard in support of my submission       do not wish to be heard in support of my submission         (Please tick one)       1	you indicate below that you wish n affected by the proposal Postcode. 5523 sion attached
You may be contacted be heard in support of My interests are: The address of the prop the specific aspects of [x] [ ]	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         []       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       Submission         wish to be heard in support of my submission       do not wish to be heard in support of my submission         (Please tick one)       appearing personally	you indicate below that you wish n affected by the proposalPostcode5523 sion attached
You may be contacted be heard in support of My interests are: The address of the pro- he specific aspects of [x] [ ]	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         []       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       .118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       .Submission         wish to be heard in support of my submission       do not wish to be heard in support of my submission         (Please tick one)       appearing personally         being represented by the following person :	you indicate below that you wish n affected by the proposalPostcode. 5523 sion attached
You may be contacted be heard in support of Any interests are: The address of the pro- he specific aspects of [x] [ ] Yy [ ] [ ]	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         []       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       .118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       .Submission         wish to be heard in support of my submission       do not wish to be heard in support of my submission         (Please tick one)       appearing personally         being represented by the following person :	you indicate below that you wish n affected by the proposal Postcode. 5523 sion attached
You may be contacted be heard in support of the property of the specific aspects of the specific aspect aspecific aspect of the specific aspect aspe	I via your nominated PRIMARY METHOD(s) OF CONTACT if         your submission.         [x]       owner of local property         [x]       occupier of local property         []       a representative of a company/other organisatio         [x]       a private citizen         perty affected is       .118 Talbot Road Crystal Brook SA         the application to which I make comment on are:       .Submission         do not wish to be heard in support of my submission       do not wish to be heard in support of my submission         (Please tick one)       appearing personally         being represented by the following person :	you indicate below that you wish n affected by the proposal Postcode. 5523 sion attached

scapreps@sa.gov.au

2

State Commission Assessment Panel.

Adelaide SA

22/06/2018

Dear Secretary,

We wish to submit our concerns re the proposed Neoen wind farm to be situated at the start of the Flinders Ranges, and within only a few kilometres from our rural community. Crystal Brook relies on a certain percentage of tourism to survive and yet this will now be thwarted by the ugliness of massive wind towers overlooking the town and our popular recreation area Bowman park.....shame. The Netherlands have placed these monstrosities out at sea because they are a blot on the landscape, and yet our country seems to disregard this and continue to allow, in this case a foreign company to ruin our beautiful pristine rolling hills that are our communities attraction.

Because the Port Pirie Regional Council denied Neoen access to land, they have jammed the proposed towers into an area where the manufacturers recommended spacing has been ignored. We ask how this company can disregard these recommendations. Interstate laws are wiser and this would never even be allowed. Taking into consideration the mammoth size of these towers along with the geared turbines, what extreme affects will it have on our telecommunications? The noise level? The visual impact? Health issues? The biodiversity? Can Neoen actually answer these issues with HONESTY?

We are an elderly couple who will in all probability be incapable of selling our home if this goes ahead, as we are one of the households greatly affected by this project. We had planned to sell over two years ago as the property is becoming too much for us to handle and we need to down size. Our views are one of the greatest selling points, but when we are no longer able to physically maintain our home who will care that our property has devalued to the point where we cannot afford to relocate?

We beg you to stop this project; can Neoen truthfully say that they are unaware of another less invasive area available? Once they obscure our blue skies there is no turning back, and even one life that is affected is one too many. We are not against renewable energy but some brave person needs to be able to put up their hand and say "enough, a better solution is required".

Sincerely,

Brian and Patricia Taylor

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line)
Zono / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the app Transport and Infrastructure, Level 5, 50 Flinders Stre also be viewed during normal business hours at the l	olication documentation can be viewed at the Department of Planning, eet, Adelaide during normal business hours. Application documentation may ocal Council office (if identified on the public notice).
Ay name: BARRY MARVIE.	
Лу phone number:ОЧ 09698 009	
RIMARY METHOD(s) OF CONTACT: Email addres	s: b.e. harvie a hig pond. com
Postal addre	ss: 11 Garden Strice
· · · · · · · · · · · · · · · · · · ·	LIAURA Postcode 5480
<u>You may be contacted via your nominated PRIN ne heard in support of your submission.</u>	NARY METHOD(s) OF CONTACT if you indicate below that you wish t
<ul> <li>✓ly interests are:</li> <li>[] owner of local</li> <li>[] occupier of local</li> <li>[] occupier of local</li> <li>[] a representati</li> <li>[µ∕ a private citized</li> </ul>	property cal property ve of a company/other organisation affected by the proposal en
he address of the property affected is	Postcode
he specific aspects of the application to which I n	nake comment on are:
No wind far	ms in the Flinders Ranges
[ ] wish to be heard in sup [ ] do not wish to be hear (Please tick one)	oport of my submission d in support of my submission
by [] appearing personally [] being represented by t	he following person :
Date: 16th gung 2018	Signature: 13.9.14 Sugar
Return Address: The Secretary, State Commissi scapreps@sa.gov.au	on Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or

	RECEIVED 2 2 JUN 2
DEVELOPMENT ACT, 19 REPRESEN	13, S49/S49A – CROWN DEVELOPMENT
Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated
	infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
hone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the applic Fransport and Infrastructure, Level 5, 50 Flinders Street	ation documentation can be viewed at the Department of Planning, Adelaide during normal business hours. Application documentation may al Council office (if identified on the public notice).
also be viewed during normal business nours at the loca	
yname: ELEANOR, HARVIE.	a 1 2 01 2 5 4 20
y phone number: $OS Ybb 3 - N $	b a backie a bis poort ( mo
RIMARY METHOD(s) OF CONTACT: Email address:	K. C. MATTER, MIG DOT DE CONT.
Postal address:	LAURA SA Postcode S4-80.
ou may be contacted via your nominated PRIMA e heard in support of your submission.	RY METHOD(s) OF CONTACT if you indicate below that you wish to
Iy interests are:       []       owner of local property         []       occupier of local property         []       a representative of a company/other organisation affected by the proposal         [V]       a private citizen	
he address of the property affected is	Postcode
	DEELNITERY
he specific aspects of the application to which I ma	ke comment on are:
NO WINDFAP	KINS IN and DIV
THE FLINDERS	RANCIES.
	······································
[ ] wish to be heard in suppo [v] do not wish to be heard i (Please tick one)	ort of my submission n support of my submission
y [] appearing personally [] being represented by the (Cross out whichever doe	e following person : es not apply)
Date: 14 TUNE 2018.	signature: Glegare AM and
eturn Address: The Secretary, State Commission	Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or
Lahieh2@299800.au	

224

# **DPTI:State Commission Assessment Panel**

From:	Carly <carly.littlewood@gmail.com></carly.littlewood@gmail.com>
Sent:	Friday, 22 June 2018 3:50 PM
То:	DPTI:State Commission Assessment Pane
Subject:	Crystal Brook energy park

To the planning commission

As a resident of Crystal Brook I would like to express my support for the proposed wind farm. Renewable energy is needed to reduce the impact of climate change on our environment. The small group of residents that are opposed to the wind farm have close minded views, focused solely on themselves and the negative impact it will have on their house aspect, possible noise pollution and land devaluation. They are not thinking globally about the catastrophic impact of fossil fuels.

In addition to the positive environmental impact, the wind farms will also bring huge financial gains to our region. More jobs will bring more workers buying from local businesses. I also feel the turbines, given the unique size, will ptually be a tourist draw card, not turn them away.

Please be aware there are many open minded residents in Crystal Brook that see the positives to the wind farms, but may be scared to speak their mind given the vocal opposition to the energy park.

Kind regards

Carly Perry 69 Brandis Street Crystal Brook SA 5523

Sent from my iPhone

From: Sent: To: Subject: Attachments:

()

LINDA LOUISE HAGGARD < Ihaggard@bigpond.net.au> Wednesday, 20 June 2018 7:29 PM DPTI:scapreps Crystal Brook wind farm proposal img115.jpg

Auritaria		
Applicant:	Neoen Australia Pty Ltd	
Development Number:	354/V003/18	
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project	
	comprising a wind farm (26 turbines with a capacity up to	
	125MW), a solar farm (400,000-500,000 solar panels with a	
	capacity up to 150MW), an energy storage facility (Lithium-ion	
	battery with a capacity up to 130MW / 400MWh) and associated	
	infrastructure for connection to the electricity grid (including a	
	33kV/275kV substation and a 300m long 275kV transmission line	
	between the substation and the 275kV Para-Bungama	
	transmission line).	
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council	
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and	
	23km south-east of Port Pirie.	
Contact Officer:	Lee Webb	
Phone Number:	7109 7066	
Close Date:	Friday 29 June 2018	
During the notification period, hard copies of the applica	ation documentation can be viewed at the Department of Planning,	
Transport and Infrastructure, Level 5, 50 Flinders Street,	Adelaide during normal business hours. Application documentation may	
also be viewed during normal business hours at the local	Council office (if identified on the public notice).	
Myname Josh Hagaard		
Mushammahan 0759 677 780		
My phone number: 040 012 180	1-51 11000 1780 1000	
PRIMARY METHOD(s) OF CONTACT: Email address: _	Joshua, Maggard Reyman. com	
Postal address:	1 Penrose St. Port Pirie	
	Portrada 5540	
	Postcode_50+5	
You may be contacted via your nominated PRIMAR	Y METHOD(s) OF CONTACT if you indicate below that you wish to	
be heard in support of your submission.		
My interests are: [] owner of local pro	operty	
[] occupier of local p	property	
[] a representative of	of a company/other organisation affected by the proposal	
a private citizen		
Crustal Brank 5593		
The address of the property affected is		
The specific aspects of the application to which I make comment on are. The effect on the		
town will be more neg	gative than positive from the	
imped on the light	to the de voluetion OC	
Impact on the view,	to the be-raiganon of	
residents private pro	perty	
FILL FILL FILL		
[] wich to be beard in surger	t of my submission	
do not wish to be heard in	support of my submission	
(Plance tick and)	support of thy submission	
(Please Lick One)		
being represented by the f	ollowing person (	
Cross sub which such a set	bilowing person :	
(Cross out whichever does	потарріу)	
Data 20 6 2018	1/1	
Date:	Signature:	
return Address: The Secretary, State Commission A	issessment Panel, GPU Box 1815, Adelaide, SA 5001 or	
scapieps@sa.gov.au		

226,

From: Sent: To: Subject: Attachments:

 $\bigcirc$ 

LINDA LOUISE HAGGARD < Ihaggard@bigpond.net.au> Wednesday, 20 June 2018 7:30 PM DPTI:scapreps Crystal Brook wind farm proposal img116.jpg

227/

Annlingent		Negon Australia Dtu Ltd
Applicant:		100001 AUSTRAIN PLY LLU
Nature of Development:		Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to
		a solar farm (400,000-500,000 solar pariels with a
		hattery with a capacity up to 130MW / 400MWh) and associated
		infrastructure for connection to the electricity grid (including a
		33kV/275kV substation and a 300m long 275kV transmission line
		between the substation and the 275kV Para-Bungama
3		transmission line).
Zone / Policy Area:		Primary Industry Zone - Port Pirie Regional Council
Subject Land:		32 allotments, approximately 3.5km north of Crystal Brook and
Contract Officers		23km south-east of Port Pirie.
Contact Officer:		2109 7066
Close Date:		Friday 29 June 2018
During the notification period, h	pard conies of the applica	ation documentation can be viewed at the Department of Planning.
Transport and Infrastructure, Le	evel 5, 50 Flinders Street,	Adelaide during normal business hours. Application documentation may
Lindo H		
My name:	850 026	·
My phone number: 0410	654 030	
PRIMARY METHOD(s) OF CONTAC	T: Email address:	Lhaggard & Digrond. Net, au
	Postal address:	1 Penrose Street, Port Pirie
		Postcode 5540
		NALTUOD(a) OF CONTACT IS you indicate below that you wish to
he heard in support of your su	ur nominated PrilviAn Ibmission	(Y METHOD(S) OF CONTACT IT you indicate below that you wish to
be near a m support of your as		
My interests are: []	owner of local pro	operty
[]	occupier of local	property
[]	a representative of	of a company/other organisation affected by the proposal
[1]	a private citizen	
The address of the property af	fected isCrys	tal Brook Postcode 5523
The specific aspects of the app	lication to which I mak	e comment on are: The effect on the
town will be	e more ne	gative than Positive. From the
impact on th	ne View, t	o the de-Valuation of
residents p	rivate pre	pectu
	Χ	
	n to be heard in suppoi	rt of my submission
	ase tick one)	
by K1 app	earing personally	
L beir	ng represented by the f	following person :
(Cro	oss out whichever does	not apply)
20/6/2010		/ // Lann A
Date:0/0/2018		Signature: And all for the standard signature
Return Address: The Secreta	ry, State Commission	Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or

scapreps@sa.gov.au

From: Sent: To: Subject: Attachments:

()

LINDA LOUISE HAGGARD < Ihaggard@bigpond.net.au> Wednesday, 20 June 2018 7:31 PM DPTI:scapreps Crystal Brook wind farm proposal img117.jpg

The second se		
Applicant:	Neoen Australia Pty Ltd	
Development Number:	354/V003/18	
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to	
	125MW), a solar farm (400,000-500,000 solar panels with a	
	capacity up to 150MW), an energy storage facility (Lithium-ion	
	battery with a capacity up to 130MW / 400MWh) and associated	
	infrastructure for connection to the electricity grid (including a	
	33kV/275kV substation and a 300m long 275kV transmission line	
· · · · · ·	between the substation and the 275kV Para-Bungama	
Zana / Dallas Araas	transmission line).	
Subject Land:	22 allotments approximately 3 5km porth of Crystal Brook and	
Subject Land.	23km south-east of Port Pirie	
Contact Officer:	Lee Wehh	
Phone Number:	7109 7066	
Close Date:	Friday 29 June 2018	
During the notification period, hard copies of the applica	ation documentation can be viewed at the Department of Planning,	
Transport and Infrastructure, Level 5, 50 Flinders Street,	Adelaide during normal business hours. Application documentation may	
also be viewed during normal business hours at the loca	I Council office (if identified on the public notice).	
Myname: Walter Haggard		
My phone number: <u>86353707</u>		
PRIMARY METHOD(s) OF CONTACT: Email address:		
	Pennase street Port Pirce	
Postal address:		
	Postcode_5540	
You may be contacted via your nominated PRIMAR	Y METHOD(s) OF CONTACT if you indicate below that you wish to	
be heard in support of your submission.		
My interests are: [] owner of local pro	operty	
[] occupier of local p	property	
[] a representative of	of a company/other organisation affected by the proposal	
[ ] a private citizen	0	
The address of the property affected is	al Brook Postcode 5523	
The specific aspects of the application to which I make comment on are: The effect on the		
town will be more neg	ative than Positive. From the	
impact on the View, to	the de-Valuation of residents	
Private property.		
I [] wish to be heard in suppor	t of my submission	
do not wish to be heard in	support of my submission	
(Please tick one)		
by [/ appearing personally		
being represented by the f	ollowing person :	
(Cross out whichever does	not apply)	
2016/2018	1x/ alther Llas carl	
Date:	Signature:	
Return Address: The Secretary, State Commission A	Assessment Panel, GPU Box 1815, Adelaide, \$4 5001 or	

scapreps@sa.gov.au

-

 $\bigcirc$ 

 $\bigcirc$ 

From:	Stephen Nitschke <accounts@wardleco.com.au></accounts@wardleco.com.au>
Sent:	Wednesday, 20 June 2018 11:36 AM
То:	DPTI:scapreps
Cc:	Stephen Nitschke
Subject:	Crown Development Representation on Application
Attachments:	CCE20062018_0001.pdf

Neoen Australia Pty Ltd Applicant: **Development Number:** 354/V003/18 Crystal Brook Energy Park - Hybrid renewable energy project Nature of Development: comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-Ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line). Primary Industry Zone - Port Pirie Regional Council Zone / Policy Area: 32 allotments, approximately 3.5km north of Crystal Brook and Subject Land: 23km south-east of Port Pirie. Lee Webb **Contact Officer: Phone Number:** 7109 7066 Friday 29 June 2018 **Close Date:** During the notification period, hard copies of the application documentation can be viewed at the Department of Planning, Transport and Infrastructure, Level 5, 50 Flinders Street, Adelaide during normal business hours. Application documentation may also be viewed during normal business hours at the local Council office (if identified on the public notice). My name: My phone number: PRIMARY METHOD(s) OF CONTACT: Email address: CIC Postal address Postcode You may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to be heard in support of your submission. My interests are: owner of local property occupier of local property a representative of a company/other organisation affected by the proposal a private citizen The address of the property affected is .... Postcode .... The specific aspects of the application to which I make comment on are: . Turberd Standard 10100 200 COJ Din JICM ..... wish to be heard in support of my submission [] do not wish to be heard in support of my submission (Please tick one) appearing personally by being represented by the following person : ..... (Cross out whichever does not apply) Signature: .. Date: Return Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelalde, SA 5001 or scapreps@sa.gov.au

From: Sent: To: Subject: Attachments: Muriel Scholz <murielscholz@icloud.com> Sunday, 17 June 2018 9:20 AM DPTI:scapreps Muriel Scholz submission Neoen 354/v003/18 Muriel Scholz submission Neoen 354v00318.pdf; ATT00001.txt

1

SU

#### Opposition to Neoen wind farm development Crystal Brook Energy park

I wish to oppose the Neoen wind farm development development number 354/V003/18 Crystal Brook energy Park. I am a property owner in Beetaloo Valley, 997 Gladstone Beetaloo Road and was a resident for 25 years. I currently reside in Victoria, having had to relocate for work reasons but fully intended to retire in my Beetaloo Valley property. This will not be possible if the proposed wind farm goes ahead as it will totally spoil the appeal of the area.

This also means that my property value will plummet, rending my planned retirement plans obsolete. Beetaloo Valley and Crystal Brook are an important and integral part of the southern Flinders ranges. The Flinders ranges were recognised as one of Top Ten destinations in Australia and the region as a whole has worked really hard to promote the area, bringing much needed tourism dollars to a region that has been struggling with job losses and high unemployment, especially youth unemployment. Basing massive wind towers in the Southern Flinders will destroy these efforts.

The flora and fauna of the Beetaloo Valley catchment area has been recognised by a number of studies as pristine and worthy of protection. In particular, wedge tail eagles, goannas and echidnas are frequent visitors of the valley, as I can attest from personal experience. Flora is also very interesting and brings people from all walks of life to admire in. There is an extensive bird life attracting bird watchers. I am not an expert in the field but May studies have been conducted attesting thus.

The Beetaloo Valley area is home to a community of professional and highly skilled people in the fields of education, medicine, senior local government officers, senior state government officers, highly skilled construction and trade workers, lawyers and community workers. These people have chosen to provide highly sought after services to the surrounding community, most notably Port Pirie where it is particularly difficult to source skilled labour because they could enjoy living in a beautiful and untouched area within close distance of their workplace. Many of these skilled people will choose to relocate should the development go ahead, leaving the region with severe skills shortages.

While the State Government push to promote renewable energy is supported by most people, destroying a much loved, much valued and irreplaceable area such as the Beetaloo Valley area is irresponsible, indefensible and will be of detriment to the State's vision, Economic Development and image.

For all these reasons, I urge you to carefully consider all parameters prior to grant Neoen permission to construct the wind farm part of their proposal.

I can be contacted via email at mscholz@swanhill.vic.gov.au or on 0419121683

Thank you for considering my submission

Regards

Muriel Scholz

# DPTI:State Commission Assessment Panel

 $\bigcirc$ 

From:	Charles Richards <charlierich@bigpond.com></charlierich@bigpond.com>
Sent:	Thursday, 14 June 2018 3:46 PM
То:	DPTI:State Commission Assessment Panel
Subject:	14.6.18 Letter to State Commission Assessment Panel from Ben and Luke
	Richards.pdf
Attachments:	14.6.18 Letter to State Commission Assessment Panel from Ben and Luke
	Richards.pdf; ATT00001.txt

**Ben Richards** 

540 Wilkins Hwy Crystal Brook

0428827824

bennyrich@bigpond.com

Luke Richards 8 Bowman St Crystal Brook 0429988275 LERichards\_1@mail.com

Dear State Commission Assessment Panel (SA planning commission)

As land holders involved with Neoen's energy park at Crystal Brook we would like to voice our keen interest in this project. We are fifth generation farmers in the area. This project will diversify our business and ensure we can farm for generations to come. It will give us a buffer against poor seasons and low commodity prices.

This project will also bring substantial economic benefit to our region.

Regards

Ben and Luke Richards

6/2018

MA

From:
Sent:
To:
Subject:

David Clarke <daveclarkecb@yahoo.com> Thursday, 14 June 2018 4:14 PM DPTI:State Commission Assessment Panel Regarding Crystal Brook Energy Park

G'day;

I have twice tried to send a submission in support of Crystal Brook Energy Park using your feedback page, but did not receive any indication that my submissions were received (or did successfully send).

I'll try again by this email.

"I write in support of the Crystal Brook Energy Park proposal. I have a house in Crystal Brook and I look forward to the advantages that the development will bring the town and region.

We should all support the generation of electricity by wind and solar power, especially when the proposal is as complete and integrated as this one.

It will be good for the community, the region, the state, the nation and the world. We should be doing all we can to reduce greenhouse gas emissions; wind and solar generated electricity displaces fossil fuel generated electricity. That will slow down the climate change and ocean acidification that otherwise will greatly damage the world that our children and grandchildren inherit (the Great Barrier Reef should be of particular concern in this regard to all Australians).

During construction the project will provide work for local people and for contractors like carriers and earth-movers and there will be business for cafes, shops and hotels. When completed there will be long-term jobs for some of the local people. Neoen have proposed an annual Community Fund of \$80,000, which will be very useful.

Wind and solar power are the most economically viable clean alternatives to the burning of fossil jels. Apart from that, renewable energy saves lives because it reduces the air pollution from oal-fired power stations that kills millions of people each year: one in eight of all deaths worldwide are due to air pollution according to the World Health Organisation.

People who live near a proposed wind farm have very little to lose by welcoming the development, and much to gain.

I've written an Internet page on why I support the Crystal Brook Energy Park: <u>http://ramblingsdc.net/Australia/wislwf.html</u>"

Regards, Dave Clarke 61 Scobie Road, Armagh 5453, South Australia Phone: 0400 256 125 ramblingsdc.net

When climate change is destroying the world as we know it, why is only about one person in a thousand making a serious effort to do anything about it?

# **DPTI:State Commission Assessment Panel**

From:Charles Richards <charlierich@bigpond.com>Sent:Thursday, 14 June 2018 3:45 PMTo:DPTI:State Commission Assessment PanelSubject:14.5.18 Letter to State Commission Assessment Panel from Phillip Head.pdfAttachments:14.5.18 Letter to State Commission Assessment Panel from Phillip Head.pdf;<br/>ATT00001.txt

Phil Head

Head Road Crystal Brook

0429362386

**Dear SA Planning Commission** 

I am a land holder who will benefit from the wind farm with Neoen's 'Crystal Brook energy park'. These are hi-tech modern turbines that will generate power from a high grade wind resource.

These turbines take up very little land area, will not affect farming practice and will add a secure income to my business.

I am looking forward to the project going ahead. The benefits to the community, region and state should not be underestimated.

Kind regards

P.Head.

Phil Head

14/5/2018
## **DPTI:State Commission Assessment Panel**

()

From:	Charles Richards <charlierich@bigpond.com></charlierich@bigpond.com>
Sent:	Thursday, 14 June 2018 3:47 PM
То:	DPTI:State Commission Assessment Panel
Subject:	14.6.18 Letter to State Commission Assessment Panel from Barry Young.pdf
Attachments:	14.6.18 Letter to State Commission Assessment Panel from Barry Young.pdf;
	ATT00001.txt

Barry Young 0439687216

241 Wilkins Hwy

Warnertown 5540

Dear State Commission Assessment Panel (SA planning commission)

I, Barry Young as a member of an original settler family and forth generation farmer, am pleased Neoen Australia have realised the potential of this area for wind and solar. I see this will create many benifits to the local area, namely;

- Secure farmers incomes with money going back into the area.
- Provide much needed employment for the region.
- Supply constant power with wind solar and storage which will benefit business by giving them more confidence of secure power.
- Make better use of farming land.
- Neoen's \$80000 per year to fund local community projects

Neoen Australia's proposed Energy Park north of Crystal Brook is an ideal location with a world class wind and solar resource. As Neoen have cut back the number of turbines my land is sadly no longer hosting any turbines. I would still like my farming neighbours and the community to gain these benefits.

Yours faithfully

**Barry Young** 

BM young 14/6/2018 -

## **DPTI:State Commission Assessment Panel**

 $\bigcirc$ 

 $\bigcirc$ 

From:	Charles Richards <charlierich@bigpond.com></charlierich@bigpond.com>
Sent:	Thursday, 14 June 2018 3:47 PM
То:	DPTI:State Commission Assessment Panel
Subject:	14.6.18 Letter to State Commission Assessment Panel from Charles Richards.pdf
Attachments:	14.6.18 Letter to State Commission Assessment Panel from Charles Richards.pdf;
	ATT00001.txt

**Charlie Richards** 

252 Hughes Gap Road Crystal brook

0412743481

charlierich@bigpond.com

Dear State Commission Assessment Panel (SA planning commission)

I am one of a group of landholders that selected Neoen to develop the clean energy farm at Crystal Brook. This company was chosen as they stay with the project from development onwards. They don't on sell so they are part of the community for the life of the project.

It is a very exciting project combining solar, wind and storage providing 24/7 power, a world class project of clean energy very suited to this area. The project will provide a stable income for our farm plus the spin-offs for the community and region are huge.

**Yours Sincerely** 

Charles Richards

19/6/2018

#### DEVELOPMENT ACT, 1993, S49/S49A ~ CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

Applicant:	-	Neoen Australia Pty Ltd	
Development Numb	Yr:	354/V003/18	
Nature of Developm	ent:	Crystal Brook Energy Park - Hybrid renewable energy project	
		comprising a wind farm (26 turbines with a capacity up to	
		125MW), a solar farm (400,000-500,000 solar panels with a	
		capacity up to 150MW), an energy storage facility (Lithium-ion	
		battery with a capacity up to 130MW / 400MWh) and associated	
		infrastructure for connection to the electricity grid (including a	
		33kV/275kV substation and a 300m long 275kV transmission line	
		between the substation and the 275kV Para-Bungama	
		transmission line).	
Zone / Policy Area:		Primary Industry Zone - Port Pirie Regional Council	
Subject Land:		32 allotments, approximately 3.5km north of Crystal Brook and	
-		23km south-east of Port Pirle.	
Contact Officer:		Lee Webb	
Phone Number:		7109 7066	
Close Date:		Friday 29 June 2018	
During the notification	period, hard copies of the applic	ation documentation can be viewed at the Department of Planning,	
Transport and Infrastru	cture, Level 5, 50 Flinders Street,	Adelaide during normal business hours. Application documentation may	
also be viewed during r	ormal business hours at the loca	i Council office (if identified on the public notice).	
Mik	aula Hill		
My name: / ///	0140/117	2()	
My phone number:	09786112.	67	
PRIMARY METHOD(s) OF	CONTACT: Email address:	Mikouriahills87 agmail.com	
	Data alua	MAOX 127 CVUSTAL BROOK	
	Postal address:	rens	
		Postcode_UUZD	
You may be contacted	via your nominated PRIMAR	RY METHOD(s) OF CONTACT if you indicate below that you wish to	
be heard in support of	your submission.		
My interests are:	owner of local pro	operty	
	occupier of local	property	
	<ul> <li>a representative of</li> </ul>	of a company/other organisation affected by the proposal	
	🕅 a private citizen		
	101 6	s-Talkats Pal 5573	×
The address of the prop	perty affected is	Postcode 0020	
	Crystal L	SVOOK SA	
The specific aspects of	he application to which I mak	e comment on are:	
•			
[]	wish to be heard in suppor	τ or my submission	
<b>X</b>	do not wish to be heard in	support of my submission	
	(Please tick one)	х — т <b>т</b> т т т т	
y []	appearing personally	comuci Rutiens Nelson	Magor
X	being represented by the f	ollowing person :	$\mathcal{O}$
	(Cross out whichever does	not apply)	-
24. ML 1	V	MEH	
vate:	§	Signature:	
eturn Address: The S	ecretary, State Commission A	Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or	
capreps@sa.gov.au			

.

3.

#### DEVELOPMENT ACT, 1993, S49/S49A -- CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

237/

:

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithlum-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Filnders Street, also be viewed during normal business hours at the loca	Adelaide during normal business hours. Application documentation may I Council office (if identified on the public notice).
Myname: Fred MUNZEr	
My phone number: $0407842412$	
PRIMARY METHOD(s) OF CONTACT: Email address:	
Postal address:	16 Allon Street Crystal Brook
(A	Postcode 5523
be heard in support of your submission. My interests are: [x] owner of local pro [x] occupier of local pro [ ] a representative of [ ] a representative of	operty property of a company/other organisation affected by the proposal
The address of the property affected is $M_{M}$ The specific aspects of the application to which I mak	CIN Street I Brook SA se comment on are:
INTERNET + TV k	leception
Size of the tower	<u>ح</u>
<ul> <li>[] wish to be heard in suppor</li> <li>[X] do not wish to be heard in (Please tick one)</li> </ul>	rt of my submission support of my submission
by [] appearing personally [] being represented by the f (Cross out whichever does	Following person : NCISON Magor not apply)
Date: 24/06/2014	Signature J. M. WWW X
eturn Address: The Secretary, State Commission A	Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or
capreps@sa.gov.au	

.

#### DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirle.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Flinders Street, also be viewed during normal business hours at the loca My name: $f(\alpha, n, \alpha, k) = f(0, c, q)$	Adelaide during normal business hours, Application documentation may Il Council office (if identified on the public notice).
My phone number: 0400 4490	222
PRIMARY METHOD(s) OF CONTACT: Email address:	alannahmorgon Eqmail.com
Postal address:	22 Chopin Road
Somer	ton Park Postcode 5077
You may be contacted via your nominated PRIMAR be heard in support of your submission.	RY METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are:       [ ]       owner of local property         [ ]       occupier of local property         [ ]       a representative of a company/other organisation affected by the proposal         [X]       a private citizen	
The address of the property affected is $Lot + S$	Talbots Road Postcode 55-25
The specific aspects of the application to which I make comment on are: Affects quality	
living nearby. Will impact tourism and	
real estate for the area.	
· · · ·	
I [] wish to be heard in suppor J do not wish to be heard in (Please tick one)	rt of my submission support of my submission
by [] appearing personally [X] being represented by the f (Cross out whichever does	following person: <u>Samuel</u> Rutjens not apply)
Date:	

\$.

•

,

#### DEVELOPMENT ACT, 1993, S49/S49A – CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

2

,

Applicant:	Neoen Australia Ptv Ltd
Development Number:	354/V003/18
Development Number:         Nature of Development:         Zone / Policy Area:         Subject Land:         Contact Officer:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line). Primary Industry Zone - Port Pirie Regional Council 32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirle.
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the applica Transport and Infrastructure, Level 5, 50 Flinders Street, also be viewed during normal business hours at the local	tion documentation can be viewed at the Department of Planning, Adelaide during normal business hours. Application documentation may Council office (if identified on the public notice).
Myname: Madeline Magar	
My phone number: 0448 780 12	5
PRIMARY METHOD(s) OF CONTACT: Email address: (	nadeline juliamagor @ gmail.com 88 Eyre rd
Crys	potal Brocok Postcode 5523
You may be contacted via your nominated PRIMAR) be heard in support of your submission.	Y METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are: M owner of local prop C occupier of local prop [] a representative of [] a private citizen	perty roperty f a company/other organisation affected by the proposal
The address of the property affected is $88.E.L$ L0+53 $T01b2The specific aspects of the application to which I make$	The rd. CrystalBrookpostcode. 5523 The ral Crystal Brook comment on are:
They are too high, in t	he wrong area. There are many
other available locations	that will have for less
impact on people. It	will impact tourism, real
estate (property value)	and residents ability to
Ne <u>peace fully</u> and wish to be heard in support [] do not wish to be heard in support (Please tick one)	of my submission
Jy       The series of the serie	llowing person : Samuel Rutlens, Mikayia Hill ot apply)
Date: 24/06/2018	Signature:

.

Return Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or <a href="mailto:scapreps@sa.gov.au">scapreps@sa.gov.au</a>

\$ .

#### DEVELOPIMENT ACT, 1993, 549/549A ~ CROWN DEVELOPMENT REPRESENTATION ON APPLICATION

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy, Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-Ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line)
Zong / Policy Area	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirle.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the applicat Transport and Infrastructure, Level 5, 50 Flinders Street, J also be viewed during normal business hours at the local	tion documentation can be viewed at the Department of Planning, Adelaide during normal business hours. Application documentation may Council office (if identified on the public notice).
Myname: TREVOR Spillmr	
My phone number: 0427 012 (	53
PRIMARY METHOD(s) OF CONTACT: Email address:	TREVOT. SpillMAND SAPOWERNETWORKS, COM. F
Postal address:	
	Postcode
he heard in support of your submission. My interests are: [] owner of local pro [] occupier of local p [] a representative o	perty roperty f a company/other organisation affected by the proposal
M a private citizen	Postcode 5523
The specific aspects of the application to which I make	e comment on are:
~	
- WE PROX TO TO	SWNS HOUSES
•	
<ul> <li>Wish to be heard in support</li> <li>do not wish to be heard in support</li> <li>do not wish to be heard in support</li> </ul>	t of my submission support of my submission
y [] appearing personally [] being represented by the for (Cross out whichever does)	ollowing person :
Date: 276/18 Return Address: The Secretary, State Commission A scapreps@sa.gov.au	Signature:

,

2.,

•

240,

#### DPTI:scapreps

From:	Sarah Laurie <sarah@waubrafoundation.org.au></sarah@waubrafoundation.org.au>
Sent:	Friday, 29 June 2018 4:24 PM
То:	DPTI:scapreps
Subject:	Waubra Foundation Written submission, and Request to be Heard in support of submission, Re Development Number 354/V003/18 (Applicant Neoen Australia)
Attachments:	Final_WF_submission_to_SCAP_re_NEOEN_Crystal_Brook_Wind_Power_Facility.PDF; ATT00001.htm; WF_Submission_to_CCA_Review_of_Wind_Farm_Commissioner.PDF; ATT00002.htm

#### **Attention Lee Webb**

Dear Lee,

I include 4 documents as my written Submission regarding the Neoen development (4 pdf files, my Submission on behalf of the Waubra Foundation and its 3 attachments following in two subsequent emails).

I also request to be heard by appearing personally in support of the Waubra Foundation's submission and to answer any questions from SCAP members.

As I cannot scan the formal document with my details on the request to be heard document, I reproduce them below

My name: Sarah Laurie Phone: 0474 050 463 Primary method of contact: <u>sarah@waubrafoundation.org.au</u>

Postal Address: c/- PO Box Banyule, VICTORIA 3084

The specific aspects of the application to which I make comments on are related to wind turbine noise and vibration.

Fould you please acknowledge receipt of this email and the four attachments including my submission.

Thank you

Sarah Laurie



The Waubra Foundation. PO Box 7112 Banyule Victoria, 3084 Australia

Reg. No. A0054185H ABN: 42 152 077 891

29<sup>th</sup> June, 2018

# Submission to SCAP re NEOEN's proposed industrial wind power facility – a component of the Proposed Crystal Brook Energy Park

#### **Background to this Submission**

I was requested in my current capacity as the CEO of the Waubra Foundation by numerous concerned local residents to put in a submission to the SCAP commenting on the potential for adverse health effects resulting from wind turbine noise from the proposed wind power facility in the proposed location and to reference the relevant provisions of the Port Pirie Development Plan, October 2017 (cons).

I was asked specifically to mention the following to assist the SCAP members, and the Minister for Planning, to make a properly informed decision with respect to the provisions of the Port Pirie Development Plan;

- The general accepted evidence relating to adverse health effects from noise, including night time noise in a manner that can be understood by people without a background in health care
- The recent judgment by Federal Court Judge Justice White and Administrative Appeals Tribunal (AAT) Deputy President Bean, <sup>12</sup> and any other relevant judgments
- My first hand knowledge from the last eight years of the experiences of residents living near existing wind power facilities who have become noise sensitized and/or suffered adverse health effects; and the known clinical science explaining why this is happening, particularly to those with conditions such as autism and Post Traumatic Stress Disorder (PTSD);
- Provide information in language that non-experts could understand about the most recent relevant Australian and International field and laboratory research, particularly that relating to amplitude modulation and its adverse effects.

Consistent with the Waubra Foundation's longstanding practice of not charging for our services or advice, this information is provided pro bono, specifically at the request of concerned members of the community.

#### **Personal Disclosure**

I was formerly a vocationally registered Rural General Practitioner, and an accredited Visiting Local Medical Officer to the Crystal Brook Hospital, between 1998 and 2002. I was also a clinical examiner for, and member of, the Royal Australian College of General Practitioners, and a member of the Australian College of Remote and Rural Medicine prior to leaving my clinical work due to unexpected sudden illness in April 2002.

My husband has owned property in Beetaloo Valley since 1984, and I have either been a permanent resident in the area, or visited regularly, since 1991. The property located in Beetaloo Valley owned by my husband is 1.3km from the nearest proposed wind turbine.

<sup>2</sup> <u>https://waubrafoundation.org.au/resources/aat-decision-reasons-waubra-foundation-vs-acnc-dec-4-2017/</u> CEO Mobile: 61 + 0474 050 463 E: <u>info@waubrafoundation.org.au</u> www.waubrafoundation.org.au

<sup>&</sup>lt;sup>1</sup> http://www.austlii.edu.au/cgi-bin/viewdoc/au/cases/cth/AATA/2017/2424.html

#### **Background to the Waubra Foundation**

I have worked in a voluntary capacity for the Waubra Foundation for almost eight years since July/August 2010, first as its Medical Director and then as its CEO. We are a charity, currently registered with the Australian Charities and Not for Profit Commission.

The objectives of the Waubra Foundation <sup>3</sup> are twofold:

"To promote human health and well being through the prevention and control of diseases and other adverse health effects due to industrial sound and vibration" and

"To promote and protect human rights where those human rights are, or may be, adversely affected because of industrial sound and vibration."

Our objectives are not inconsistent with the Code of Ethics of the Australian Acoustical Society (AAS) relating to responsibility of its members. The first provision of the AAS code states the following:

## "The welfare, health and safety of the community shall at all times take precedence over sectional, professional and private interests." <sup>4</sup>

It is our experience in the eight years since our formation that the conduct of <u>some</u> acoustic consultants, (especially those earning large incomes from their work for the wind industry) <sup>5</sup> does not, at all times, place the welfare, health and safety of the community above sectional, professional and private interests. This is an international problem. We do, however, have excellent working relationships with numerous ethical acoustic consultants, including some who work as consultants for industry, including at times, the wind industry.

Emeritus Professor Colin Hansen, a highly regarded Mechanical Engineer, and educator from Adelaide University, and recipient of ARC funding grants to investigate Wind Turbine Noise, has repeatedly expressed identical concerns about the conduct of his acoustic colleagues with respect to their code of ethics.<sup>6 7</sup>

#### The Proposal & Scope of this Submission

NEOEN have submitted an application to *inter alia* construct and operate a wind power facility as part of a larger energy park comprising solar panels and battery storage. The proposal submitted for consideration by the SCAP and current Planning Minister includes a proposal for up to 26 wind turbines, with a possible total height of 240 metres, up to a total capacity of 125 MW, ie individual wind turbines could be up to 4.8MW.

This submission solely addresses the potential for adverse health effects from wind turbine noise and vibration.

#### Basis for Opinions, Knowledge and Relevant Expertise

The opinions expressed by me are based on the existing knowledge available from first hand field reports & observations gathered over the last eight years, independent field research and laboratory studies conducted by others of the effects and acoustic emissions from existing, much smaller and less powerful wind turbines,

https://www.aph.gov.au/Parliamentary\_Business/Committees/Senate/Wind\_Turbines/Wind\_Turbines/Additional\_Docu ments ) for a list of the different wind power developments some members of the AAAC have received funds. In the case of SONUS there were some 60 wind power developments as at June 2015.

E: info@waubrafoundation.org.au

<sup>&</sup>lt;sup>3</sup> <u>https://waubrafoundation.org.au/about/objectives/</u>

<sup>&</sup>lt;sup>4</sup> <u>http://www.acoustics.asn.au/code-ethics</u>

 $<sup>^{5}</sup>$  See AAAC answers to questions on Notice in the third Federal Senate Inquiry (No 60 at

<sup>&</sup>lt;sup>6</sup> https://waubrafoundation.org.au/resources/hansen-c-collateral-damage-engineering-ethics-and-wind-farms/

<sup>&</sup>lt;sup>7</sup> https://waubrafoundation.org.au/resources/hansen-c-whats-our-ethical-responsibility/

and knowledge gained from close collaboration with expert health and acoustic colleagues and researchers in Australia and internationally over the last eight years.

I have given evidence in court proceedings in both Australia and in Canada and in some of those proceedings, my knowledge and expertise in this specific area has been accepted by the courts as expert evidence. I have also been invited to give evidence to three Federal Senate inquiries in Australia in 2011,<sup>8</sup> 2012,<sup>9</sup> and 2015,<sup>10</sup> and was invited by the past Director of Acoustics Standards in America, Dr Paul Schomer, to present to the American Society of Acoustics conference in May 2015 and to contribute to the Wind Turbine Noise Working Group workshop.<sup>11</sup>

My knowledge and expertise and the work of the Waubra Foundation has been recognised by my medically trained colleagues working in this area internationally including Professor Robert McMurtry (former Adviser to the Canadian Health Minister),<sup>12</sup> and Dr Chris Hanning (retired consultant sleep physician) in the United Kingdom.<sup>13</sup>

#### Key Documents relied upon in the subsequent commentary

- 1. Volume 1 & 2 of NEOEN's proposal with particular reference to what NEOEN / GHD refer to as the "NOISE IMPACT ASSESSMENT" but which SONUS (more accurately) call an "Environmental Noise Assessment", in Volume 2, pp 173 - 208
- 2. Port Pirie Regional Development Plan, 31 October 2017, consolidated.
- 3. Dr Bob Thorne's Review of the SONUS Environmental Noise Assessment, commissioned by lan Peterson, 20<sup>th</sup> June, 2018 (also attached)
- 4. Documents and correspondence cited in the Waubra Foundation submission to the RET review panel, especially those relating to evidence of the lax regulatory environment for wind turbine noise and planning in Australia with respect to wind turbine separation distances and the predictable consequences of wake turbulence, known to acousticians. The RET Review submission itself is available from <a href="https://waubrafoundation.org.au/resources/renewable-energy-target-review-waubrafoundation-submission-2014/">https://waubrafoundation.org.au/resources/renewable-energy-target-review-waubrafoundation-submission-2014/</a>
- 5. A range of Australian Population Noise Impact Surveys at existing Wind Power Facilities, available from <a href="https://waubrafoundation.org.au/library/community-noise-impact-surveys/">https://waubrafoundation.org.au/library/community-noise-impact-surveys/</a>
- Judgment by Justice White and Deputy President Bean dated 4 December, 2017 in <u>http://www.austlii.edu.au/cgi-bin/viewdoc/au/cases/cth/AATA/2017/2424.html</u> and associated evidence and documents from that court case including court transcripts and expert evidence statements.
- 7. Comments made by Justice Borthwick in her Judgment in the NZ Environment Court in 2017 with respect to amplitude modulation in a quiet background noise environment that disturbed the sleep of residents <u>https://docs.wind-watch.org/NZ-Pickering-v-Christchurch-2017-05-10.pdf</u>, and the unusually successful application for costs by the noise impacted neighbour <u>https://docs.wind-watch.org/NZ-Pickering-v-Christchurch-2017-08-09.pdf</u>
- 8. Swedish Laboratory Research by Smith, M et al 2016, <u>https://waubrafoundation.org.au/resources/smith-m-g-et-al-physiological-effects-wind-turbine-noise-sleep/</u>

<sup>&</sup>lt;sup>8</sup> <u>https://waubrafoundation.org.au/wp-content/uploads/2013/07/Hansard-Melbourne-March-2911-1st-InquiryS13806.pdf</u>

<sup>&</sup>lt;sup>9</sup> <u>https://waubrafoundation.org.au/2012/ceo-gives-evidence-at-senate-inquiry/</u>

<sup>&</sup>lt;sup>10</sup> <u>https://www.masterresource.org/windpower-health-effects/au-testimony-laurie-ii/</u> and also at <u>http://parlinfo.aph.gov.au/parlInfo/search/display/display.w3p;db=COMMITTEES;id=committees%2Fcommsen%2Fb1a8</u> 0440-3bf3-438c-8a68-471db69711a3%2F0008;query=Id%3A%22committees%2Fcommsen%2Fb1a80440-3bf3-438c-8a68-471db69711a3%2F0000%22

<sup>&</sup>lt;sup>11</sup> <u>https://waubrafoundation.org.au/resources/acoustical-society-america-conference-2015-waubra-foundation-presentation-notes/</u>

<sup>&</sup>lt;sup>12</sup> <u>https://waubrafoundation.org.au/resources/letters-support-for-waubra-ceo/</u>

<sup>&</sup>lt;sup>13</sup> <u>https://waubrafoundation.org.au/resources/wind-turbine-amplitude-modulation-planning-control-study-inwg/</u>

CEO Mobile: 61 + 0474 050 463

- 9. Australian Acoustic Laboratory Research by Cooper, S & Chan, C presented at the American Society of Acoustics Conference in New Orleans in December 2017 <u>https://asa.scitation.org/doi/pdf/10.1121/2.0000653</u> and subsequently by Cooper, S as an invited presenter to Euronoise in Crete, May 2018 <u>http://www.euronoise2018.eu/docs/papers/395\_Euronoise2018.pdf</u>
- 10. Presentation by Cooper, S on behalf of Dr Bob Thorne and myself to the American Acoustical Society Conference in New Orleans, December 2017 <u>https://waubrafoundation.org.au/resources/laurie-thorne-cooper-startle-reflex-sensitisation/</u>
- 11. Presentation by Professor Robert Mc Murtry on behalf of myself to the American Acoustical Society Conference in Pittsburgh, May 2015 <u>https://waubrafoundation.org.au/resources/acoustical-society-america-conference-2015-waubra-foundation-presentation-notes/</u>

## Simplified Description of some of the Wind Turbine Noise induced Health Problems<sup>14</sup>

Excessive noise levels, and noise with intrusive characteristics (such as impulsive noise, lower frequency noise, and amplitude modulating noise where the volume is changing up and down relatively rapidly), has long been known to cause sleep disturbance and "annoyance" symptoms for neighbours. That is why there are noise level limits enshrined in government regulations, and it is why environmental noise with intrusive characteristics such as low frequency, tonality and amplitude modulation usually attract an acoustic penalty.

UK based Low frequency noise expert Dr Geoff Leventhall, used frequently by the wind industry as an expert witness, has long publically accepted that "annoyance" symptoms and "wind turbine syndrome" symptoms are identical, and have been known to him for years.<sup>15</sup>

More recently, objective scientific evidence is emerging that noise can induce annoyance symptoms and even a startle response – known in lay terms as the "fight flight response". This biological fact already has clinical applications – for example that knowledge has been used in psychiatric research in the military, to determine the existence, and severity, of PTSD (post traumatic stress disorder) in veterans in response to a specific audible acoustic stimulus.<sup>16</sup>

Recent groundbreaking laboratory research by Australian Acoustician Steven Cooper has shown that noise sensitized people will react, with 100% accuracy, to an *inaudible* acoustic stimulus of strongly amplitude modulated wind turbine noise recorded from a bedroom 1.7km away from the nearest wind turbine at Cape Bridgewater, at levels at or or just below their thresholds of hearing. In other words, the sound is inaudible, but can be perceived.<sup>17</sup> The particular sound file he used did not contain infrasound – the frequencies were above 30 Hz.

The frequent descriptions from the residents exposed to wind turbine noise of "waking up repeatedly in an anxious frightened panicked state", is useful observational clinical evidence suggestive that wind turbine noise, both audible and inaudible, is also inducing an involuntary physiological stress response (startle response), evidenced by a sudden and concurrent acceleration of heart rate <sup>18</sup> and potentially numerous other symptoms.

<sup>&</sup>lt;sup>14</sup> see the recent New Orleans presentation for more detail <u>https://waubrafoundation.org.au/resources/laurie-thorne-cooper-startle-reflex-sensitisation/</u>

<sup>&</sup>lt;sup>15</sup> <u>https://waubrafoundation.org.au/resources/leventhall-g-comments-nhmrc-june-2011-wind-turbine-syndrome-</u> symptoms-same-as-noise-annoyance/

<sup>&</sup>lt;sup>16</sup> this review article from 2010 by one of the worlds leading experts in PTSD provides extensive information and references <u>https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2816923/</u> and this research paper provides the specific evidence about PTSD research using the acoustic startle reflex for clinical research: <u>https://www.sciencedirect.com/science/article/pii/S0022395613002938</u>

<sup>&</sup>lt;sup>17</sup> http://www.euronoise2018.eu/docs/papers/395 Euronoise2018.pdf

<sup>&</sup>lt;sup>18</sup> <u>https://waubrafoundation.org.au/resources/rapley-et-al-case-report-cross-sensitisation-infrasound-low-frequency-noise/</u>

Multiple animal studies in both domesticated and wild animals exposed to wind turbine noise have shown an enhanced physiological stress response using objective biological markers such as serum and faecal cortisol levels.<sup>19 20</sup> <sup>21 22</sup> The strength of the objectively measured biological stress response in these animals has been shown to depend on distance away from wind turbines, in other words **distance from the closest wind turbine acts as a crude proxy for the cumulative exposure dose**. These animal studies provide evidence further rebutting the erroneous explanation that all the symptoms reported by nearby human residents are due to scaremongering, referred to as a "nocebo" effect rather than due to an involuntary physiological stress response.

There are some people who have an enhanced vulnerability ie risk of reacting at lower thresholds with a startle / physiological stress response. For example people with an enhanced startle response to sound include those with autism,<sup>23</sup> and those with PTSD (Post Traumatic Stress Disorder) as previously discussed. These people will react more quickly and strongly to the same acoustic stimulus that others may not initially react to, at all.

When this physiological stress response happens repeatedly from exposure to impulsive sound, mammalian studies have shown that the animals become sensitized, even when the sound levels are the same.<sup>24</sup> It is the pulsing / impulsive nature of the noise that is implicated in the sensitization. Sensitisation is the opposite to "habituation" – where people/animals get used to the sound with repeated exposure, and do not react at lower and lower threshold sound levels with repeated exposure.

When the acoustic startle response is also combined with a response to a concurrent pressure stimulus, and an acute response from the vestibular (balance) system is also triggered as is thought to be happening with exposure to wind turbine noise / pressure pulses then the total combined startle response (via stimulation of acoustic sensors, tactile pressure sensors and vestibular motion sensors concurrently) is increased.<sup>25</sup>

The World Health Organisation's numerous publications on noise <sup>26</sup> accept that sleep disturbance and stress are caused by "annoyance" to noise, and that sleep deprivation and chronic stress are detrimental to health. However there has historically been a distinction made between direct and indirect effects of noise on the stress response via "annoyance". The emerging objective biological and acoustic science especially resulting from exposure to strong amplitude modulation suggests that this distinction is no longer valid because of the evidence of a direct causal relationship between the stimulus (strongly amplitude modulated noise) and the powerful involuntary biological response.

#### Accuracy of Pre Construction Predictions of Noise IMPACTS for this project

As there are currently no comparable wind power facilities with wind turbines this size (4.8 MW) in Australia, it is not possible for anyone to accurately predict the distance, or severity of adverse health effects including sleep disturbance and "annoyance" (Wind Turbine Syndrome) symptoms.<sup>27</sup> No one knows what

<sup>&</sup>lt;sup>19</sup> <u>https://waubrafoundation.org.au/resources/mikolajczak-j-et-al-preliminary-studies-growing-geese-proximity-wind-turbines/</u>

<sup>&</sup>lt;sup>20</sup> <u>https://docs.wind-watch.org/Lopucki-et-al-2018-corticosterone-animals-wind-turbines.pdf</u>

<sup>&</sup>lt;sup>21</sup> <u>https://docs.wind-watch.org/aoas-2015-0051-pigs.pdf</u>

<sup>&</sup>lt;sup>22</sup> https://docs.wind-watch.org/Agnew-wind-turbine-stress-badgers.pdf

<sup>&</sup>lt;sup>23</sup> https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4008133/

<sup>&</sup>lt;sup>24</sup> <u>https://waubrafoundation.org.au/resources/bmc-neuroscience-repeated-elicitation-acoustic-startle-reflex/</u>

<sup>&</sup>lt;sup>25</sup> https://waubrafoundation.org.au/resources/yeomans-et-al-tactile-acoustic-vestibular-systems-sum-elicit-startlereflex/

<sup>&</sup>lt;sup>26</sup> <u>https://waubrafoundation.org.au/information/acousticians-noise-regulators/literature-reviews/</u>

<sup>&</sup>lt;sup>27</sup> UK low frequency noise expert Dr Geoff Leventhall has accepted that Wind Turbine Syndrome Symptoms as described by Dr Nina Pierpont in her 2009 study are the same as what he refers to as "annoyance" symptoms, and did so at the NHMRC workshop in Canberra in June 2011. More information including a transcript and video clip of Leventhall's CEO Mobile: 61 + 0474 050 463 E: info@waubrafoundation.org.au www.waubrafoundation.org.au

the actual noise and vibration emissions will be under different wind and weather conditions at each of the dwellings "receptor locations" until the project is built and operating. In addition as there is a cumulative dose effect via sensitisation, some people who are not initially affected will find that after a few years they start to develop symptoms correlating with exposure to operating wind turbines. That has certainly been the experience in Australia and internationally to date, including amongst wind turbine host families.

The noise predictions from any of the models used are gross averages of predicted sound levels. They do not, and cannot, account for the second by second changes in power outputs, noise and vibration outputs, or the changes in noise characteristics. It is these transient changes in noise characteristics that the human and animal brains respond to, and that are known to disturb people's sleep and trigger annoyance symptoms, if individual stimulus thresholds are exceeded, even transiently.

Nor can these modeled noise predictions such as those in both the SONUS and THORNE reports accurately reflect, in detail, how wind turbine wakes will interact with each other in different weather conditions and wind speeds in the complex terrain / topography in this particular location, and how that then can affect noise at the dwellings and workplaces of those within the acoustic impact zone – itself yet to be determined.

It is critical for SCAP members and the Minister for Planning to understand that from a physiological perspective, the brain responds to these acoustic environment changes, in real time, and not to the "averages" or noise predictions / computer models that are relied upon by proponents and their acoustic consultants for the purposes of obtaining planning approvals for their projects. Pre construction predictions can be significantly lower than the post construction reality, eg at Waterloo Wind Farm, conducted by Dr Norm Broner,<sup>28</sup> that substantially under predicted the subsequent noise from the wind farm when reassessed post construction by Marshall Day Acoustics.<sup>29 30</sup>

Steven Cooper's latest laboratory study, reported recently in Crete at the Euronoise conference at which he was an invited speaker, illustrates that people who become noise sensitized as a result of chronic exposure will react to amplitude modulated sound reproduced in a laboratory, with 100% accuracy.<sup>31</sup> In other words, it is the noise, and its specific characteristics, that are triggering the "annoyance" symptoms, and not a nocebo effect as various parties including acoustic consultants, including from SONUS, have claimed.<sup>32</sup>

It is also critical that SCAP members and the Planning Minister understand there is a cumulative effect from wind turbine noise exposure, and that ongoing exposure results in progressive sensitization to wind turbine noise for some neighbours. If noise-sensitization occurs there are predictable, resultant serious adverse effects for those individuals with respect to their ability to sleep, and for their longterm health as their noise thresholds continue to reduce with ongoing exposure.<sup>33 34</sup>

## The only improvement in health and sleep with reduction or cessation of symptoms will come with reduction in the exposure dose and duration.

comments is available here: <u>https://waubrafoundation.org.au/resources/leventhall-g-comments-nhmrc-june-2011-wind-turbine-syndrome-symptoms-same-as-noise-annoyance/</u>

<sup>28</sup> <u>https://waubrafoundation.org.au/resources/skm-waterloo-stage-1-environmental-noise-modelling-may-2009-main-report-2/</u>

<sup>29</sup> <u>https://waubrafoundation.org.au/resources/morris-m-charts-comparing-pre-construction-modeling-vs-post-</u> <u>construction-noise-at-waterloo-wind-development/</u>

<sup>30</sup> <u>https://waubrafoundation.org.au/resources/morris-m-development-assessment-commission-hearing-ceres-south-australia/</u>

<sup>31</sup> http://www.euronoise2018.eu/docs/papers/395 Euronoise2018.pdf

<sup>32</sup> see for example the 2010 Clean Energy Council commissioned SONUS Technical Paper, unavailable on the SONUS or CEC websites as at 28 June, 2018 but sourced from the AGL website on 28 June, 2018 <u>https://www.agl.com.au/-/media/agl/about-agl/documents/how-we-source-energy/wind\_farms/macarthur\_2014\_update/7\_sonus-wind-farms-technical-paper-november-2010-(2).pdf?la=en&hash=D7A399E8E60412ADAAC9C959805C56A626FBE1EC</u>

<sup>33</sup> <u>http://www.euronoise2018.eu/docs/papers/395\_Euronoise2018.pdf</u>

<sup>34</sup> <u>https://waubrafoundation.org.au/resources/laurie-thorne-cooper-startle-reflex-sensitisation/</u> CEO Mobile: 61 + 0474 050 463 E: info@waubrafoundation.org.au www 6

#### In Australia if you live near a wind farm, that means leaving your home.

As wind turbines have never been turned off overnight, or pulled down, in Australia, in large part due to the widespread regulatory capture <sup>35</sup> of noise pollution and planning authorities by the wind industry (now being revealed in both litigation and FOI documents), and the expense of litigation for noise nuisance that is beyond the financial reach of most people, people are forced to leave their homes, and farms, or to endure intolerable suffering and ill health that would cease or reduce if the noise and vibration ceased, and indeed does cease or reduce when they leave the noise source to reduce their exposure.

Many are unaware that historically the wind industry bought out some badly affected parties, and silenced them with gag clauses.<sup>36 37</sup> Slater and Gordon's then General Manager, James Higgins, confirmed the existence of such agreements in a letter to the Australian on 4<sup>th</sup> May, 2012. In that letter Higgins stated: <sup>38</sup>

"James Delingpole asserts that Slater and Gordon have been responsible for "rigorous gagging orders" in favour of wind farm operators. This is wrong. We have acted for landowners who have been affected by the operation of nearby wind farms.

Any confidentiality clauses associated with some compensation claims have not been made at our direction. Such clauses are required by the wind farm operators and are typically required in these types of settlements. It is a decision for our clients as to whether they accept such clauses."

The same gagging of noise-sensitized people is not confined to the wind industry, and has also occurred at other industrial developments such as gas-fired power stations, as part of property buy out agreements (eg Uranquinty in NSW) <sup>39</sup> and in Queensland near coal seam gas facilities near Chinchilla.<sup>40</sup>

More recently so called Good Neighbour agreements are used to gag neighbours to proposed wind power facilities in advance, before they become affected, with clauses that prevent them or anyone living at the same address from complaining in the future to any regulatory authorities about the noise. <sup>41</sup>

#### Summaries of the Relevant Evidence

There is a detailed explanation of the known consequences of chronic sleep deprivation and chronic stress and the then available research into wind turbine noise in my expert opinion for the Stony Gap Appeal to the ERD Court in 2014.<sup>42</sup> The science has not changed my opinion in the intervening period – rather there is more evidence to support my opinion that the sound is directly causing the effects described by residents.

Much of that same evidence in the Stony Gap Expert Opinion, including from the World Health Organisation's various publications into Environmental, Night time, and Community Noise, was brought to the court's

<sup>38</sup> <u>https://www.theaustralian.com.au/opinion/letters/wind-power-a-blessing-or-a-scam/news-</u>

<sup>&</sup>lt;sup>35</sup> <u>https://www.economicshelp.org/blog/141040/economics/regulatory-capture/</u>

<sup>&</sup>lt;sup>36</sup> see evidence given at the Melbourne hearing of the third Federal Senate Inquiry by Trish Godfrey, on 9<sup>th</sup> June, 2015 <u>http://parlinfo.aph.gov.au/parlInfo/search/display/display.w3p;db=COMMITTEES;id=committees%2Fcommsen%2F494c9</u> 081-d6b1-4ad4-9fbc-cb2d706eec76%2F0003;query=Id%3A%22committees%2Fcommsen%2F494c9081-d6b1-4ad4-9fbc-cb2d706eec76%2F0000%22

<sup>&</sup>lt;sup>37</sup> see contracts and extracts from contracts with non disclosure clauses <u>https://stopthesethings.com/2013/02/26/did-two-senior-wind-energy-executives-lie-to-the-senate/</u>

story/4df0cb54bed7b2db199257fe27f38aae?sv=10264000b8841a2191753f42e3b08c86

<sup>&</sup>lt;sup>39</sup> <u>https://waubrafoundation.org.au/2009/uranquinty-families-bought-out-and-silenced-with-non-disclosure-clauses-by-origin-energy/</u>

<sup>&</sup>lt;sup>40</sup> personal communication with local residents, subsequently gagged along with neighbours after being bought out by the operator of the gas plant facilities nearby

<sup>&</sup>lt;sup>41</sup> eg <u>https://waubrafoundation.org.au/resources/neighbour-deed-palmer-wind-farm-south-australia/</u>

<sup>&</sup>lt;sup>42</sup> <u>https://docs.wind-watch.org/Stony-Gap-Expert-Opinion-Laurie.pdf</u>

attention by a range of acoustic, psychoacoustic, and medical experts in the Waubra Foundation case against the Australian Charity & Not for Profit Commission "the ACNC" to challenge the ACNC's "in house" erroneous ruling that noise, including wind turbine noise, was not a pathway to disease in humans. The Waubra Foundation won that part of the appeal against the ACNC's decision, which at the time sparked international outrage amongst health and acoustics professionals as well as adversely affected citizens.<sup>43</sup>

Rather than repeat that evidence here, it is suggested that those interested can read the AAT Judgment by Federal Court Judge Justice White and Deputy President Bean with reference to their consensus with respect to the expert evidence, and with reference to the extensive evidence base upon which they relied.<sup>44</sup>

The new scientific evidence available **since the AAT case was heard in September 2016** has addressed some of the gaps in the existing scientific knowledge that the Judges had identified. Two crucial studies are listed below:

- 1. A direct causal relationship is now scientifically established between strongly amplitude modulated wind turbine noise and sleep in the Swedish laboratory study by Smith et al (in young fit people with only short term exposure); <sup>45</sup> and
- A direct causal relationship has been established between amplitude modulated recorded wind turbine noise (30 – 1200 Hz) and triggering of the characteristic annoyance/wind turbine syndrome symptoms established by Steven Cooper's latest laboratory research.<sup>46</sup>

In other words, amplitude modulation has since been confirmed as a critically important and scientifically established trigger for adverse health effects for neighbours to industrial noise emitters, including particularly wind turbines.

Amplitude modulation has also been specifically highlighted as an issue with respect to sleep disturbance from wind turbine noise in a case in the NZ Environment Court, where Justice Borthwick made it clear in her judgment that the penalty for amplitude modulation alone, when applied, would not protect the sleep of neighbours, because of the low background noise environment in that case.<sup>47</sup> This issue of amplitude modulation occurring in the context of a very quiet background noise environment is highly likely to be a problem at times for residents neighbouring the proposed Crystal Brook Wind Farm, where it is the norm to have very quiet background noise environments, especially at night.

Finally, the World Health Organisation are reviewing their guidelines for Environmental Noise for the European region to include more recent research and these new guidelines are due to be issued in September, 2018. Wind turbine noise will be included as a source of environmental noise. <sup>48</sup> It remains to be seen how relevant these new guidelines will be for the Australian context, where wind turbines are usually more powerful than those used to date in Europe, and sited closer together than recommended by manufacturers and industry standards, and where the background noise environments in much of rural Australia are quieter.

<sup>&</sup>lt;sup>43</sup> <u>https://waubrafoundation.org.au/resources/acnc-appeal-responses-from-professionals-citizens-and-impacted-residents-re-loss-health-promotion-charity-status/</u>

<sup>&</sup>lt;sup>44</sup> <u>https://waubrafoundation.org.au/resources/aat-decision-reasons-waubra-foundation-vs-acnc-dec-4-2017/</u>

<sup>&</sup>lt;sup>45</sup> <u>https://waubrafoundation.org.au/resources/smith-m-g-et-al-physiological-effects-wind-turbine-noise-sleep/</u>

<sup>46</sup> http://www.euronoise2018.eu/docs/papers/395 Euronoise2018.pdf

<sup>&</sup>lt;sup>47</sup> https://docs.wind-watch.org/NZ-Pickering-v-Christchurch-2017-05-10.pdf

<sup>&</sup>lt;sup>48</sup> <u>https://www.wind-watch.org/documents/development-of-the-who-environmental-noise-guidelines-for-the-</u> european-region-an-introduction/

#### Historical Knowledge of Amplitude Modulation, Impulsive & Low Frequency Noise

There are some Acousticians, especially those working in the field of Low Frequency Noise, who were aware of the importance of amplitude modulation and other noise characteristics in triggering "annoyance" symptoms many years ago. One of these experts is Dr Geoffrey Leventhall, UK Low Frequency Noise Expert <sup>49</sup> and another is Dr Norm Broner, from Australia. <sup>50</sup>

Dr Leventhall told the third Australian Federal Senate inquiry that

"I think that the most important aspect of wind turbine noise-which I said in the paper I published nearly 10 years ago-is the amplitude modulation. Work is now developing on that, and I believe that is where the main answer should be given, in amplitude modulation, because this is what upsets people."<sup>51</sup>

Leventhall was part of a team of researchers in 1997 who reported upon an experiment that used a low frequency noise stimulus, (amplitude modulating at an infrasound rate of 2 Hz), that caused disturbances and annoyance symptoms and adversely affected work performances.<sup>52</sup> Wind turbine noise modulates at an infrasound rate of around 1 Hz depending on the size of the turbine – at the blade pass frequency.

With respect to wind turbine noise, SONUS specifically acknowledged in a Technical Paper written by them in 2010 that amplitude modulation is an inherent characteristic of wind turbine noise.<sup>53</sup>

It is therefore curious, and of concern, that there is no mention of Amplitude Modulation with respect to this particular application in SONUS's Noise Assessment for NEOEN's proposed Crystal Brook Wind Farm, and no application of the 5 dB penalty. This is even more concerning in the light of the latest important scientific evidence about the way strongly amplitude modulated wind turbine noise is triggering sleep disturbance <sup>54</sup> and annoyance (wind turbine syndrome) symptoms.

The omission of consideration of amplitude modulation, and avoidance of any discussion about a penalty by SONUS as acoustic consultants to NEOEN is even more concerning when reading the very specific advice from SONUS contained in its Technical Paper to the Clean Energy Council (November 2010) regarding the consequences of adding a 5 dB penalty for amplitude modulation. According to SONUS in 2010,

"A 5 dB(A) penalty is a significant acoustic impost. To reduce a noise source by 5 dB(A) requires **either** the distance between the source and the receiver to be approximately doubled, or the noise source to reduce its output by two thirds. In wind farm terms, this means the distance between the farm and the nearest dwellings might need to be doubled, or up to two thirds of the total turbine numbers would need to be removed, compared to a wind farm not subject to such a penalty."

Why has the 5 dB penalty for amplitude modulation been omitted & ignored by SONUS in their Noise Assessment?

- <sup>50</sup> <u>https://waubrafoundation.org.au/resources/broner-n-effects-low-frequency-noise-people-review/</u> 51
- http://parlinfo.aph.gov.au/parlInfo/search/display/display.w3p;db=COMMITTEES;id=committees%2Fcommsen%2F076b 72db-0da0-4ca6-bffe-b0a0cea05550%2F0002;query=Id%3A%22committees%2Fcommsen%2F076b72db-0da0-4ca6-bffeb0a0cea05550%2F0000%22
- <sup>52</sup> <u>https://waubrafoundation.org.au/resources/effects-performance-due-lfn-sick-building-syndrome-leventhall/</u>

<sup>53</sup> this document was unavailable on the SONUS or CEC websites as at 28 June, 2018 but was sourced from the AGL website on 28 June, 2018 <u>https://www.agl.com.au/-/media/agl/about-agl/documents/how-we-source-</u>energy/wind farms/macarthur 2014 update/7 sonus-wind-farms-technical-paper-november-2010-

(2).pdf?la=en&hash=D7A399E8E60412ADAAC9C959805C56A626FBE1EC. The document is now also available here: <sup>54</sup> http://www.euronoise2018.eu/docs/papers/395\_Euronoise2018.pdf

<sup>&</sup>lt;sup>49</sup> <u>https://waubrafoundation.org.au/resources/review-published-research-low-frequency-noise-leventhall/</u>

<u>Is it because SONUS and perhaps also GHD / NEOEN were well aware that the wind farm part of this</u> <u>project would not be viable due to the increased distance / removal of turbines that would inevitably be</u> <u>required, based on SONUS's own advice about the consequences of imposing a 5 dB penalty for Amplitude</u> <u>Modulation, to the Clean Energy Council in 2010?</u>

#### Commentary on Relevant Sections of the Port Pirie Council Development Plan October 2017 (consolidated), and material omissions by SONUS / NEOEN / GHD

EXTRACT from page 51 (59 of electronic version) of the Port Pirie Council Development Plan, 2017 (cons)

#### *"INTERFACE BETWEEN LAND USES*

#### **OBJECTIVES**

- 1. Development located and designed to minimise adverse impact and conflict between land uses.
- 2. Protect community health and amenity from adverse impacts of development.
- 3. Protect desired land uses from the encroachment of incompatible development.

#### PRINCIPLES OF DEVELOPMENT CONTROL

- 1. Development should not detrimentally affect the amenity of the locality or cause unreasonable interference through any of the following:
  - 1. (a) the emission of effluent, odour, smoke, fumes, dust or other airborne pollutants
  - 2. (b) noise
  - 3. (c) vibration
  - 4. (d) electrical interference
  - 5. (e) light spill
  - 6. (f) glare
  - 7. (g) hours of operation
  - 8. (h) traffic impacts.
- 2. Development should be sited and designed to minimise negative impacts on existing and potential future land uses desired in the locality.
- 3. Development adjacent to a **Residential Zone** or residential area within a **Township Zone** should be designed to minimise overlooking and overshadowing of adjacent dwellings and private open space.
- 4. Residential development adjacent to non-residential zones and land uses should be located, designed and/or sited to protect residents from potential adverse impacts from non-residential activities.
- 5. Sensitive uses likely to conflict with the continuation of lawfully existing developments and land uses desired for the zone should be designed to minimise negative impacts.
- 6. Non-residential development on land abutting a residential zone should be designed to minimise noise impacts to achieve adequate levels of compatibility between existing and proposed uses.

#### Noise Generating Activities

- 7. Development that emits noise (other than music noise) should include noise attenuation measures that achieve the relevant Environment Protection (Noise) Policy criteria when assessed at the nearest existing noise sensitive premises.
- 8. Development with the potential to emit significant noise (e.g. industry) should incorporate noise attenuation measures that prevent noise from causing unreasonable interference with the amenity of noise sensitive premises."

# Specific Omissions from the SONUS Environmental Noise Assessment of key aspects of the Port Pirie Development Plan

SONUS omit any reference to Objective 3 of the Port Pirie Development Plan that is to "Protect desired land uses from the encroachment of incompatible development."

In my opinion, this is precisely the key problem with this proposal to place this wind power facility in this particular location, especially given the proximity to the township of Crystal Brook in the context of such large industrial wind turbines, with as yet unknown but likely significant noise and vibration impacts on the surrounding population. It is therefore an incompatible development, due to the potential for negative acoustic impacts to a significant population centre as well as surrounding population. This particular potential for harm (including permanent harm) to the health of the surrounding population. This particular development, if approved and built, will inevitably encroach upon existing and desired land uses and users within the likely acoustic impact zone, to their detriment, over the lifetime of this project.

The likely Acoustic Impact Zone is unknown given the lack of data relating to wind turbines standing 240 metres tall and with a power generation capacity of up to 4.8 MW. However, wind turbines at Waterloo that are 3 MW, and 135 metres tall have an acoustic impact zone of <u>at least 10km</u> based on existing field research <sup>55 56 57</sup> and objective acoustic measurements by acoustic researchers operating independently of the wind industry, and independently of the South Australian Environment Protection Authority.<sup>58</sup>

Critical evaluations of the SA EPA's own Waterloo Noise survey in 2013 presented at an international conference by Steven Cooper and Mrs Mary Morris. The analysis shows a relationship between power generation and annoyance symptoms of residents identical to that found by Cooper at Cape Bridgewater, but also shows repeated errors and omissions in the SA EPA study and data analysis, all of which benefited the wind industry operator at Waterloo, yet again resulting in the SA EPA's ongoing failure to protect the Waterloo residents from further harm.<sup>59</sup>

By way of further background about the SA EPA, relevant to the lack of regulatory protection Crystal Brook residents can expect to receive if this project is approved, the SA EPA via its officers and employees has demonstrated consistent bias suggestive of regulatory capture in its behaviour (with respect to regulation of wind turbine noise), and an ongoing abject failure to protect the health and sleep of rural South Australians. The first evidence of this was the personal and public attack by the then SA EPA Noise Expert, Valeri Lenchine, on long suffering sleep deprived Mt Bryan farmer Andy Thomas, at a meeting in Port Pirie in September 2010. The SA EPA as an organisation has since shown an arrogant refusal to engage with a number of independent acoustics researchers, and a refusal to conduct acoustic monitoring at severely impacted homes (including wind turbine hosts) and a refusal to answer critical comments in relation to its own work and practices in this field. Evidence of extensive industry influence (via wind industry acousticians) has been obtained under FOI and is now in the hands of relevant current Ministers. One example of this industry influence concerns the suggested alterations to the draft 2008 Wind Turbine Noise Guidelines by a group of wind industry affiliated acousticians including SONUS that in all cases benefiting the wind industry and not protecting South Australian Rural Residents, and a copy of one of these FOI documents is attached for the SCAP members information.

In summary an industrial wind power facility emits audible and inaudible noise and vibration that can detrimentally affect those who live, work, and sleep in its acoustic zone of impact. The size of that zone of impact will depend on the size of the turbines, their power generation capacity, the cumulative impact of multiple wind turbines, the interaction between the turbines and the consequent increase in noise emissions

<sup>59</sup> https://stopthesethings.com/2018/01/07/why-pulsing-wind-turbine-noise-causes-nightmares-for-neighbours/

<sup>&</sup>lt;sup>55</sup> <u>https://waubrafoundation.org.au/resources/evaluation-wind-farm-noise-policies-south-australia/</u>

<sup>&</sup>lt;sup>56</sup> <u>https://waubrafoundation.org.au/resources/waterloo-wind-farm-survey-2012/</u>

<sup>&</sup>lt;sup>57</sup> <u>https://waubrafoundation.org.au/resources/morris-m-waterloo-case-series-preliminary-report/</u>

<sup>&</sup>lt;sup>58</sup> <u>https://waubrafoundation.org.au/resources/hansen-zajamsek-hansen-noise-monitoring-waterloo-wind-farm/</u>

CEO Mobile: 61 + 0474 050 463

E: info@waubrafoundation.org.au

if wind turbines are located too close together resulting in additional turbulence and therefore noise including intrusive low frequency noise. It will also depend on the topography, the weather, and the wind speed and direction. The effects on individuals will depend upon their risk factors, their exposure doses and the durations of exposure.

The time it will take for the detrimental effects manifest will depend upon individual risk factors and exposure "dose" including noise characteristics during the exposure period, as well as the exposure duration. For example, someone who is previously noise sensitised, or who has pre existing post traumatic stress disorder will be likely to experience adverse effects including activation of the fight flight response or startle reflex within minutes to hours of initial exposure depending on the severity of their noise sensitisation or PTSD, and the strength and duration of the exposure.<sup>60</sup> For others it may take days, weeks, months, or even years, before the adverse effects correlating directly with exposure are noticed.

The Port Pirie Development Plan clearly states in the section titled "Principles of Development Control at section 1 that

"Development should not detrimentally affect the amenity of the locality or cause unreasonable *interference* through *any of the following*"(bold my emphasis)

2 (b) noise; 3 (c) vibration; and 7(g) hours of operation

SONUS only refer to noise in the above section of the development plan, and not to vibration, or hours of operation. These are both material omissions by SONUS, and by NEOEN/GHD.

Firstly, with respect to noise, the SONUS report infers that compliance with the SA EPA guidelines as per the SONUS modeling predictions will mean there are no adverse impacts for neighbours.

Nothing could be further from the reality for South Australian residents at existing Wind Power facilities, deemed compliant by the SA EPA.

For example, at Waterloo, there have been multiple home abandonments due to severe adverse health impacts, excessive noise and sleep disturbance measured out to nearly 10km. Information about these noise impacts has been captured in numerous pieces of useful field research including the population noise impact surveys of Masters student Frank Wang (2011),<sup>61</sup> Mrs Mary Morris (2012)<sup>62</sup> included as the only Australian study in the NHMRC Literature Review, the cross over data collected by Mrs Morris immediately after the SA EPA Survey when the wind turbines were off for a week due to a cabling fault <sup>63</sup> and acoustic data collected at the same time as the SA EPA Survey by the Adelaide University Research Team<sup>64</sup> whose detailed report was predictably subsequently ignored by the SA EPA. There are also many examples of testimony from longsuffering Waterloo residents to state and federal parliamentary inquiries and to court cases, describing their experiences in detail.

It is therefore misleading for NEOEN and GHD to use the descriptor / title of Noise IMPACT Assessment in the proposal when any discussion about, or data relating to, reported adverse impacts from wind turbine noise,

<sup>&</sup>lt;sup>60</sup> see presentation by Laurie, Thorne and Cooper to American Society of Acoustics conference in New Orleans for further information about the existing scientific knowledge https://waubrafoundation.org.au/resources/laurie-thornecooper-startle-reflex-sensitisation/

<sup>&</sup>lt;sup>61</sup> https://waubrafoundation.org.au/resources/evaluation-wind-farm-noise-policies-south-australia/

<sup>&</sup>lt;sup>62</sup> https://waubrafoundation.org.au/resources/waterloo-wind-farm-survey-2012/

<sup>&</sup>lt;sup>63</sup> https://waubrafoundation.org.au/resources/morris-m-waterloo-case-series-preliminary-report/

www.waubrafoundation.org.au

or noise characteristics known to cause adverse impacts such as tonality, low frequency noise, and amplitude modulation, appears to have been carefully avoided in the SONUS report for this project.<sup>65</sup>

SONUS are clearly well aware of reports of adverse impacts from neighbours to wind turbines, and some of the relevant research literature including the study by American population biology scientist and specialist paediatrician Dr Nina Pierpont<sup>66</sup> that identified some of the risk factors for developing symptoms in response to operating wind turbines. Dr Pierpont's study is specifically mentioned in the SONUS Technical report to the wind industry lobby group the Clean Energy Council in November 2010.<sup>67</sup>

SONUS are also aware that wind turbine noise characteristics include amplitude modulation, tonality and low frequency noise, indeed from the SONUS website it appears that one of the SONUS engineers wrote the SA Environmental Noise Policy 2007.<sup>68</sup> That Policy specifically includes mention of penalties for amplitude modulation.

So, SONUS clearly know that Amplitude Modulation attracts a penalty with environmental noise, and that wind turbine noise includes Amplitude Modulation characteristics. SONUS stated on p 45 of their 2010 Technical Paper for the Clean Energy Council that:

"Amplitude modulation is an inherent noise character associated with wind farms. It should be noted that the ambient environment modulates in noise level by a significantly greater margin and over a significantly greater time period than that which would be audible from a wind farm at a typical separation distance. Notwithstanding, the South Australian Guidelines (2003 & 2009) note that the objective standards include a 5 dB(A) penalty for this fundamental and inherent character of amplitude modulation."<sup>69</sup>

Regardless of SONUS's failure to acknowledge in 2010 that the amplitude modulated wind turbine noise is also dynamically pulsed at the rate of the blade pass frequency, and that that pulsing does not occur in the natural environment so that comparison with noise in the ambient environment in the above passage is irrelevant and misleading, why has the SONUS report for this development, for NEOEN, failed to apply that penalty for amplitude modulation?

It is my opinion that the explanation lies in the next paragraph of the 2010 SONUS document for the Clean Energy Council.

"A 5 dB(A) penalty is a significant acoustic impost. To reduce a noise source by 5 dB(A) requires either the distance between the source and the receiver to be approximately doubled, or the noise source to reduce its output by two thirds. In wind farm terms, this means the distance between the farm and the nearest dwellings might need to be doubled, or up to two thirds of the total turbine numbers would need to be removed, compared to a wind farm not subject to such a penalty."

It would appear that the failure of SONUS to make any reference to amplitude modulation is precisely because SONUS know that the 5dB penalty would make this proposed wind farm unviable in this location

<sup>&</sup>lt;sup>65</sup> http://www.sonus.com.au/people.html - see the entry relating to the experience of Jason Turner

<sup>&</sup>lt;sup>66</sup> <u>https://waubrafoundation.org.au/resources/dr-nina-pierpont-submission-australian-senate-inquiry/</u>

<sup>&</sup>lt;sup>67</sup> this document was unavailable on the SONUS or CEC websites as at 28 June, 2018 but was sourced from the AGL website on 28 June, 2018 <u>https://www.agl.com.au/-/media/agl/about-agl/documents/how-we-source-energy/wind\_farms/macarthur\_2014\_update/7\_sonus-wind-farms-technical-paper-november-2010-(2).pdf?la=en&hash=D7A399E8E60412ADAAC9C959805C56A626FBE1EC</u>

<sup>68</sup> http://www.sonus.com.au/people.html

<sup>&</sup>lt;sup>69</sup> this document was unavailable on the SONUS or CEC websites as at 28 June, 2018 but was sourced from the AGL website on 28 June, 2018 <u>https://www.agl.com.au/-/media/agl/about-agl/documents/how-we-source-energy/wind\_farms/macarthur\_2014\_update/7\_sonus-wind-farms-technical-paper-november-2010-(2).pdf?la=en&hash=D7A399E8E60412ADAAC9C959805C56A626FBE1EC</u>

because separation distances between wind turbines and dwellings would need to be doubled, or up to two thirds of the wind turbines will need to be removed.

As mentioned previously, the project is on the boundaries of financially viable, as per NEOEN's own admission in Volume 1, p 14, because of the removal of access to land north of the Wilkins Highway and consequent necessary reduction in wind turbines.

#### Application of the 5 dB penalty would therefore make the project unviable.

SONUS engineers (as members of the AAS) have an overriding ethical obligation to protect the health and safety of the community, above the commercial interests of their clients ie NEOEN. Specifically, as previously stated, the Code of Ethics for the Australian Acoustical Society states that:

"The <u>welfare, health and safety</u> of the community <u>shall at all times</u> take precedence over sectional, professional and private interests" at point 1 under the heading RESPONSIBILITY; and

#### "Members .... shall act at all times in a fair and honest manner" at point 5 under REPUTATION.

Given the emerging scientific evidence about the effect of strong amplitude modulation on sleep, <sup>70</sup> and the fact that strong amplitude modulated wind turbine noise between 30 and 1200 Hz can induce the characteristic "annoyance" (Wind Turbine Syndrome) symptoms with 100% reliability; <sup>71 72</sup> and admissions made about longstanding knowledge of the consequences of amplitude modulation by acousticians working for the wind industry as experts, this omission from the SONUS report appears to be a good example of unethical, dishonest and deceptive conduct, inconsistent with both of the above requirements of the Australian Acoustical Society's Code of Ethics.

With respect to Vibration, SONUS state on their own website that

#### "Vibration can cause annoyance at levels marginally above the threshold of detection". $^{73}$

I note that two (names redacted) Sonus Acoustical consultants were part of the group of wind industry affiliated acoustic consultants who advised the SA EPA that they were "strongly of the opinion that requirement for prediction of vibration to the residences should be removed". That appears at section 3.3 in the attached FOI document. As a result, the issue of vibration post construction is not even raised as part of the planning process as per Council Development Plans.

Given that vibration impacts are a problem at some locations for some residents living near wind farms (who are generally ridiculed for raising it as an issue), the issue of vibration doesn't actually get dealt with post construction by the regulatory authorities despite the fact that, as SONUS admit on their own website,

#### "vibration can cause annoyance at levels marginally above the threshold of detection".

Vibration from wind turbines buffeted by wind gusts is causing additional stress and distress to residents in addition to the audible and inaudible noise and pressure pulse sensations. This is particularly the case at night if beds vibrate whilst they are sleeping, or trying to sleep. Vibration is an issue for some residents at existing Australian and New Zealand Wind Power facilities, including in South Australia, in the mid north, at Waterloo.<sup>74</sup>

<sup>&</sup>lt;sup>70</sup> <u>https://waubrafoundation.org.au/resources/smith-m-g-et-al-physiological-effects-wind-turbine-noise-sleep/</u>

<sup>&</sup>lt;sup>71</sup> https://asa.scitation.org/doi/pdf/10.1121/2.0000653

<sup>&</sup>lt;sup>72</sup> http://www.euronoise2018.eu/docs/papers/395 Euronoise2018.pdf

<sup>73</sup> http://www.sonus.com.au/vibration.html

<sup>&</sup>lt;sup>74</sup> Report from Andreas Marciniak, former Waterloo resident driven from his home because of the adverse effects of noise and vibration in his home, approximately 3km away from the nearest wind turbine (VESTAS V 90, 135 metres high from base to blade tip)

Vibrations through the floor of their home have been perceived by noise-sensitized residents, and have been objectively measured at Cape Bridgewater and correlated with wind gusts when wind turbines were stationary (ie the blades were not turning), and these findings have been publicly reported and presented at an international conference.<sup>75</sup>

Vibration is also reported by residents to occur when wind turbines are operating.

Whether or not vibrations will be an issue for nearby residents to the proposed Crystal Brook Wind Power facility is yet to be determined, but vibration cannot be excluded by SONUS as an issue with the potential to detrimentally affect amenity, or with the potential to cause reasonable interference with the enjoyment of their home.

With respect to "hours of operation" wind turbines generate power, and emit noise pollution overnight as well as during the day, so the issue of hours of operation overnight (also omitted by SONUS) is of crucial importance to the sleep, and therefore health and amenity of local residents, and has the potential to cause unreasonable interference.

Indeed unreasonable interference with sleep is the most common problem with wind turbine noise in Australia and internationally. Legally this is a form of noise nuisance, and litigation for noise nuisance has been successful for residents around the world, eg in Ireland (Irish High Court),<sup>76</sup> in the UK (Julian and Jane Davis),<sup>77</sup> and the USA (Cary Shineldecker)<sup>78</sup> but the "win" comes at a significant personal and financial cost, and invariably the settlement agreements include binding non disclosure clauses. Most people simply cannot afford to take this sort of legal action, and the wind industry and regulatory authorities know this. In Falmouth, USA, litigation for noise nuisance was successful in having the turbines turned off.<sup>79</sup>

If there is any doubt about the extent of generation of power from wind turbines overnight at existing Australian Wind Power facilities, the energy generation data from Aneroid Energy will provide useful objective evidence from data taken directly from AEMO.<sup>80</sup> Much of the power generated at many wind power developments is generated overnight when most people are trying to sleep.

Unlike airports such as Adelaide Airport, there is no effective curfew for wind turbines to prevent noise induced sleep disturbance overnight. Despite widespread and ongoing complaints of sleep disturbance that have been directly and reliably related to wind turbine noise emissions, including in South Australia <sup>81</sup> and including from wind turbine hosts who earn \$200,000 income per annum in lease income,<sup>82</sup> and despite the new scientific evidence showing that even young fit healthy people will have disturbed sleep when exposed to strongly amplitude modulated wind turbine noise with only short term exposure<sup>83</sup> no curtailment of wind

https://waubrafoundation.org.au/resources/smith-m-g-et-al-physiological-effects-wind-turbine-noise-sleep/ www.waubrafoundation.org.au CEO Mobile: 61 + 0474 050 463 E: info@waubrafoundation.org.au

<sup>&</sup>lt;sup>75</sup> Report from Melissa Ware, noise-sensitized former Cape Bridgewater resident, and Steven Cooper, independent Acoustic investigator who also perceived the vibration through the floor in Melissa's home. Melissa presented at the American Society of Acoustics conference in New Orleans, December 2017, as did Steven Cooper

<sup>&</sup>lt;sup>76</sup> https://stopthesethings.com/2016/12/17/irish-high-court-finds-wind-turbine-maker-liable-for-noise-nuisance-7-irishfamilies-to-get-millions-in-punitive-damages/

https://waubrafoundation.org.au/resources/davis-v-tinsley-noise-wind-farm-settlement-uk-july-2011/

<sup>78</sup> https://stopthesethings.com/2018/01/20/wind-turbine-noise-makes-life-a-living-hell-for-neighbours-michiganfarmers-driven-from-homes/ <sup>79</sup> https://www.lexology.com/library/detail.aspx?g=c7a2e6c7-18ce-469f-987c-00cc2844995d

<sup>&</sup>lt;sup>80</sup> https://anero.id/energy/wind-energy

<sup>&</sup>lt;sup>81</sup> see the epidemiologically powerful cross-over data obtained from Waterloo residents by Mrs Mary Morris, in the period immediately after the SA EPA study, when the wind turbines were not operating for a week, where the resident's sleep improved dramatically when the turbines were not operating https://waubrafoundation.org.au/resources/morrism-waterloo-case-series-preliminary-report/

See the testimony of Clive and Trina Gare to the third Federal Senate Inquiry into Wind Turbine Regulation on 10<sup>th</sup> June, 2015 in Adelaide https://stopthesethings.com/2015/06/15/sa-farmers-paid-1-million-to-host-19-turbines-tellsenate-they-would-never-do-it-again-due-to-unbearable-sleep-destroying-noise/

turbine power generation to protect the sleep and therefore health and amenity of neighbours to wind power facilities has ever been ordered by an Australian regulatory authority. Noise investigations are rare, and as the Waterloo residents found, not to be relied upon if conducted by a government authority charged with the responsibility to protect them if it has a very cosy relationship with the wind industry and its acoustic servants.

SONUS have also omitted any reference to section of the Port Pirie Development Plan that states:

"Non-residential development on land abutting a residential zone should be designed to minimise noise impacts to achieve adequate levels of compatibility between existing and proposed uses"

Excessive and sleep disturbing night time noise is currently occurring at existing wind power facilities in South Australia out to distances close to 10km from wind turbines almost half the size of those proposed for the Crystal Brook Wind Farm. Co-location of large industrial wind turbines close to residences in Crystal Brook and the surrounding area is incompatible with the existing (and future) residents' requirements for an acoustic environment that enables them to have a good night's sleep.

Unfortunately the characteristics of wind turbine noise (including inherent characteristics such as tonality, low frequency noise and dynamically pulsed amplitude modulation) are such that they are very intrusive, and no acoustic treatments have been shown to reliably and fully protect residents inside their homes from the acoustic invasion of this sleep disturbing noise and vibration, even when noise attenuation measures have been installed.<sup>84</sup> As a result the requirement for noise attenuation in the Development Plan (under Principles of Development Control - Noise Generating Activities - <u>also omitted by SONUS</u>) cannot be met.

SONUS make the assumption on page 19 of their report (p 192 electronic version of Vol 2 of GHD/Neoen's Application) that because "*Table 10 and Appendix G indicate that the wind farm complies with the 2009 Guidelines*" (referring to the SA EPA Wind Farm Noise Guidelines 2009) that this "*therefore satisfies the Development Plan at all dwellings*".

The decision by Justice White and Deputy President Bean in their judgment dated 4<sup>th</sup> December, 2017 (three months prior to the date of the SONUS report – March 2018) and the public health debacle at Waterloo Wind Farm and the lack of action by the SA EPA does not support this assertion by SONUS in their report that the Port Pirie Development Plan will be satisfied at all dwellings, merely because SONUS's noise predictions (without the application of the 5 dB penalty for Amplitude Modulation) come in just under the limits.

Given that the Principal of SONUS Chris Turnbull gave expert evidence in the abovementioned court case for the Charities Commission (ACNC), and given that the judgment was handed down prior to the conclusion of background noise monitoring for this NEOEN project and three months prior to the issuing of this report, it raises the question of why this statement was made by SONUS when it is fair to assume that the Principal of SONUS would have been aware of the judgment. The judgment makes it very plain that the current wind turbine noise regulatory regime in Australia based upon dBA alone does not guarantee protection of the health and amenity of residents and therefore compliance with the 2009 SA EPA Wind Farm Noise guidelines cannot be relied upon to satisfy the Port Pirie Regional Development Plan.

The Omission of any penalty for Amplitude Modulation makes it a certainty that the Development Plan requirements will not be satisfied, and that if approved this Wind Farm will directly cause serious harm to the health and amenity of a non trivial number of neighbours out to distances of at least 10km, and almost certainly significantly further given the height of the turbines and the density of their location.

Finally, what are the acoustic consequences of the revised project layout with respect to

<sup>&</sup>lt;sup>84</sup> see for example the detail of Clive and Trina Gare's evidence to the third Federal Senate Inquiry on 10<sup>th</sup> June, 2015 in Adelaide where they detail their circumstances, in spite of acoustic noise attenuation treatment having been installed in their home by AGL <u>https://stopthesethings.com/2015/06/15/sa-farmers-paid-1-million-to-host-19-turbines-tell-senate-they-would-never-do-it-again-due-to-unbearable-sleep-destroying-noise/</u>

- a) increased size and power generation capacity; and
- b) increased density ie decreased inter turbine separation distances

"To keep the project financially viable after this reduction in turbine numbers, Neoen has slightly increased the density of turbine placement in the south. It has also increased the size of the remaining turbines to a maximum tip height of 240m (due to a greater 'swept area' and the ability to access better wind speeds found at higher altitudes, larger turbines significantly improve energy yield and therefore project economics). "<sup>85</sup> (bold my emphasis)

#### A) How does increasing size and power generation capacity of Wind Turbines affect Noise?

Neither NEOEN nor SONUS, the acoustic consultants for the proponents have mentioned or taken account of the scientific evidence from Danish Acousticians Professors Henrik Moller, and Christian Sejer Pedersen, using wind industry data from DELTA that as wind turbine size increases, the proportion of low frequency noise increases, and so, too, the annoyance for neighbours will predictably increase:<sup>86</sup>

VESTAS then CEO Ditlev Engel successfully lobbied the then Danish Minister for the Environment in 2011 in order to "protect Danish jobs" ie VESTAS profits, by ensuring that the stronger low frequency noise regulations then proposed were weakened, at the expense of Danish rural citizen's health.<sup>87</sup> This had the practical effect of permitting larger more powerful wind turbines to harm more people.

Annoyance to humans from Wind Turbine Noise has now been judicially recognised in Australia as a plausible pathway to disease by Justice White and Deputy President of the AAT, Ms Bean.<sup>88</sup>

Annoyance is recognised as an adverse health effect from noise, including from wind turbine noise, by the World Health Organisation.<sup>89</sup>

Why has this important piece of scientific evidence available since 2011 been ignored by SONUS, GHD, and NEOEN as well as the regulatory authorities in Australia?

Why have the SA EPA regulations specifically not been updated to include this information, in order to protect South Australian residents from predictable harm?

#### B) Inter Turbine Separation Distances and Effects on Noise and Adverse Health Effects via Turbulence

The proposed wind turbine site layout in this revised application does not meet the longstanding and accepted wind industry standard of 5 – 8 rotor diameters inter turbine separation distance. These separation distances are required in order to minimize turbulence and consequent damage to the turbines, and to prevent excessive noise and vibration to neighbours.<sup>90</sup>

NEOEN's own application (Vol 1, p 14) explains that this increase in density of turbines was for financial viability reasons after access to the area north of the Wilkins Highway was denied because of the land zoning as "Ranges Protection Zone".

"To keep the project financially viable after this reduction in turbine numbers, Neoen has slightly increased the density of turbine placement in the south. It has also increased the size of the remaining turbines to a maximum tip height of 240m (due to a greater 'swept area' and the ability to access

17

<sup>85</sup> Extract from page 14 of Volume 1 of GHD's report for NEOEN

<sup>&</sup>lt;sup>86</sup> https://waubrafoundation.org.au/resources/moller-pedersen-low-frequency-noise-from-large-wind-turbines/

http://www.epaw.org/media.php?lang=en&article=pr6

<sup>88</sup> https://waubrafoundation.org.au/resources/aat-decision-reasons-waubra-foundation-vs-acnc-dec-4-2017/

<sup>89</sup> https://www.wind-watch.org/documents/development-of-the-who-environmental-noise-guidelines-for-theeuropean-region-an-introduction/

https://waubrafoundation.org.au/resources/nsw-wind-energy-handbook-2002/ E: info@waubrafoundation.org.au

better wind speeds found at higher altitudes, larger turbines significantly improve energy yield and therefore project economics)." (bold my emphasis)

The NSW Sustainable Energy Development Authority of NSW, the author of the document cited, states, at p 53 that, with respect to wind turbine layout and spacing:

"A wind-farm layout must take into account that turbines have substantial 'wakes', which interfere with each other depending on wind direction and spacing. The general rule of thumb for spacing (the '5r-8r rule') is five times rotor diameter abreast and eight times rotor diameter downwind. On very directional sites the 'abreast spacing' can be decreased by around 15 per cent, but the down-wind spacing is not as variable. Layout geometry can be primarily driven by the need to follow narrow ridgelines or to align arrays across the prevailing wind. On more complex terrain, individual sites need to be carefully evaluated to make best use of the wind resource, so the spacing may be quite variable."

The lack of consideration of the acoustic consequences of increased wake turbulence directly resulting from wind turbines sited too close together in Australia has also been queried at other locations by independent acoustic experts such as Dr Malcolm Swinbanks, and Mr Les Huson. A copy of their correspondence relating to this issue together with inter turbine separation data and their reflections on the lax regulatory regime in Australia is reproduced with their permission in the appendix of the Waubra Foundation submission to the RET review in 2014.<sup>91</sup>

Part of Dr Swinbanks correspondence with Les Huson is reproduced below:

"I was just contacted in another context in respect of wind turbine separations that in Australia they do not seem to follow the recommendations.

Two comments follow:

I observed

First, when I worked with a major aero-engine manufacturer, they were extremely concerned about ground testing of prototype engines, where inflow turbulence could compromise the results by as much as 15dB. They have to guarantee engines to very close noise tolerance, otherwise they cannot sell them. So they have to know how to account for these effects, and consequently have years of experience of taking these effects into consideration.

Wind Turbines must be separated by sensible distances, otherwise turbulent wake interaction leads to a reduced fatigue life and reduced operating power output. But the same unsteady forces on the blades lead to increased infrasound and low frequency output, just as the aero engine manufacturers, operating at smaller length scale and higher frequencies, understand.

I believe that Vestas have previously argued that when their is no dominant prevailing wind, they recommend separations of 5 blade diameters. Yet the MacArthur windfarm does not meet this standard.

Entirely by way of example, if average separations are reduced from 5 diameters to 3.5 diameters, it is possible in theory to place 2 times as many turbines on the same area of land.

Twice the number of turbines equals twice the sales revenue and twice the initial payments just for planting a wind turbine.

It may not be quite as extreme as this in practice, but there is clearly a considerable incentive to cut corners in this respect.

<sup>&</sup>lt;sup>91</sup> <u>https://waubrafoundation.org.au/resources/renewable-energy-target-review-waubra-foundation-submission-2014/</u> CEO Mobile: 61 + 0474 050 463 E: <u>info@waubrafoundation.org.au</u> www.waubrafoundation.org.au

In complete contrast to the aero-engine industry, who must work to vastly higher standards of professionalism and precision, or they will simply go out of business.

I am not in the least surprised that Australia has a disproportionate number of low frequency and infrasound complaints from wind turbines, at large distances. Anyone familiar with the basic principles of aero acoustics and turbulent interaction would expect this if turbine separations are compromised.

Yet Australia has a comparatively small population, in comparison to the available area of landmass. How does a nation with more land per unit population than almost any other country on earth succeed in cramming wind-turbines into a greater density than is even recommended by the wind-turbine manufacturers ?

#### Malcolm

Why has this crucially important issue of adequate separation distances been ignored, at this and other Wind Power Facilities in Australia, other than for the financial gain of the proponents, and yet again, at the direct expense of the health and sleep of wind turbine neighbours? This is just one example of the lax regulatory environment in which the wind industry operates in Australia – there are many more, only some of which have been outlined previously in this submission.

Systemic regulatory capture at all levels of government across health, planning and noise pollution regulation, and systemic unethical conduct by consultant acousticians employed by the wind industry is the root cause of this and the other problems mentioned above. This is combined with, and illustrated by, a failure at all levels of government to properly investigate noise complaints,<sup>92</sup> and a failure to address, and prevent them. The regulatory capture is in addition to the misleading and deceptive conduct on the part of the proponents – for example calling the SONUS report a Noise **IMPACT** Assessment when even SONUS did not refer to it in that way.

It is our opinion that the problems are in a large part due to regulatory capture of all levels of government by the wind industry in addition to misleading and deceptive conduct by the wind industry, and unethical conduct by its paid acoustical consultants. The wind industry and its acoustic consultants help write the rules that enable them to directly and intentionally harm rural Australians, for financial gain.

A good example is the cosy coterie acoustic consultants working for the wind industry, including two with SONUS email addresses, who provided feedback to the SA EPA to ensure that the draft 2008 Wind Farm Noise guidelines were edited to remove references to items such as amplitude modulation and vibration, in order to make it easier for wind developers to locate their wind farms close to South Australian residents with consequent financial gain for the proponents, at the direct expense of the health of rural residents, and with the residents unable to easily or effectively challenge the substantially weakened SA EPA Wind Farm Noise Guidelines.

It would appear that each of these acoustic engineers as well as the SA EPA Noise experts involved in ensuring these guidelines were altered to assist the wind industry have ignored their primary duty of care and ethical obligations according to the AAS code of ethics to ensure that "*The welfare, health and safety of the community shall <u>at all times</u> take precedence over sectional, professional and private interests".* 

A copy of extracts from this FOI document is attached to this submission, so each of the SCA members is made fully aware of the changes to the SA EPA guidelines proposed by these wind industry consultant acousticians.

<sup>&</sup>lt;sup>92</sup> See the Waubra Foundation's submission to the Climate Change Authority (CCA) with respect to the conduct of the National Wind Farm Commissioner (NWFC) (attached). It is not surprising that the CCA did not wish to make our submission public, along with submissions from severely noise-impacted people whose complaints the NWFC had closed without a noise investigation.

I have been advised that this document is also in the hands of the current South Australian Ministers for Energy (Hon Dan Van Holst Pelekaan) and Planning (Hon Stephan Knoll).

A thorough, independent, forensic investigation into the conduct of the South Australian EPA and the external acoustic consultants who have advised it over the last ten years is long overdue.

Overdue, too, is an industry INDEPENDENT, expert review of the current South Australian Wind Turbine Regulatory Regime with respect to both Planning and Noise Pollution Regulation.

In the meantime, anyone who approves a wind farm in the light of the recent judicial rulings and the new scientific evidence runs the risk that they may one day be held personally accountable for the inevitable harm to human health and noise nuisance to neighbours that will follow.

The Foundation issued an Explicit Cautionary Notice exactly seven years ago to planning authorities, amongst others.<sup>93</sup> The Notice was drafted by a former Supreme Court Judge of Victoria and then Director of the Foundation Justice Clive Tadgell, the Founder of the Waubra Foundation, and myself and was based on the information then available to us. The warning was prescient then, and even more relevant 7 years later.

#### The Text of the Explicit Cautionary Notice is as follows:

#### **Explicit Cautionary Notice to Those Responsible for Wind Turbine Siting Decisions**

#### **Including Specifically:**

- Directors of Wind Developers
- Publicly Elected Officials from Federal, State and Local Government, and
- Bureaucrats in Relevant Departments

*Be advised* that, as a result of information gathered from the Waubra Foundation's own field research, and from the clinical and acoustic research available internationally, *the following serious medical conditions have been identified in people living, working, or visiting within 10km of operating wind turbine developments.* The onset of these conditions corresponds directly *with the operation of wind turbines:* 

- chronic severe sleep deprivation;
- acute hypertensive crises;
- new onset hypertension;
- heart attacks (including Tako Tsubo episodes);
- worsening control of preexisting and previously stable medical problems such as angina, hypertension (high blood pressure), diabetes, migraines, tinnitus, depression, and post traumatic stress disorder;
- severe depression, with suicidal ideation;
- development of irreversible memory dysfunction, tinnitus, and hyperacusis.

Other symptoms include those described by Medical Practitioners such as Dr Amanda Harry, and Dr Nina Pierpont in her landmark Case Series Crossover Peer Reviewed Study (submission No 13 to the Australian Federal Senate Inquiry into Rural Wind Farms) and published in Dr Pierpont's book entitled "Wind Turbine Syndrome, A Report on a Natural Experiment", 2009, published by K-Selected Books, Santa Fe.

These serious health problems were also identified by Australian GP Dr David Iser in 2004. Dr Iser formally notified the Victorian Government of the time after his patients became unwell following the start up of the Toora wind project. His warnings were ignored without being properly investigated by the authorities and politicians.

All this and supportive material has been made available to the Boards of the major developers, State Ministers for Health and Planning and senior health bureaucrats. The time for denial, and of using the Clean

 <sup>&</sup>lt;sup>93</sup> <u>https://waubrafoundation.org.au/about/explicit-cautionary-notice/</u>
 CEO Mobile: 61 + 0474 050 463
 E: info@waubrafoundation.org.au

Energy Council to shoulder the increasingly difficult task of denying the link between adverse health and operating wind turbines, is over.

At the Toora and Waubra wind projects, some seriously ill affected residents have been bought out by the developers; but only after they signed confidentiality agreements specifically prohibiting them from speaking about their health problems. This buy-out activity would support a conclusion that developers are aware of the health problems.

Meanwhile, wind developments have continued, with developers asserting that their projects meet acceptable standards, and thereby implying that they cannot be causing health problems.

The Foundation is also concerned that Vibroacoustic Disease, as recorded and described by Professor Mariana Alves-Pereira's team from Portugal, will develop in people chronically exposed to wind turbines. The disease has already been identified in the occupants of a house with levels of infrasound and low frequency noise identical to levels the Foundation is recording in the homes of affected residents in Australia.

The Foundation is aware of over 20 families in Australia who have abandoned their homes because of serious ill health experienced since the turbines commenced operating near their homes. Most recently, five households from Waterloo in South Australia have relocated, where the larger 3 MW turbines have had a devastating impact on the health of these residents. Some of these people have walked away from their only financial asset, to live in a shed or a caravan on someone else's land.

The Foundation notes the mid-2010 advice from the National Health and Medical Research Council that a *"precautionary approach"* be followed. We are not aware that either industry or planning authorities have adopted this exceedingly valuable and important advice.

The Foundation's position, as the most technically informed entity in Australia upon the effects of wind turbines on human health, is this:

Until the recommended studies are completed, developers and planning authorities will be negligent if human health is damaged as a result of their proceeding with, or allowing to proceed, further construction and approvals of turbines within 10km of homes. It is our advice that proceeding otherwise will result in serious harm to human health.

We remind those in positions of responsibility for the engineering, investment and planning decisions about project and turbine siting that their primary responsibility is to ensure that developments cause no harm to adjacent residents; and, if there is possibility of any such harm, then the project should be re-engineered or cancelled. To ignore existing evidence by continuing the current practice of siting turbines close to homes is to run the dangerous risk of breaching a fundamental duty of care, thus attracting grave liability.

#### The Waubra Foundation, 29 June, 2011.

There is now independent objective scientific and acoustic evidence that fully supports the Waubra Foundation's position in the Explicit Cautionary Notice in June 2011, and it is therefore now much easier for adversely affected individuals to start to hold those responsible to account. That process of holding some of the various responsible parties to account is starting to occur in litigation currently before the Supreme Courts of NSW, Victoria and South Australia.

Yours sincerely

Sarah Laurie CEO Waubra Foundation Bachelor Medicine, Bachelor Surgery, Flinders University 1995

CEO Mobile: 61 + 0474 050 463

E: info@waubrafoundation.org.au

#### Attachments

- 1. Correspondence between an unnamed Acoustic consultant from Bassett Acoustics to the SA EPA with an attachment of suggested alterations from a South Australian group of consultant acousticians to the then draft SA EPA Wind Turbine Guidelines 2008 to avoid mention of amplitude modulation (4.7), remove reference to vibration (3.3), and other changes generally benefiting the wind industry.
- Dr Bob Thorne's Review of the SONUS Environmental Noise Assessment for the NEOEN Proposal for the Crystal Brook Wind Farm, commissioned by Ian Peterson, 20<sup>th</sup> June, 2018
- 3. Waubra Foundation's recent submission to the Climate Change Authority regarding the conduct of the National Wind Farm Commissioner with respect to his failure to ensure noise complaints were appropriately acoustically investigated. The Climate Change Authority recommendation was that state authorities follow up on noise complaints... ignoring the fact that the reason the Commissioner's position was established was to ensure that the residents noise complaints were acted upon as the state authorities were failing to act.



The Waubra Foundation. PO Box 7112 Banyule Victoria, 3084 Australia

Reg. No. A0054185H ABN: 42 152 077 891

13<sup>th</sup> April, 2018

## WAUBRA FOUNDATION SUBMISSION TO THE CLIMATE CHANGE AUTHORITY REVIEW OF THE WIND FARM COMMISSIONER

#### Terms of Reference of CCA Review

The review must consider the following questions (as per the Minister's letter to the Chair of the CCA on  $6^{th}$  March 2018<sup>1</sup>:

- To what extent is the role of the National Wind Farm Commissioner fulfilling the terms of reference (attached), including:
  - Working collaboratively with all levels of government, scientists, industry and the community to resolve complaints from communities about proposed and operational wind farms;
  - Referring complaints about wind farms to relevant state authorities and help ensure that they are properly addressed;
  - Leading efforts to promote best practices, information availability, and provide a central trusted source for dissemination of information?
- Should the role of the National Wind Farm Commissioner continue beyond the initial period of three years?
- Should the scope of the National Wind Farm Commissioner's role be expanded to other large scale renewable energy projects, such as solar and storage?
- What options are available to fund any ongoing role for the Wind Farm Commissioner?

The Terms of Reference for the Wind Farm Commissioner <sup>2</sup> included the following:

The negotiated settlement of the Renewable Energy Target in mid-2015 is expected to lead to increased construction of wind turbines in the next five years. The Senate Select Committee on Wind Turbines, held during 2015, identified many issues of concern relating to the standards, monitoring, and operation of wind farms.

1

http://www.climatechangeauthority.gov.au/sites/prod.climatechangeauthority.gov.au/files/files/20 18%20Review%20NWFC/Terms%20of%20Reference.pdf

http://www.climatechangeauthority.gov.au/sites/prod.climatechangeauthority.gov.au/files/files/20 18%20Review%20NWFC/Terms%20of%20Reference.pdf

The Government responded positively to the recommendations of the Committee's Interim Report, including the creation of the role of a National Wind Farm Commissioner.

The Commissioner will work collaboratively with all levels of government, scientists, industry and the community to resolve complaints from the communities about proposed and operational wind farms. The Commissioner will refer complaints about wind farms to relevant state authorities and help ensure that they are properly addressed.

The Commissioner will work with stakeholders to identify needs and priorities for monitoring wind farms.

The Commissioner will lead efforts to promote best practices, information availability, and provide a central trusted source for dissemination of information.

The Commissioner, supported by the Australian Government Department of the Environment, will report to the Minister for the Environment and provide an Annual Report to the Australian Parliament on delivering against these Terms of Reference.

The work of the Commissioner will not duplicate or override the important statutory responsibilities of other jurisdictions, such as those relating to the planning and approval of wind farms.

The Commissioner is to draw on the work of the Independent Scientific Committee on Wind Turbines.

#### Background to the Waubra Foundation's submission

The Waubra Foundation is a charity registered with the Australian Charities Not For Profit Commission (ACNC)<sup>3</sup> with the charitable purposes of "advancing health" and to "promote or oppose a change to law, government policy or practice". Our objectives are "to promote human health and well being through the prevention and control of diseases and other adverse health effects due to industrial sound and vibration, and to promote and protect human rights where those human rights are, or may be, adversely affected because of industrial sound and vibration".<sup>4</sup>

We were established in 2010, and since then have worked collaboratively with industry independent, ethical, acoustic and psychoacoustic researchers, in order to provide support to noise nuisanced members of predominantly rural communities who approach us for information and assistance. These noise sources have included open cut and underground coal and gold mines, coal seam gas extraction and transportation facilities, power generation facilities including gas and coal fired power stations, and noise from operating industrial wind power facilities, with multiple individual wind turbines, commonly known as wind "farms".

Our work in this area **across a range of industrial noise sources** has recently been recognised by the Administrative Appeals Tribunal, who amongst other things in their decision also recognised that the current regulatory framework for wind turbine noise based on dBA alone, that ignores low frequency noise, does not protect people, that there is field evidence of measured wind turbine noise levels exceeding limits known to induce noise annoyance, and that wind turbine noise can be a pathway to disease, including cardiovascular diseases, via noise annoyance.<sup>5</sup>

The regulatory context in which these often severely noise nuisanced residents who seek our help find themselves can be broadly summarized as follows:

<sup>&</sup>lt;sup>3</sup> https://www.acnc.gov.au/RN52B75Q?ID=B17A5108-A8C0-40F7-A4D2-4CC0495E757D&noleft=1

<sup>&</sup>lt;sup>4</sup> <u>https://waubrafoundation.org.au/about/objectives/</u>

<sup>&</sup>lt;sup>5</sup> <u>https://waubrafoundation.org.au/resources/aat-decision-reasons-waubra-foundation-vs-acnc-dec-</u> 4-2017/

- There is limited acknowledgement, by some state health authorities, that noise pollution, including low frequency noise, and including wind turbine noise, is or could be a public health problem, because of the known, accepted, adverse effects of chronic noise exposure on sleep and stress. These adverse impacts are worse if people are at the extremes of age, have underlying physical or mental health conditions, or have specific risk factors including motion sickness, migraines and inner ear pathology. Some state health authorities (QLD <sup>6</sup> and Victoria <sup>7</sup>) have acknowledged the important issue of low frequency noise sensitivity and noise sensitization in individual reactions to noise, an issue of particular relevance to wind turbine noise. Noise sensitisation relates to the scientific observation that people do not "get used to" or "habituate" to noise with certain characteristics (impulsiveness / pulsing) rather they become increasingly sensitive, resulting in a lowering of their thresholds of perception with ongoing exposure.<sup>8</sup>
- There is widespread ignorance about the known and serious adverse health effects of noise and vibration amongst treating health practitioners, with some notable exceptions. This is in part understandable because of the workload demands on busy rural medical practitioners, and in the context of wind turbine noise specifically, a very active product defence campaign, reminiscent of that used by Big Tobacco, and James Hardie, despite admissions about wind turbine noise made by wind turbine manufacturers such as VESTAS.<sup>9</sup>
- There is widespread regulatory failure on the part of noise pollution control authorities, who are state based and located in cities with few (if any) regional offices, and who have a track record of working very closely with noise polluters and their consultant acousticians, including to write "guidelines" and regulations but who in almost all instances abjectly fail their statutory duty of care and ethical obligations to protect the health and wellbeing of residents. If they were protecting residents they would ensure that genuinely industry independent full spectrum noise investigations occur, consistent with the latest scientific evidence, and would take prompt and effective subsequent action to address identified problems. Instead, noise "investigations" (if they occur at all) are almost always carried out under the control, and direction, of noise polluters. Residents (regardless of the noise source) consistently report that activity and noise levels during the monitoring period are not representative of what they usually have to endure, and that conditions revert back to "normal" when the acoustic monitoring equipment is removed. This situation has understandably led to longstanding and deep distrust of noise pollution regulatory authorities, and contempt for industry acoustic consultants who are regarded, rightly, as "guns for hire" rather than independent professionals abiding by their code of ethics.

Accordingly, in this regulatory and ethical vacuum, where for nearly eight years the Foundation has observed the legal and human rights of these vulnerable and sick Australians being regularly and systematically being ignored by government authorities as well as noise polluters, our activities have included responding directly to residents' specific requests for information, support and assistance, regardless of the noise source. We actively encourage noise nuisanced residents to collect their own scientifically objective, and where possible legally admissible evidence, of their acoustic exposures, either by employing their own acoustic consultants if they

<sup>&</sup>lt;sup>6</sup> <u>https://www.health.qld.gov.au/ data/assets/pdf\_file/0027/428634/report.pdf</u>

<sup>&</sup>lt;sup>7</sup> <u>https://waubrafoundation.org.au/wp-content/uploads/2013/05/Wind-farms-sound-and-health-</u> <u>Technical-information-WEB-29April2013.pdf</u>

<sup>&</sup>lt;sup>8</sup> <u>https://waubrafoundation.org.au/resources/laurie-thorne-cooper-startle-reflex-sensitisation/</u>

<sup>&</sup>lt;sup>9</sup> https://waubrafoundation.org.au/resources/australian-environment-foundation-what-vestas-

can afford to do so, or by purchasing their own acoustic recording and monitoring equipment and learning how to use it, where possible with industry accepted technical qualifications.<sup>10</sup>

We have also encouraged people to keep detailed diaries of their responses to those acoustic exposures via detailed environmental noise exposure diaries,<sup>11</sup> and by the use of concurrent personal physiological monitoring devices if symptoms such as **repeated rapid acceleration of heart rate** and **sleep disturbance** are reported by them. We encourage this particular data collection because these specific symptoms are increasingly being recognised as examples of activation of the startle reflex response (an involuntary sympathetic nervous system reaction to acoustic, pressure and vestibular stimuli). Repeated activation of the startle reflex in mammalian studies (with impulsive noise vs slow rising noise at the same dB level as the acoustic stimulus) has been demonstrated to lead to noise sensitization.<sup>12</sup>

A notable example of this startle reflex (aka fight flight response) reaction to amplitude modulated wind turbine noise now in the public domain is that of a NSW couple, previously noise sensitized to coal mining extractor fan and coal fired power station noise near their home, who subsequently reacted suddenly, and powerfully, to wind turbine noise at Taralga, in rural NSW with only transient exposure whilst attending a public toilet on their way home. In that instance amplitude modulated sound from the nearby wind turbines was detected precisely where this reaction occurred, and their symptom reports were not only witnessed, but the rapid activation of the sympathetic nervous system was confirmed with objective physiological data captured on the biological monitoring showing a sudden rapid acceleration of heart rate.<sup>13</sup>

It is not surprising to us that the wind industry via its acoustic consultants and other well known product defenders has attempted to discredit this Taralga physiological data, in part by discrediting the researchers who collected it alleging ethical breaches by those researchers, and by also asserting that it was unthinkable that wind turbine noise could be responsible for these symptoms, despite the fact that this pattern of symptom occurrence is regularly publicly reported by noise sensitized residents. This sort of objective physiological and acoustical scientific data is very damaging to those who deny there is (or could be) a direct causal link between reported symptoms and (amplitude modulated) wind turbine noise, despite admissions by UK based, wind industry consultant acoustician Dr Geoffrey Leventhall in his evidence to the 2015 Senate Inquiry that it is amplitude modulation that "upsets people" (evidence given on 23 June, 2015 in Canberra in response to a question from Senator John Madigan, chair of the inquiry about whether Leventhall supported full spectrum acoustic investigations inside homes). The extract from the Official Hansard is reproduced immediately below:

**CHAIR:** What sort of research do you think is now required as a priority? Do you support the detailed investigation of the full acoustic spectrum inside affected residents' homes, together with concurrent physiological testing of their brainwaves, heart rate, blood pressure and stress biomarkers?

**Dr Leventhall:** I think that the most important aspect of wind turbine noise—which I said in the paper I published nearly 10 years ago—is the amplitude modulation. Work is now developing on that, and I believe that that is where the main answer should be given, in amplitude modulation, because this is what upsets people. Personally, I do not believe that the infrasound and the low-frequency noise are an important problem, but because of the public and political pressure, it is inevitable that some work will be done on that. Work inside residences is obviously more important than work outside residences.

infrasound-low-frequency-noise/

<sup>&</sup>lt;sup>10</sup> <u>http://www.acoustar.qld.edu.au/noise-measurement.html</u>

<sup>&</sup>lt;sup>11</sup> <u>https://waubrafoundation.org.au/information/residents/journals/</u>

<sup>&</sup>lt;sup>12</sup> <u>https://waubrafoundation.org.au/resources/laurie-thorne-cooper-startle-reflex-sensitisation/</u>

<sup>&</sup>lt;sup>13</sup> https://waubrafoundation.org.au/resources/rapley-et-al-case-report-cross-sensitisation-
This denial of any link between noise induced stress resulting in adverse health effects by industry associated acousticians and noise pollution regulatory officials is increasingly untenable from a clinical perspective with the increasing clinical recognition that acute severe stress resulting in adrenaline surge pathology such as Tako Tsubo cardiac events can indeed be induced by noise, <sup>14</sup> as well as epileptic seizures, <sup>15</sup> drowning and hanging, <sup>16</sup> and severe infections. <sup>17</sup> Importantly there is increasing clinical recognition that the originating stress resulting in Tako Tsubo events can be neurological or physiological, as well as emotional.<sup>18</sup>

In other words, in lay terms, acute severe stress, including from noise, is resulting in the release of large quantities of adrenaline. This excess of adrenaline can in turn induce Tako Tsubo heart events that are potentially fatal. Such events have been reported to the Foundation, including in young people, at both coal mines in the Hunter Valley Region, and at industrial wind power developments.<sup>19</sup> Other researchers including Engineer Bill Palmer from Ontario have also reported clusters of unexpected sudden cardiac deaths in residents exposed to wind turbine noise in rural Ontario, and queried whether the wind turbine noise exposure could have been a factor.<sup>20</sup> It is certainly possible that some of these deaths were due to Tako Tsubo events.

With respect to the subject of ethics, we note in particular that the Australian Acoustical Society has as its first item in the code of conduct that "<u>the welfare, health and safety of the community</u> <u>shall at all times</u> <u>take precedence over sectional, professional and private interests</u>".

It is the Foundation's view that our role would be limited to facilitating independent research into the as yet unanswered scientific questions, rather than encouraging residents to obtain their own independent acoustic monitoring data if all acousticians as a profession, including particularly those working for noise pollution regulatory authorities, were indeed operating *at all times* in accordance with their code of ethics.

With respect to wind turbine noise specifically, Australian Research Council funded wind turbine noise researcher, Emeritus Professor Colin Hansen has made some pointed comments with respect to the issue of the lack of ethics within his profession, with respect to wind turbine noise.<sup>21 22</sup> We are clearly not alone in our concerns about the conduct of acousticians in Australia.

What are at issue are repeated breaches of an increasing number of Australians' fundamental human and legal rights with respect to protection from health damaging noise pollution. The fundamental right to attain the best possible physical and mental health (enshrined in six out of seven of the UN instruments to which Australia is a signatory) is impossible to achieve, even for

- <sup>16</sup> http://www.jccjournal.org/article/S0883-9441(15)00465-7/pdf
- <sup>17</sup> https://www.sciencedirect.com/science/article/pii/S2210833514001245
- <sup>18</sup> <u>https://www.radcliffecardiology.com/articles/life-threatening-takotsubo-cardiomyopathy</u>
- <sup>19</sup> <u>https://waubrafoundation.org.au/resources/acoustical-society-america-conference-2015-waubra-foundation-presentation-notes/</u>
- <sup>20</sup> <u>http://www.imedpub.com/articles/why-wind-turbine-sounds-are-annoying-and-why-it-matters.pdf</u>

<sup>&</sup>lt;sup>14</sup> https://academic.oup.com/eurheartj/article/37/37/2844/2469940

<sup>&</sup>lt;sup>15</sup> https://www.radcliffecardiology.com/articles/life-threatening-takotsubo-cardiomyopathy

<sup>&</sup>lt;sup>21</sup> <u>https://waubrafoundation.org.au/resources/hansen-c-whats-our-ethical-responsibility/</u>

<sup>&</sup>lt;sup>22</sup> <u>https://waubrafoundation.org.au/resources/hansen-c-collateral-damage-engineering-ethics-and-wind-farms/</u>

people in excellent physical health with no underlying risk factors, if they are chronically subjected to uncontrolled, unregulated, excessive noise with noise characteristics resulting in sleep disturbance, stress and progressive noise sensitization.

This health damage is precisely what is currently occurring in Australia, in the context of wind turbine noise as well as other industrial noise sources – and there is a significant volume of evidence now in the public domain from both noise impacted people and independent researchers. It was in part for this very reason that the position of National Wind Farm Commissioner was created – due to the evidence obtained during the third Federal Senate Inquiry chaired by Senator John Madigan, dealing with the issue of wind turbine noise and its regulation. Similar evidence was provided in our AAT case, previously mentioned, where the judges accepted that wind turbine noise could be a pathway to disease, including cardiovascular disease.

Please note in the context of this submission that noise is defined as "unwanted sound" and can be inaudible, and that Australian Acoustician Steven Cooper's latest research has demonstrated that noise sensitized people react with 100% accuracy to amplitude modulated inaudible wind turbine recorded sound to which they are blinded, in a recent prospective, case control study, reported at the American Society of Acoustics Conference in New Orleans in December 2017, three days after the AAT decision was delivered. This laboratory research, at last, provides clear evidence of a direct causal link between inaudible sound and the precise symptoms and sensations reported by residents living near a range of industrial developments, including wind turbines, when these previously "normal" people are exposed to amplitude modulated sound.

I have been advised by Mr Cooper that the National Wind Farm Commissioner has been made aware of this groundbreaking research. Mr Cooper's work in this area is being increasingly recognised by his international peers, and he is an invited speaker to the Euronoise conference in Crete in June 2018.

Finally, with respect to the obligations of Australian Federal Public Servants to protect the human rights of Australian citizens I note the following requirements, laid out in the APS Values and Code of Conduct in Practice.<sup>23</sup> (bold emphasis mine)

Employees of the Australian Public Service (APS) occupy a position of trust. They are entrusted by the Government and the community to undertake important work on their behalf. With this trust comes a high level of responsibility which should be matched by the highest standards of ethical behaviour from each APS employee.

Together the APS Values, the APS Employment Principles and the APS Code of Conduct set out the standard of behaviour expected of agency heads and APS employees. They provide the public with confidence in the way public servants behave, including in their exercise of authority when meeting government objectives.

The Public Service Act 1999 (PS Act) requires APS employees and agency heads at all times to behave in a way that upholds the APS Values. Agency heads and Senior Executive Service employees must also promote the Values. All employees must inform themselves of their obligations under the PS Act.

<sup>&</sup>lt;sup>23</sup> <u>http://www.apsc.gov.au/publications-and-media/current-publications/aps-values-and-code-of-conduct-in-practice</u>

The conduct of public servants, both inside and outside the workplace, can have implications for the confidence the community has in the administration of an agency or the APS as a whole. This auide is structured around the three professional relationships that are a central part of work in the public service: relationships with the Government and the Parliament; with the public; and with public service colleagues.

Further scrutiny of the APS requirements and values reveals that public servants must be ethical, accountable and respectful.<sup>24</sup> Extracts from each of those sections are reproduced below.

#### Ethical

2.2.7 The Ethical Value provides for an APS that demonstrates leadership, is trustworthy, and acts with integrity in all it does.

2.2.8 The Directions about this Value require APS employees to comply with all relevant laws, appropriate professional standards and the APS Code of Conduct. Employees must act in accordance with government policy and decisions. An employee's actions must also comply with the law. [7]

2.2.9 The law can sometimes be complex. The work of public servants may be subject to many different statutes, regulations, other legislative instruments and other rules. Employees should ensure they know and understand the laws that are relevant to their duties.

2.2.10 When working with the public, employees must follow through on commitments made and must be able to demonstrate that they have acted with honesty and integrity. Employees are expected to act in the right way, as well as the technically and legally correct way.

2.2.11 The Directions about this Value also require employees to provide leadership in policy development, implementation and program management. This requirement is relevant to consultation with the community on these matters.

#### Accountable

2.2.17 The APS is open and accountable to the Australian community under the law and within the framework of ministerial responsibility.

2.2.18 The Directions about this Value require APS employees to be open to scrutiny and transparent in decisionmaking. They should be able to demonstrate that actions and decisions have been made with appropriate consideration. Employees should be able to explain actions and decisions to the people affected by them. Employees are accountable for their actions and decisions through statutory and administrative reporting systems. 2.2.19 One of the ways in which employees contribute to the proper functioning of government is by making decisions that comply with policy and law. This applies both in the management of programs and in deciding individual cases. Decisions that may affect the rights and entitlements of people may be subject to the requirements of administrative law.

## Respectful

2.2.12 The Respectful Value provides for an APS that respects all people, including their rights and their heritage. 2.2.13 The Directions about this Value require APS employees to treat all people with dignity, recognising that all people have value. They should deal with all people honestly and with integrity. Employees should recognise the importance of human rights and understand Australia's human rights obligations, and comply with all relevant anti-discrimination laws. They should recognise and foster diversity and be open to ideas in policy development, implementation, program management and regulation.

2.2.14 An awareness of, and sensitivity to, the diversity of the Australian community is important to achieve quality advice and service provision. It ensures different perspectives are brought to bear on decision-making. Good policy and program delivery is responsive to the needs and interests of different community groups.

2.2.15 Consultation with the community and business sectors is critical to policy development and program design. Different perspectives promote innovation and can produce new ideas. Good policy requires a thorough understanding of the issue to be addressed and the impact any policy proposals would have on stakeholders. Governments are rarely able to impose policy solutions in isolation, and the success of resultant programs is dependent to a large extent on the ability of government to mobilise wide community support.

It is therefore through the broader lens of the current regulatory context for noise pollution in Australia, with the background of specific concerns about the failure of ethical behaviour of acousticians resulting in breaches of legal common law rights to live in one's home without being

<sup>&</sup>lt;sup>24</sup> http://www.apsc.gov.au/publications-and-media/current-publications/aps-values-and-code-ofconduct-in-practice/the-public CEO Mobile: 61 + 0474 050 463

noise nuisanced, and breaches of fundamental human rights to attain the best possible physical and mental health, in addition to the specific code of conduct for Australian Public Servants and relevant values, as well as the narrower terms of reference of this particular review, and the terms of reference for the Wind Farm Commissioner's work that we look at the track record of the National Wind Farm Commissioner (NWFC) and his office.

## **Direct Involvement with the NWFC**

As CEO of the Foundation, I have had very limited direct involvement with the NWFC. At the suggestion of the member for Wannon, Dan Tehan, I met with the NWFC in December 2015 in a café in Melbourne. Whilst the Commissioner gave the appearance of listening to what I had to say, he was also at times busy acknowledging people he knew. The NWFC promised at that meeting to arrange a meeting for me with members of the Independent Scientific Panel, but no such meeting was ever subsequently arranged.

I was concerned at the time of the meeting that neither the Commissioner, nor those who appointed him, were genuinely interested in establishing what the precise acoustic exposures of noise impacted residents were, which should be the starting point for any valid investigation of a noise complaint at an existing wind farm. There was no budget for industry independent noise monitoring, and my direct knowledge of the historical behaviour of state based regulatory authorities on the issue of wind turbine noise in New South Wales, Victoria and South Australia gave me no confidence that referrals by the NWFC (if they ever occurred) would be properly conducted. I am not aware of any noise investigations having been conducted at the instigation of the Wind Farm Commissioner – either by regulatory authorities or by consultant acousticians and would be interested to know if they have occurred, what the outcomes were, and what the publicly available information about any such investigations might be.

I was also concerned that there could have been an agenda to "shut down complaints and complainants" by a variety of means including the use of a type of non disclosure agreement under the guise of "privacy" by the Office of the Commissioner itself, as has happened. This behaviour is not consistent with the transparency requirement in the APS code of conduct. In addition I had multiple reports from various residents at proposed wind farms of the Commissioner encouraging the use of non disclosure agreements by the wind industry including particularly the so called "good neighbour agreements" in advance of wind turbine developments being approved or built. An example of such an agreement is the Trustpower Neighbour Deed written by Trustpower Australia Holdings Ltd for residents at the Palmer Wind Farm.<sup>25</sup> Such agreements legally bind those who sign them, and in particular may prevent the subsequently noise impacted resident from complaining to a regulatory authority about a subsequent noise nuisance problem. Such agreements are sometimes referred to by wind industry supporters as "community benefit sharing" but in effect are "shut up" agreements which allow fundamental abuses of human rights to subsequently occur especially if vulnerable people are effectively bullied into signing them. This situation is of concern particularly when those people have been falsely reassured that "there are no health problems from wind turbine noise" and do not have the personal capacity to do their due diligence. These non disclosure agreements are also commonly part of property buy out agreements when the wind industry are forced to purchase the properties of noise affected residents – multiple former residents at Toora (confirmed by a Slater & Gordon employee in a letter to the Australian) and Waubra Wind Farms in Victoria (eg Trish and Victor Godfrey) being historic examples in the public domain.

I have since listened with increasing concern to numerous private reports from rural residents and others including industry independent acousticians and health professionals who have interacted with the NWFC since that original meeting. Examples of situations where I was not specifically requested by those sharing them with me to keep those details confidential are listed below.

- 1. I was contacted by a number of severely chronically wind turbine noise affected Waubra residents who met with the NWFC in a pre arranged meeting, but who were not allowed by the NWFC to have independent observers at that meeting. The NWFC drove up from Melbourne with the wind farm senior representative. This alone was cause for concern with respect to the perception of the lack of independence of the NWFC. Other concerns were expressed about the attitude of the NWFC during the course of that meeting. After the meeting, the residents were understandably cynical about how useful the NWFC would be in helping them resolve longstanding and ongoing noise complaints with the operator, Acciona, and the failure of the duty of care of the noise pollution regulatory authority being the Victorian Department of Planning. I was subsequently told that some residents were so disgusted with what they saw during that meeting that they did not see any point in lodging a formal complaint with the NWFC, and that other residents who did lodge complaints with the NWFC had their complaints closed by him with no action with respect to the noise nuisance they had complained of. This behaviour by the NWFC would appear to be in potential breach of multiple areas of the APS code of conduct and stated values and certainly led to a breach of trust by those residents.
- 2. I note that in a newspaper article in the Ballarat Courier published on 17<sup>th</sup> January, 2018 <sup>26</sup> that the NWFC was quoted as saying that of the 55 complaints lodged by residents at existing wind farms that 53 complaints had been closed. Given that many of those complaints were reported to include noise complaints, and that no independent noise investigations appear to have been conducted to thoroughly investigate those complaints, I question the factual basis on which those complaints relating to noise and vibration have been closed.
- 3. In that same newspaper article the NWFC was quoted as saying the following:

"Andrew Dyer, whose tenure as commissioner runs out in November 2018, said the vast majority of complaints came from wind farm proposals rather than operating sites. He said the bulk of complaints continued to be concerns around noise, with illness-related queries declining as more turbines appear.

If residents are increasingly being encouraged to sign good neighbour agreements, that prevent them from complaining to anyone including the NWFC about the subsequent noise impacts, then that could also explain the alleged "illness-related queries declining". Another explanation could be that noise affected people do not trust the NWFC, and regard him and his office as a waste of time and effort, because they are aware of others who have put extensive effort into lodging complaints only to have the NWFC dismiss them by simply closing their case and saying insufficient evidence has been provided to substantiate their claims. I am aware of numerous severely noise affected people from NSW, Victoria and South Australia who individually decided against lodging complaints for that reason.

The Ballarat Courier article goes on to state the following:

"Like any change, whether it's mobile towers, smart meters or wind turbines, there's going to be a period of time for communities to get used to them," Mr Dyer said. "People have real or

<sup>&</sup>lt;sup>26</sup> <u>https://www.thecourier.com.au/story/5172866/why-people-arent-complaining-about-wind-farms-anymore/</u>

perceived fear of any new technology, but if there was a systemic issue (with wind-related illness) there would have been trends by now."

With respect to Mr Dyer's claim that residents are "getting used to" the wind turbines, there is no scientific evidence that people who become noise sensitized to wind turbine noise can then "get used to" or habituate to the noise. On the contrary, the scientific and acoustic evidence suggests that once noise-sensitized, people will only improve once they are removed from the noise source, and their exposure is reduced. This statement by the NWFC is not only factually incorrect, it is also inconsistent with the APS values of honesty and using the best available (scientific) evidence, rather than propaganda manufactured by wind industry product defence teams.

With respect to Mr Dyer's claim again in the same newspaper article that "if there was a systemic issue (with wind-related illness) there would have been trends by now" I refer the CCA review team to the paper by PhD candidate Eric Zou,<sup>27</sup> analyzing suicide rates using a very large data set from multiple independent credible sources including the Centre for Disease Control (CDC), that showed a statistically significant increase in suicide rates corresponding with sleep disturbance and wind direction, suggesting that wind turbine noise related adverse effects on sleep could indeed be a serious systemic problem, with fatal outcomes. Sleep disturbance has been widely reported by wind turbine noise affected residents, and has been confirmed on numerous occasions as an issue by experienced Sleep Physicians such as Dr Wayne Spring, and in the UK, Dr Chris Hanning in addition to local treating doctors such as Dr David Iser from Toora in Victoria in 2004, well before the Waubra Foundation was established six years later. Recent Swedish laboratory research has demonstrated that strongly amplitude modulated wind turbine noise can induce sleep disturbance even in fit young healthy study participants. Chronic sleep disturbance regardless of the cause is widely and increasingly acknowledged to be a major contributor to serious longterm adverse health effects for both physical and mental health - a fact acknowledged in the recent AAT Court decision previously mentioned. The failure of the NWFC to publicly acknowledge that sleep disturbance in the context of wind turbine noise exposure is a serious and growing issue in the community that must be dealt with, and prevented, in order to protect the fundamental human and legal rights of rural residents, is indicative of whose financial interests this particular NWFC is working so hard to protect.

4. Multiple residents have informed me that the NWFC had told them that the Foundation was scaremongering, and that there was no evidence of any adverse health effects from wind turbine noise. In addition, a South Australian then shadow Minister and now Minister in the new South Australian government led by Premier Steven Marshall told me that the NWFC had told him that there was no evidence of adverse health effects from wind turbine noise. This statement is factually incorrect. Honesty is one of the requirements of the APS. I have no reason to doubt these consistent accounts from multiple sources.

With respect to the terms of reference for the review as listed by the Minister, I make the following comments (in red).

• To what extent is the role of the National Wind Farm Commissioner fulfilling the terms of reference (attached), including:

<sup>27</sup> the paper by Eric Zou, and a critique of it by Dr Nina Pierpont are available here: <u>http://en.friends-against-wind.org/health/pierpont-re-zou-wind-turbine-syndrome</u> CEO Mobile: 61 + 0474 050 463 E: info@waubrafoundation.org.au www.waubrafoundation.org.au

- Working collaboratively with all levels of government, scientists, industry and the community to resolve complaints from communities about proposed and operational wind farms; with respect to complaints about noise and vibration, in the absence of objective and competent evidence based, industry independent, investigation of the acoustic exposures, conducted in a manner consistent with the AAS code of ethics, and incorporating the very latest scientific evidence, I do not understand how the NWFC can resolve such noise complaints, nor do I understand how this can be considered consistent with the various provisions of the APS code of conduct.
- Referring complaints about wind farms to relevant state authorities and help ensure that they are properly addressed; I am unaware of any investigations by state based authorities, and in any case, given their track records I have no confidence in their ability to conduct such measurements free from interference and undue influence from the wind industry and political pressure. The result is always the sacrifice of the legal and human rights of noise impacted residents, many of whom do not have the financial resources to pursue legal remedies, a fact well known to the industry and the regulators. This result is contrary to the APS code of conduct.
- Leading efforts to promote best practices, information availability, and provide a central trusted source for dissemination of information? I have direct knowledge that the NWFC has provided misleading information to politicians and noise affected and concerned rural residents, as reported to me by those individuals. The failure of the NWFC to take notice of important scientific developments and instead to publicly pedal wind industry propaganda that people "get used to" the noise as per the media report in the Ballarat Courier provides direct evidence of his abject failure in this particular area. He is not trusted, with good reason.
- Should the role of the National Wind Farm Commissioner continue beyond the initial period of three years? It has long been my view that what is required to protect public health is a Federal National Noise Pollution regulatory regime, incorporating all industrial noise sources, to provide oversight to ensure that the existing state regulatory regimes actually work with strong Federal oversight, free of political and industry influence, to protect people's health in accordance with the AAS code of ethics, and minimize the effect on the current Federal Health budget. It would need to be staffed by adequately remunerated Acousticians of impeccable ethical standing and technical knowledge and ability who were trusted by the community, into whose homes they would be entering to conduct acoustic investigation if state regulatory authorities were unable or unwilling to act on residents noise complaints. It could be funded by hefty fines of noise polluters for repeated breaches of noise pollution regulations and/or noise nuisance episodes – such a system would act to positively reinforce to noise polluters that health damaging excessive noise pollution doesn't pay. At the moment, wind turbine noise pollution pays handsomely, in the form of lucrative renewable energy subsidies. There are currently no adverse financial consequences for harming people's health or forcing them out of their homes, and there is ongoing public and private denial of any wind turbine noise related health problems by the current NWFC.
- Should the scope of the National Wind Farm Commissioner's role be expanded to other large scale renewable energy projects, such as solar and storage? Outside the Foundation's area of interest and expertise
- What options are available to fund any ongoing role for the Wind Farm Commissioner? See the above suggestion re funding

## Sarah Laurie Bachelor Medicine, Bachelor Surgery, Flinders University 1995 CEO Waubra Foundation

# DPTI:scapreps

From:	Sarah Laurie <sarah@waubrafoundation.org.au></sarah@waubrafoundation.org.au>
Sent:	Friday, 29 June 2018 4:26 PM
То:	DPTI:scapreps
Subject:	Waubra Foundation Attachment to go with Written submission, and Request to be
	Heard in support of submission, Re Development Number 354/V003/18 (Applicant
	Neoen Australia)
Attachments:	Noise Impact Assessment Commentary Crystal Brook Windfarm South Australia,
	Report No 4154 20 June 2018.pdf; ATT00001.txt

## Attention Lee Webb

Dear Lee

this is one of the three attachments to go with the Waubra Foundation's submission.

lease acknowledge receipt.

regards

Sarah Laurie

NOISE IMPACT ASSESSMENT COMMENTARY CRYSTAL BROOK WIND FARM SOUTH AUSTRALIA

NOISE MEASUREMENT SERVICES

Report No 4154 20 June 2018

Noise Measurement Services Pty Ltd 18 Lade Street, Enoggera QLD 4051 PO Box 2127, Brookside Centre QLD 4053 Ph: (07) 3355 9707 Fax: (07) 3355 7210 Email: info@noisemeasurement.com.au

## **Document Control Page**

NOISE MEASUREMENT SERVICES PTY LTD		
18 Lade Street, Enoggera QLD 4051	Telephone:	(7) 3355 9707
PO Box 2127	Facsimile:	(7) 3355 7210
Brookside Centre, QLD 4053	E-mail:	info@noisemeasurement.com.au

Copy No\_\_\_\_

Revision No	Issue Date	Revision Description	Author	Review
0	20/06/2018	Report	BT, MD	MT

Copy No(s)	Rev No	Destination
1 pdf	0	lan Peterson
2	0	Noise Measurement Services

REPORT FOR Ian Peterson

CONTACT Ian Peterson

Signed

one

Dr Bob Thorne PhD, FRSPH, MIOA (Principal)

#### DISCLAIMER

This Report by Noise Measurement Services Pty Ltd is prepared for a particular Client and is based on the agreed objective, scope, conditions and limitations as may be stated in the Executive Summary. The Report presents only the information that Noise Measurement Services Pty Ltd believes, in its professional opinion, is relevant and necessary to describe the issues involved. The Report should not be used for anything other than the intended purpose and should not be reproduced, presented or reviewed except in full. The intellectual property of this Report remains with Noise Measurement Services Pty Ltd. The Client is authorised, upon payment to Noise Measurement Services Pty Ltd of the agreed Report preparation fee, to provide this Report in full to any third party.



### CRYSTAL BROOK WIND FARM NOISE IMPACT ASSESSMENT COMMENTARY

# Contents

Executive	e Summary	4			
Introduc	tion	4			
1.	Ambient Sound Levels	5			
2.	Wind Farm Noise Calculations	5			
3.	Potential for Adverse Health Effects	5			
4.	South Australia Noise Legislation and Wind Farm Guidelines	5			
5.	Amplitude Modulation and Other Characteristics	5			
6.	Glossary	5			
Appendix	x A: Ambient Sound Levels	6			
Appendix	x B: Wind Farm Noise Calculations	7			
Appendix	x C: Potential for Adverse Health Effects1	3			
Appendix	x D: South Australia Noise Legislation and Wind Farm Guidelines1	6			
Appendix E: Amplitude Modulation and Other Characteristics					
Appendix	x F: Glossary 1	9			

.



## **Executive Summary**

This Report is in response to a request from Mr Ian Peterson for a noise impact assessment commentary with respect to the proposed Crystal Brook Energy Park (CBEP). The commentary presents a set of noise impact assessments based on turbine data provided in Sonus CBEP documentation. The provenance and application of the South Australian wind farm noise guidelines are discussed. The potential for noise impacts is identified.

## Introduction

The proposed Crystal Brook Energy Park will have up to 125MW of wind generation comprising 26 turbines (up to 240m in height). Documentation for this project is sourced from:

https://www.saplanningcommission.sa.gov.au/\_\_data/assets/pdf\_file/0005/462857/354\_V003\_18\_App lication\_docs\_Part\_1.pdf

and

https://www.saplanningcommission.sa.gov.au/ data/assets/pdf file/0006/462858/354 V003 18 App lication docs Part 2.pdf

Neoen documentation states that:

The wind turbines and their sites have been selected and sited to meet key impact management criteria including:

- The EPA's noise criteria
- A minimum distance of 1km from un-involved residences and 2km from the closest zoned living area (the Rural Living Zone)

However, Neoen also states, in relation to concern about noise and potential health effects:

Concern raised in relation to noise and infrasound and potential health impacts on the local community	The development must comply with the SA Environment Protection Authority (EPA) Wind Farm Guidelines. Expert acoustic engineering advice has been integral to the siting of the proposed wind turbines to ensure the SA Environment Protection Authority (EPA) Wind Farm Guideline is met
	Regarding infrasound, there is no scientific data to suggest that the levels of low frequency noise emitted by wind turbines make humans sick. Research to date has not shown any negative health effects at the noise levels produced by operational wind turbines.
	The project team has also taken a conservative approach, and no wind turbines will be located within 1.3km of a non- involved landholder (the Guidelines specify 1km).



# DISCUSSION

#### 1. Ambient Sound Levels

Appendix A refers to the ambient noise level and weather surveys being undertaken by residents.

#### 2. Wind Farm Noise Calculations

Wind farm noise calculations, tabulated sound levels at residences, and graphical noise exposure contours are presented in Appendix B. A standard (ISO 9613-2) noise prediction model is applied. Two wind turbine sound power levels are applied; 105 dB(A) and 110 dB(A), as there is no certainty that the <u>indicative</u> 105 dB(A) SWL noise turbine nominated in the Sonus report 'Crystal Brook Energy Park Environmental Noise Assessment March 2018' will be the turbine installed.

- The 110 SWL contour provides a practical and reasonable approach to assessing the '105 dB SWL turbine plus 5 dB penalty for amplitude modulation' zone of influence.
- As an absolute the minimum the applicant must provide the true certified sound power levels, operational conditions (e.g. is there a 'low-noise' mode) and wind speed data for each turbine type to be installed.

#### 3. Potential for Adverse Health Effects

An Administrative Appeals Tribunal Decision that specifically addresses the potential for adverse health effects due to wind farm noise is presented in Appendix C.

#### 4. South Australia Noise Legislation and Wind Farm Guidelines

Relevant sections of the South Australian noise policy, noise characteristics and wind farm guidelines are presented and discussed in Appendix D.

#### 5. Amplitude Modulation and Other Characteristics

Relevant sections from a Sonus paper addressing wind farm noise, amplitude modulation and other characteristics are presented in Appendix E. This material and a potential 5 dB penalty is not addressed in the Sonus report 'Crystal Brook Energy Park Environmental Noise Assessment March 2018'.

#### 6. Glossary

A Glossary of terms is provided in Appendix F.



# Appendix A: Ambient Sound Levels

Ambient sound level monitoring commenced at three residential locations in October 2017. Sound levels are collected at 10-minute intervals with Class 1 BSWA Model 308 sound level meters. Depending on the location, each meter collects time-average (LAeq) and statistical (e.g. LA90) sound levels or time-average and one-third octave band sound levels.

Each meter is connected to a soundcard to record audible, low frequency and infrasound. A second microphone provides recording for infrasound and low frequency sound.

A Davis weather station collects weather data as wind speed and direction, temperature, humidity, barometric pressure and rainfall, also at 10-minute intervals.



# **Appendix B: Wind Farm Noise Calculations**

The ISO 9613 standard from 1996 is the most used noise prediction method worldwide. Many countries refer to ISO 9613 in their noise legislation. However, the ISO 9613 standard does not contain guidelines for quality assured software implementation, which leads to differences between applications in calculated results. In 2015 this changed with the release of ISO/TR 17534-3. This quality standard gives clear recommendations for interpreting the ISO 9613 method. The calculations in this Commentary are implemented with SoundPLAN 8. SoundPLAN supports and complies with changes that have been proposed to ISO/TR 17534-3:2015, relating to acoustics software for the implementation of standards associated with the calculation of sound outdoors.

The recommended changes outlined to ISO 9613-2 will help improve the accuracy of calculated sound levels, which can currently differ significantly.

Noise modelling presents 'single-figure dB(A)' values to provide a *simplified overview of potential noise exposure.* The effects of low frequency sound and amplitude modulated sound are not considered. *As such, the levels must be adjusted in terms of real-life '24/7/365' application.* 

The calculations and modelling in this Commentary are under Default conditions as these present the readily assessable conditions for a slight downwind breeze for comparison purposes. *In practice, under field observations, real conditions can vary significantly due to temperature changes, changes in wind speed and direction, and changing operational conditions applied to the wind farm turbines.* These variations can happen quickly, in minutes, and noise modelling does not normally present these important variations.

Model Variables	
Noise Model Standard	ISO 9613-2: 1996
Air absorption Standard	ISO 9613-1
Ground Absorption Factor	0.5
Air Pressure	1013.3 mbar
<b>Relative Humidity</b>	70.00%
Temperature	10.0 °C
Receptor Height (m)	1.5

Noise Source			1.20	12.2.1						1 Million	1.2.1
Model	GE 4.8	GE 4.8-158 Wind Turbine Generator									
Hub Height (m)	160	160									
Rotor Diameter (m)	158										
Sound Power Level	Sum	16Hz	31Hz	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
dB(Z)	125	124	117	113	109	105	101	101	96	85	71
dB(A)	105	67	78	87	93	96	98	101	97	86	70

The noise prediction locations and turbine sound power data have been recorded from information provided by Mr Peterson.



## CRYSTAL BROOK WIND FARM NOISE IMPACT ASSESSMENT COMMENTARY



Results for the ISO Default condition, Port Pirie wind rose, and 100% southerly wind at 6m/s are presented in Table 1 and graphically in Plates 1 to 6.

	Forecast Noise Level (dB(A))							
Receiver		Turbine SWL 105dB(A)		Turbine SWL 110dB(A)				
	ISO Default Met	Port Pirie Met	100% Southerly Wind	ISO Default Met	Port Pirie Met	100% Southerly Wind		
H2	29.0	27.6	26.5	34.1	32.7	31.6		
H3	24.3	22.4	19.7	29.4	27.5	24.8		
H4	27.3	25.6	23.1	32.4	30.7	28.2		
H6	28.1	27.1	25.2	33.2	32.2	30.3		
H7	30.0	29.1	27.4	35.1	34.2	32.5		
H12 - Beneficiary	35.9	35.6	35.5	41.0	40.7	40.6		
H13 - Beneficiary	37.9	37.7	37.8	43.0	42.8	42.9		
H14 - Beneficiary	31.2	30.5	31.0	36.3	35.6	36.1		
H15 - Beneficiary	40.5	40.5	40.5	45.7	45.6	45.6		
H16	32.8	32.0	30.6	37.9	37.1	35.7		
H17	35.1	34.9	35.1	40.2	40.0	40.2		
H18 - Beneficiary	27.5	26.9	27.5	32.6	32.0	32.6		
H19	24.6	23.7	24.6	29.7	28.8	29.7		
H19B	23.9	23.0	23.9	29.1	28.1	29.0		
H22 - Beneficiary	9.9	8.5	9.6	15.0	13.6	14.7		
H24	33.0	32.4	31.8	38.1	37.5	37.0		
H33 - Beneficiary								
H49	24.0	22.4	22.3	29.1	27.5	27.4		
H50	29.4	28.8	29.3	34.5	33.9	34.4		
H51	31.0	30.7	30.9	36.1	35.8	36.0		
H52	22.0	21.2	21.9	27.1	26.3	27.0		
H56	30.0	29.4	28.6	35.1	34.5	33.7		
H58	23.9	22.5	19.5	29.0	27.6	24.6		
H59	25.3	23.6	20.3	30.4	28.8	25.4		
H60	30.2	29.0	26.9	35.3	34.1	32.0		
H75 - Beneficiary	19.5	17.6	13.7	24.6	22.7	18.8		
H80	22.5	21.1	21.8	27.6	26.2	26.9		

Table 1: Summary forecast noise levels (LAeq) for different operational scenarios





Plate 1: Calculations under ISO 9613-2 default settings, turbines at 105 dB(A) sound power level

Plate 2: Calculations with Port Pirie wind rose data, turbines at 105 dB(A) sound power level







Plate 4: Calculations under ISO 9613-2 default settings, turbines at 110 dB(A) sound power level









Plate 6: Calculations with 6m/s from the south, turbines at 110 dB(A) sound power level





#### Summary calculations

	Forecast Noise Level (dB(A))						
Receiver		Turbine SWL 105dB(A)		Turbine SWL 110dB(A)			
	ISO Default Met	Port Pirie Met	Port Pirie Met 100% Southerly Wind		Port Pirie Met	100% Southerly Wind	
H2	29.0	27.6	26.5	34.1	32.7	31.6	
H3	24.3	22.4	19.7	29.4	27.5	24.8	
H4	27.3	25.6	23.1	32.4	30.7	28.2	
H6	28.1	27.1	25.2	33.2	32.2	30.3	
H7	30.0	29.1	27.4	35.1	34.2	32.5	
H12 - Beneficiary	35.9	35.6	35.5	41.0	40.7	40.6	
H13 - Beneficiary	37.9	37.7	37.8	43.0	42.8	42.9	
H14 - Beneficiary	31.2	30.5	31.0	36.3	35.6	36.1	
H15 - Beneficiary	40.5	40.5	40.5	45.7	45.6	45.6	
H16	32.8	32.0	30.6	37.9	37.1	35.7	
H17	35.1	34.9	35.1	40.2	40.0	40.2	
H18 - Beneficiary	27.5	26.9	27.5	32.6	32.0	32.6	
H19	24.6	23.7	24.6	29.7	28.8	29.7	
H19B	23.9	23.0	23.9	29.1	28.1	29.0	
H22 - Beneficiary	9.9	8.5	9.6	15.0	13.6	14.7	
H24	33.0	32.4	31.8	38.1	37.5	37.0	
H33 - Beneficiary							
H49	24.0	22.4	22.3	29.1	27.5	27.4	
H50	29.4	28.8	29.3	34.5	33.9	34.4	
H51	31.0	30.7	30.9	36.1	35.8	36.0	
H52	22.0	21.2	21.9	27.1	26.3	27.0	
H56	30.0	29.4	28.6	35.1	34.5	33.7	
H58	23.9	22.5	19.5	29.0	27.6	24.6	
H59	25.3	23.6	20.3	30.4	28.8	25.4	
H60	30.2	29.0	26.9	35.3	34.1	32.0	
H75 - Beneficiary	19.5	17.6	13.7	24.6	22.7	18.8	
H80	22.5	21.1	21.8	27.6	26.2	26.9	

#### Plate 7: Port Pirie wind rose



Port Pirie is the closest BOM station at 23 km distant Wind rose recorded from:

https://wind.willyweather.com.au/sa/flinders-ranges-and-outback/port-pirie.html

Additional weather data for Crystal Brook is available in pictorial form from Meteoblue: https://www.meteoblue.com/en/weather/archive/windrose/crystal-brook\_australia\_2073422



# Appendix C: Potential for Adverse Health Effects

Whether there is evidence that wind farm emissions cause or are associated with diseases, and, whether there is a plausible basis for thinking that wind farm emissions could lead to disease has been considered in the case: Waubra Foundation and Commissioner of Australian Charities and Not-for-profits Commission [2017] AATA 2424 (4 December 2017). The Tribunal consisted of the **Honourable Justice White, Deputy President and Deputy President K Bean.** 

The official link to the AAT decision on the Austlii website is here: <u>http://www.austlii.edu.au/cgi-bin/viewdoc/au/cases/cth/AATA/2017/2424.html</u>

The section of the judgment dealing with wind turbine noise being a pathway to disease is summarised here:

#### Excerpts from Pages 141 to 148 of the Decision

468. The propositions which we understand have unanimous support from the relevant experts or are not contested include the following:

- Wind turbines emit sound, some of which is audible, and some of which is inaudible (infrasound);
- There are numerous recorded instances of WTN exceeding 40 dB(A) (which is a recognised threshold for annoyance/sleep disturbance);
- There are also recorded instances of substantial increases in sound at particular frequencies when particular wind farms are operating compared with those at times when they are shut down;
- If it is present at high enough levels, low frequency sound and even infrasound may be audible;
- WTN is complex, highly variable and has unique characteristics;
- The amount and type of sound emitted by a wind farm at a given time and in a given location is influenced by many variables including topography, temperature, wind speed, the type of wind turbines, the extent to which they are maintained, the number of turbines, and their mode of operation;
- Wind farms potentially operate 24 hours a day, seven days a week;
- There are numerous examples of WTN giving rise to complaints of annoyance from nearby residents, both in Australia and overseas.

469. The propositions which are supported by the preponderance of relevant expert opinion, and which we accept on that basis, include the following:

- A significant proportion of the sound emitted by wind turbines is in the lower frequency range, i.e. below 20 Hz;
- The dB(A) weighting system is not designed to measure that sound, and is not an appropriate way of measuring it;



- The most accurate way of determining the level and type of sound present at a particular location is to measure the sound at that location;
- The best way of accurately measuring WTN at a particular location is through 'raw' unweighted measurements which are not averaged across time and are then subjected to detailed "narrow-band" analysis;
- When it is present, due to its particular characteristics, low frequency noise and infrasound can be greater indoors than outdoors at the same location, and can cause a building to vibrate, resulting in resonance;
- Humans are more sensitive to low frequency sound, and it can therefore cause greater annoyance than higher frequency sound;
- Even if it is not audible, low frequency noise and infrasound may have other effects on the human body, which are not mediated by hearing but also not fully understood. Those effects may include motion-sickness-like symptoms, vertigo, and tinnitus-like symptoms. However, the material before us does not include any study which has explored a possible connection between such symptoms and wind turbine emissions in a particular population.

470. We consider that the evidence justifies the following conclusions:

- The proposition that sound emissions from wind farms directly cause any adverse health effects which could be regarded as a "disease" for the purposes of the ACNC Act is not established;
- Nor, on the current evidence, is there any plausible basis for concluding that wind farm emissions may directly cause any disease;
- However, noise annoyance is a plausible pathway to disease;
- There is an established association between WTN annoyance and adverse health effects (eg. this was established by the Health Canada study);
- There is an established association between noise annoyance and some diseases, including hypertension and cardiovascular disease, possibly mediated in part by disturbed sleep and/or psychological stress/distress;
- There are as yet no comprehensive studies which have combined objective health measurements with actual sound measurements in order to determine for a given population the relationships between the sound emissions of wind turbines, annoyance, and adverse health outcomes. Indeed there is as yet no study which has given rise to a soundly based understanding of the degree to which particular types or levels of wind turbine emissions give rise to annoyance, or what levels or types of emissions are associated with what level of annoyance in the population. Because it relied on calculated rather than actual sound measurements, and was limited to the A and C-weighted systems, the Health Canada study did not do this.

473. The applicant submitted that the evidence in the hearing provided plausible and credible evidence of the kind required. Counsel referred in particular to the effect of noise on sleep and, in particular, in disturbing sleep. It was not contentious that impaired sleep, if sufficiently serious, may result in a number of ailments and diseases. Professor Wittert said that "depression and sleep disturbance are, respectively, the first and third most common psychological reasons for patient encounters in general practice". The professor went on to say that insomnia doubles the risk of future development of depression and that insomnia symptoms together with shortened sleep are associated with hypertension. Professor Wittert also said that a person suffering from restricted sleep is exposed to an increased risk of elevated blood sugar levels and endocrine disorders such as diabetes, symptomatic ischaemic heart disease, hypertension, obesity, insomnia and anxiety related illnesses.

476. As our earlier findings have indicated, some wind farms generate sound which is capable of causing, and does cause, annoyance. We are further satisfied that annoyance of the kind which is generated (often associated with psychological distress and sleep disturbance), is a recognised pathway to a range of adverse health outcomes, including hypertension and cardiovascular disease.

481. It follows in our view that the applicant has established that there is a plausible basis for thinking that wind turbine sound (mediated by annoyance) may lead to adverse health outcomes, such as to warrant further investigation. It is unnecessary for us to draw conclusions as to the precise nature of the annoyance which is caused, and whether annoyance may be caused by sound which is not audible (infrasound). That is something which we expect will be the subject of further study and investigation. For our purposes, it is sufficient that annoyance is produced, and it appears that it may be associated with adverse health outcomes. An identification of the causes of that annoyance may allow it to be reduced or mitigated and adverse health outcomes to be reduced or avoided.

482. We regard it as particularly significant that the NHMRC has considered that, despite the absence of direct evidence that exposure to wind farm noise affects physical or mental health, and the poor quality direct evidence that wind farm noise is associated with annoyance or sleep disturbance, it is appropriate to provide funding to the extent of \$3.3 million for an evaluation of the "sleep and physiological disturbance characteristics of wind farm noise compared to traffic noise" and for an investigation of whether "exposure to infrasound causes health problems". Given this degree of recognition by the NHMRC, we do not consider that it should be held that the associations which are the subject of the applicant's activities do not have plausibility or credibility, although not as yet positively established.

485. Given our finding that there is a plausible basis for considering that wind farm sound emissions may have an adverse effect on human health, we accept that conducting, supporting and advocating for further research or engaging in awareness raising activities could be properly characterised as activities promoting the prevention or control of diseases (in the sense of that term explained earlier).



# Appendix D: South Australia Noise Legislation and Wind Farm Guidelines

The South Australia *Environment Protection (Noise) Policy 2007* under the *Environment Protection Act 1993* sets out the requirements for measuring and assessing noise. One of the critical terms is 'characteristic'.

The Noise Policy states that a characteristic, in relation to noise from a noise source, means a tonal, impulsive, low frequency or modulating characteristic of the noise that is determined by the Authority or another administering agency, in accordance with the *Guidelines for the use of the Environment Protection* (Noise) Policy 2007 published by the Authority as in force from time to time, to be fundamental to the nature and impact of the noise;

- Iow frequency characteristic—a noise has a low frequency characteristic if it has a characteristic that dominates the overall noise with content between 20 hertz and 250 hertz;
- modulating characteristic—a noise has a modulating characteristic if it varies significantly in frequency character or amplitude;

With respect to wind farms, the Policy states:

34—Wind farms

(1) If a person operates a wind farm, the Wind Farms Environmental Noise Guidelines 2003 prepared by the Authority apply.

(2) In this clause—wind farm means a group of wind turbine generators.

35—Issue of environment protection orders to give effect to guidelines The Authority or another administering agency may issue an environment protection order to a person who undertakes an activity referred to in this Part to give effect to the guidelines that apply to the activity under this Part.

#### Comments:

1. It is understood that later Guidelines issued in 2009 are applied by the SAEPA although the Policy does not specifically allow for this later document. The disclaimer to the 2009 Guidelines state:

This publication is a guide only and does not necessarily provide adequate information in relation to every situation. This publication seeks to explain your possible obligations in a helpful and accessible way. In doing so, however, some detail may not be captured. It is important, therefore, that you seek information from the EPA itself regarding your possible obligations and, where appropriate, that you seek your own legal advice.

2. From a technical point-of-view, therefore, as sound/noise monitoring and evaluation professionals we would apply the provisions of the Policy relating to 'characteristics'. This position, we believe, is supported by the information recorded in Appendix E.

3. It would appear that the guidelines do not apply to a specific windfarm, e.g. Crystal Brook, unless and until an environment protection order has been issued to a person who undertakes the wind farm activity.

# Appendix E: Amplitude Modulation and Other Characteristics

Sonus, in the document titled 'Wind Farms Technical Paper – Environmental Noise' dated November 2010 to the Clean Energy Council, state:

#### Amplitude Modulation

Amplitude modulation is an inherent noise character associated with wind farms. It should be noted that the ambient environment modulates in noise level by a significantly greater margin and over a significantly greater time period than that which would be audible from a wind farm at a typical separation distance. Notwithstanding, the South Australian Guidelines (2003 & 2009) note that the objective standards include a 5 dB(A) penalty for this fundamental and inherent character of amplitude modulation.

A 5 dB(A) penalty is a significant acoustic impost. To reduce a noise source by 5 dB(A) requires either the distance between the source and the receiver to be approximately doubled, or the noise source to reduce its output by two thirds. In wind farm terms, this means the distance between the farm and the nearest dwellings might need to be doubled, or up to two thirds of the total turbine numbers would need to be removed, compared to a wind farm not subject to such a penalty.

The ability to hear the "swish" (amplitude modulation) depends on a range of factors. It will be most prevalent when there is a stable environment (temperature inversion) at the wind farm and the background noise level at the listening location is low. In addition, amplitude modulation is greater when located cross wind from a wind turbine (Olermans and Schepers, 2009). It is noted that whilst the amplitude modulation is greater at a cross wind location, the actual noise level from the wind farm will be lower than at a corresponding downwind location. These conditions are most likely to occur when wind speeds at the wind farm are low under a clear night sky.

The swish is at its greatest under the above conditions as the change in wind speed at increased heights above the ground is also at its greatest, and this results in an increased difference in wind speed as the blades move through the top of their arc and down past the tower. In addition, if there are several turbines subject to similar conditions, then it is possible this can have an amplifying effect on the modulation. The increase in swish under these specific conditions is termed the Van Den Berg Effect, and it is suggested higher levels of swish might result in higher levels of annoyance and potentially sleep disturbance.

The Van Den Berg effect was observed on a flat site in Europe under specific conditions and in the two matters before the NSW Land and Environment Court (Gullen Range wind farm NSW LEC 41288 of 2008 and Taralga wind farm NSW LEC 11216 of 2007), it has been determined by the relevant experts that the required meteorological conditions to trigger the effect were not a feature of the environment. In Gullen Range (NSW LEC 41288 of 2008), the meteorological analysis prepared by Dr Chris Purton concluded that



suitable conditions for this effect are not a feature of the area because of the elevated ridgeline location of the wind farm (Purton, evidence NSW LEC 41288 of 2008).

If suitable conditions did exist to regularly generate high levels of swish, then there is no scientific research to indicate that the existing Standards and Guidelines do not adequately account for it. Indeed, given the conditions are more likely to occur at night, then sleep disturbance would be the main issue to address, and the noise standards applied to wind farms are significantly more stringent than limits established for the potential onset of sleep disturbance. This is discussed in further detail in the following section.

In the first draft of the National Wind Farm Development Guidelines (EPHC, 2009), excessive swish is referred to as one of the potential Special Audible Characteristics (or SACs) along with low frequency, infrasound and tonality. It recommends that:

With the exception of tonality, the assessment of SACs will not be carried out during the noise impact assessment phase, that is, pre-construction. This arrangement reflects two key issues:

*i.* There are, at present, very few published and scientifically-validated cases of any SACs of wind farm noise emission being problematic at receivers. The extent of reliable published material does not, at this stage, warrant inclusion of SACs other than tonality into the noise impact assessment planning stage.

ii. In the case that reliable evidence did demonstrate merit in assessing such factors during the preconstruction phase, there is a gap in currently available techniques for assessing SACs as part of the noise impact assessment. In part this is due to the causes of most SACs in wind turbine noise emission not yet being clearly understood.

#### In summary:

- Swish is an inherent noise characteristic of a wind farm;
- Modulation in noise level is a feature of the ambient noise environment surrounding a wind farm;
- The level and depth of swish can vary with meteorological conditions, and under certain conditions, will be more prevalent;
- The conditions to consistently generate high levels of audible swish have not been established to be a typical feature of Australian wind farms;
- The level, depth, time and testing regime for excessive swish that would justify introducing a more stringent standard have not been established;
- Sleep disturbance is the key issue associated with excessive swish, if it is to occur.



## **Appendix F: Glossary**

#### Background sound pressure level (LA90,T), LA90

Commonly called the "L90" or "background" level and is an indicator of the quietest times of day, evening or night. The LA90 level is calculated as the noise level equalled and exceeded for 90% the measurement time. The measured LA90 time-intervals are arithmetically averaged to present the "average background" levels of the environment for day/evening/night. The level is recorded in the absence of any noise under investigation. The level is not adjusted for tonality or impulsiveness.

#### Equivalent Continuous or time average sound pressure level (LAeq,T), Leq

Commonly called the "Leq" level it is the logarithmic average sound/noise level from all sources far and near. The level can be adjusted for tonality.

CAUTION: this is NOT the same measure as described in the Noise Policy definition of *ambient noise level* (continuous) as the Policy definition applies the <u>exponential</u> Fast response.

#### Façade-adjusted level

A sound level that is measured at a distance of 1.0 metre from a wall or facade. The level is nominally 2.5 dB higher than the free-field level.

#### Free-field level

A sound level that is measured at a distance of more than 3.5 metres from a wall or facade.

#### Beneficial

- A term applied to a person or landowner who directly benefits from a project or activity.
- Landowner with a commercial agreement with the wind farm developer.



## **DPTI:scapreps**

From:	Sarah Laurie <sarah@waubrafoundation.org.au></sarah@waubrafoundation.org.au>
Sent:	Friday, 29 June 2018 4:29 PM
То:	DPTI:scapreps
Subject:	Attachment to go with Waubra Foundation Submission - SA AAAC 2008 comments
	Bassett_Maddern_Sonus_Teage_Mackenzie_Sonus_Heinze
Attachments:	SA AAAC 2008 comments
	Bassett_Maddern_Sonus_Teage_Mackenzie_Sonus_Heinze.pdf; ATT00001.htm

Attention Lee Webb

Dear Lee

this is the final attachment to accompany the Waubra Foundation submission to the SCAP re the Application by NEOEN.

Jould you please ensure that the submission has the three additional documents when it goes to the SCAP members.

Please acknowledge receipt of this email and that all four documents have been received by you.

Regards

Sarah Laurie

## **DPTI:scapreps**

From:	Sarah Laurie <sarah@waubrafoundation.org.au></sarah@waubrafoundation.org.au>
Sent:	Friday, 29 June 2018 4:26 PM
То:	DPTI:scapreps
Subject:	Waubra Foundation Attachment to go with Written submission, and Request to be
	Heard in support of submission, Re Development Number 354/V003/18 (Applicant
	Neoen Australia)
Attachments:	Noise Impact Assessment Commentary Crystal Brook Windfarm South Australia,
	Report No 4154 20 June 2018.pdf; ATT00001.txt

## Attention Lee Webb

Dear Lee

this is one of the three attachments to go with the Waubra Foundation's submission.

lease acknowledge receipt.

regards

Sarah Laurie

Page 1 of 1

From: EPA:EPA Contact Sent: Thursday, 20 November 2008 4:50 PM To: Lenchine, Valeri (EPA) Subject: FW: Comment on Draft Wind Farm Noise Guidelines

Attachments: A8K01LT - Comment on Draft Wind Farm Guidelines 2008.pdf

 

 From:
 [mailto;
 @bassett.com.au]

 Sent:
 Thursday, 20 November 2008 4:31 PM

 To:
 EPA:EPA Contact

 Cc:
 Peter Maddern;
 @sonus.com.au; Peter Teague; pmaddern@olis.net.au; Neil Mackenzie; @sonus.com.au; Peter Heinze;

 Subject:
 Comment on Draft Wind Farm Noise Guidelines

Please find attached a consolidated response on the Draft Wind Farm Noise Guidelines 2008. This response has been prepared by members of the South Australian Acoustical Consulting Community (the SAACC).

Regards,

Acoustic Engineer

Bassett Level 6, 100 Pirie Street, Adelaide SA 5000 Australia T +61 8 8418 1000 M +61 F +61 8 8418 1001 @bassett.com.au www.bassett.com.au

Bassett is part of AECOM

Buildings | Environment, Water & Civil Infrastructure | Minerals & Industry | Power & Energy | Transport

Bassett has an active green office program. Please consider the environment before printing.

file:///F:/WIND%20FARM%20GUIDELINES/Wind%20Farm%20Guidelines%20Con... 5/06/2017

BASSE 9 A

Bassett Acoustics Level 6, 100 Pirie Street, Adelaide SA 5000, Australia T +61 8 8418 1000 F +61 8 8418 1001 E adelaide@bassett.com.au www.bassettacoustics.com.au ABN 22 004 873 634

Ref: Wind Farms-A8K01LT

Att: Contact Officer - Draft Noise Guidelines Environment Protection Authority 77 Grenfell Street Adelaide SA 5001

20 November 2008

#### **Comment on Draft Wind Farms Environmental Noise Guidelines 2008**

On behalf of the South Australian Acoustical Consultancy Community (SAACC), we provide the following comments and suggestions relating to the *Draft Wind Farms Environmental Noise Guidelines 2008.* 

We believe the revised Guidelines are inadequate in their current form and represent significant risks to all stakeholders involved in a wind farm development, including developers, owners and operators, the surrounding community, consultants and the relevant Authorities.

A key outcome of the review as articulated by the EPA was to deliver a set of Guidelines that removed the ambiguity surrounding the compliance checking procedure. The procedure to deliver these Guidelines, detailed by the EPA on a number of occasions over a 3 year period, involved carrying out research into modelling wind farm noise to enable assurance about the validity of these models, and in turn, to provide a compliance checking procedure that simply confirmed the inputs to this validated model.

This procedure does not appear to have occurred in full, and it is our opinion that the compliance checking and the broader Guidelines have actually been further complicated, with a greater potential for false compliance passes and false compliance fails.

We submit that these Guidelines should not be released until further research has been carried out. We would prefer that the 2003 guidelines were reinstated while the new guidelines are developed, as we are of the opinion that they are more suitable than the *Wind farms noise guidelines (interim) December 2007.* 

The members of the SAACC have significant experience in assessing wind farm sites against the previous guidelines and would welcome the opportunity to use our previous experiences to assist the EPA to formulate further changes to the guidelines.

We note that it would be desirable for the wind farm noise guidelines to be consistent with the approaches contained in the draft Australian Standard for wind farms.

The SAACC's comments and suggestions for improving the current guidelines are included on the following pages.

a8k01ll - comment on draft wind farm guidelines 2008.doc

Table 1 - Comments on Draft 2008 wind farm noise guidelines

. •

۰.

.

Reference	Issue	Suggestion
Section 1. Introduction (Pg. 1)	"the environments surrounding of wind farms usually have low ambient noise." Care needs to be taken with language that indicates low ambient noise. Review of the ambient equivalent noise levels in comparison to the criteria would generally indicate the opposite to be the case, with low ambient noise levels occurring on occasion and generally when the noise from the wind farm is comparatively low also.	Remove this statement or clarify the ambient noise environment at sites surrounding find farms is generally low, at times when there are low wind speeds.
Section 2.2 Noise Criteria (Pg. 3)	"35 dB(A) for localities" "localities" is not defined. It should be clear that this relates to noise sensitive receivers, as defined in the Guidelines. Care needs to be taken with the definition, to ensure encroachment on an appropriately designed and operated wind farm is not an issue (refer further comments below).	Better define that the environmental noise criteria are to be achieved at only originally identified and agreed receivers, to ensure that residential encroachment towards the wind farm Is not an issue.
Section 2.2 Noise Criteria (Pg. 3)	"in a primary production / rural industry zone" There are other zones a wind farm may be developed in, that do not fall into a "primary production / rural industry" category.	The base environmental noise criteria should be consistent with the criteria in the Noise EPP, and precisely identify the noise criteria for all potential zonings
Section 2.2 Noise Criteria (Pg. 3)	"the zone objectives and principals should indicate that the zone is intended for" This requirement could be ambiguous for zoning tilles to not fit within those listed in the guidelines. It would be clearer to refer to the base noise level of 40 dB(A) for the typical case, referring to a 35 dB(A) criterion where rural living is principally promoted. This is to overcome the issue where it is not clear whether the 40 dB(A) criterion applies, which should be the "typical" application.	The requirement should be amended to refer to the 35 dB(A) base value and assign it only where rural living land uses are <i>principally promoted</i> , using similar language to that used in the EPP – that is "the zone objectives and principles should indicate that the zone <i>principally</i> <i>promotes</i> a rural living land use".
Section 2.5 Cumulative development (Pg. 4)	The example states "such that the alternative minimum criteria"	The term "baseline" should be used, as it is used elsewhere and defined in the Guidelines, to avoid any confusion.
Section 3 Meeting the criteria (Pg.5)	"cover approximately 2000 intervals." This is inconsistent with other sections of the Guidelines. 2000 intervals indicates the background noise measurement data could be completed in two weeks. Other sections of the Guidelines refer to 800 valid points with the wind in a particular direction, and to 2000 data points when adverse data from wind and rain and data above and below certain wind speeds is removed.	A clear definition is required to remove the inconsistency and to provide a reasonable approach (refer further comments below).

Reference	Issue	Suggestion
Section 3.1 Background Noise (Pg. 6)	Example states that "Background noise environments likely to differshouldbe discussed with the EPA"	Requirements to "discuss the situation with the EPA" should be avoided, to improve clarity
	General comment: There needs to be more guidance in the document. A requirement to "discuss with the EPA" does not assist, particularly when attempting to interpret the Guidelines in an Environmental Law Court.	the guidelines.
Section 3.1 Background Nolse (Pg. 6)	Example: "clearly envisages noise sensitive development" Too flexible – plenty of zones "envisage" residential land use. This means that the criteria may be applied at a property boundary, which is clearly the opposite intention of the example.	Care to be taken with the language to remove the ambiguity. The term "principally promoted" is recommended as a replacement.
Section 3.1 Background Noise (Pg. 6)	Example "ensure that no significant physical changes" The Guidelines do not state what should be done if have been physical changes. The compliance checking procedure flagged as part of the original review would overcome this issue of ensuring the environment remains untouched over the long period of time between background noise measurements and compliance checking	Compliance checking procedure needs to be reconsidered. (further comments below)
Section 3.1 Background Noise (Pg. 6)	Example "clear of trees and shrubs" This is incorrect. The logger should be placed at a similar distance from significant trees as the distance between the trees and the house facade to provide an indication of its effect. Shrubs simply do not affect the L <sub>90</sub> and should not be referenced here.	Revise example, to remove suggestion that measurements should be clear of trees and shrubs.
Section 3.1 Background Noise – Equipment (Pg. 7)	Guidelines require that the meters and noise loggers be calibrated using an IEC 60942 Class 1 calibrator that is approved by the logger manufacturer. The standard should reference the Australian version of the standard.	Calibration should be referenced to the Australian version of the IEC Standard (AS IEC 60942:2004) Reference to the Class 1 calibrator should be revised to
	Calibration by a Class 2 calibrator is considered sufficient for a Class 2 noise logger. There is no reason why the calibrator should be approved by the manufacturer.	Class 1 or Class 2 calibrator. Requirement for the calibrator to be approved for the logger manufacturer should be removed
Section 3.1 Background Noise – Wind (Pg. 7)	Guidelines state that 'special windshields' must be used if data is to be reported where wind speeds exceed 5 m/s. However, standard windshields could be suitable at the measurement location, where sufficient technical information is able to confirm the influence of wind noise on the measurement.	Remove the reference to 'special windshields', to allow the use of all windshields where technical information confirms their suitability.

a8k01lt - comment on draft wind farm guidelines 2008.doc Page 3 of 10

.....

.

BASSETT

• · · · • • • • •

.....

. . . . . . .

Reference	Issue	Suggestion
Section 3.1 Background Noise – Wind (Pg. 7)	"monitoring the wind speed at the measurement position" The procedure preferred by the members of the SAACC is to place a single weather logger adjacent one of the representative noise logger locations. It is not clear that this current procedure is acceptable, or whether multiple positions are now required, which would be impractical and unreasonable.	Clarify that wind speed measurements are required at only one receiver location; the location has been judged to be most noise exposed of the measurement locations.
Section 3.1 Background Noise Wind (Pg. 7)	"average wind speeds" Average wind speeds would not affect the $L_{90}$ noise level measurements. An indication of the worst case influence of wind on the microphone would be provided by the $L_{90}$ wind speeds at the measurement location.	The wind speeds measured should be consistent with the $L_{90}$ and use a $10^{th}$ percentile descriptor. This should be clear in the Guidelines.
Section 3.1 Background Noise – Rain (Pg. 8)	"high sensitivity rain gaugesare not readily available." Incorrect. They are, and are in regular use for wind farm developments throughout Australia.	Remove this statement from the guidelines.
Section 3.1 Background Noise – Data (Pg. 8)	"operating wind speed range." Contradicts the reference to "rated power" used elsewhere in the document. The operating wind speed range (from speed of cut in to cut out) is the current accepted practice. The reference to 2000 valid points needs clarification as per previous comments.	Remove contradiction of rated power elsewhere in the document. Clarify that operating range (from cut in to cut out) is required. Reference to 2000 data points requires clarification as per previous comments.

a8k01lt - comment on draft wind farm guidelines 2008.doc Page 4 of 10

.

.

•

BASSETT

Reference	Issue	Suggestion
Section 3.1 Background Noise – Data (Pg. 8)	Example " representative background" The EPA has carried out extensive research to show that the variation in background noise levels is of the order of the compliance level of 5dB(A). Therefore, the Guidelines need to be very clear about how a "representative" background is defined. It will cause significant issues if this ambiguous and flexible phrase is retained, particularly given the outcome of "WTGs being stopped". This provides another core reason why the compliance procedure was to be reviewed.	Method for determining if it is a representative background needs to be well defined.
Section 3.1 Background Noise – Data (Pg. 8)	The influence of atmospheric stability on wind speed profiles is not currently considered. van den Berg <sup>1</sup> demonstrated that under a stable atmosphere (as typical occur during periods of limited cloud cover at night), the difference between wind speeds at hub height and at ground level might be significantly greater than that expected for an unstable atmosphere. This potentially increases noise emissions at night, while also reducing background masking due to low level wind, resulting in possible exceedance of criteria.	Requirement for separate day and sunset to sunrise background noise criteria and wind profile conversion should be considered. Night criteria might be based on period from 1 hr after sunset to 1 hr before sunrise, on nights that there is limited/no cloud cover. Alternatively, practicality of direct measurement of atmospheric stability should be considered. Measurement of wind speed and prediction of levels based on hub height (or similar) wind speeds would remove problem of conversion of wind speed, but influence of wind profile on background noise would still have to be considered.
Section 3.2 Wind speed measurements – Measurement location (Pg. 9)	The guidelines state that the same measurement location is required to be used for measuring for wind speed and direction for background, noise predictions and compliance checking, and then contradict this requirement 2 paragraphs later by stating that the nearest WTG should be used for compliance measurements. Measurement at the same location should be used where possible, to maintain the same wind speed datum. This may not however be always practical, in which case the difference in speed between the location for determining background criteria and the compliance measurements should be accounted for.	Clarification of requirements for place of wind speed measurement is required. Location should be the same for all measurements were possible, and should be accounted for where it is not.

<sup>&</sup>lt;sup>1</sup> Van den Berg G.P., Effects of the wind profile at night on wind turbine sound, Journal of Sound and Vibration (2003)

Reference	Issue	Suggestion
Section 3.2 Wind speed measurements – Measurement location (Pg. 9)	Evidence that the wind speed and direction sensor is certified is required to be provided as part of the acoustic report. We request that the EPA provides details of the level of certification that is acceptable, as we are not aware of a readily available certification service or standard for anemometers.	Clarify the level of anemometer certification that is required.
Section 3.3 Noise level prediction – Prediction locations (Pg. 9)	It is required that all noise sources associated with the wind farm should be taken into account, but the guidelines do not indicate that sources other than the turbines (eg the transformers/substation) are to be assessed against the Noise EPP, rather than the Wind farm guidelines noise criteria.	State that sources other than the turbines are to be assessed against the Noise EPP, rather than the Wind farm guidelines.
Section 3.3 Noise level prediction – Prediction locations (Pg. 10)	The Guidelines request an "estimate of the model accuracy in dB(A)" A core component of the Guidelines review was to determine the accuracy of a range of models and establish assumptions to ensure a reasonable approach was taken. It is unreasonable to request this information for each project, and it establishes an expectation in the community that such information is available.	Remove requirement for an estimation of accuracy with each assessment, as this recommended model method. The type of model to be used, parameters to be used, and estimate of accuracy should be provided by the EPA.
Section 3.3 Noise level prediction – Prediction locations (Pg. 10)	It is not clear if a single (worst case) wind direction is applied to all turbines in a wind farm, or if individual worst case directions for each of the turbines should be applied.	Clarification is required, as there is ambiguity in this section.
Section 3.3 Noise level prediction – Prediction locations (Pg. 10)	"higher than actual noise levels" Simply not true, as the NZ model applies equal air absorption to all frequencies, rather than high frequency noise. In addition, the model cannot be used by anyone other than an experienced acoustic engineer. It is incorrect to provide such an expectation.	Reference to using NZS 6808 to calculate noise levels should be removed.

a8k01lt - comment on draft wind farm guidelines 2008.doc Page 6 of 10

٩

•

BASSETT
Reference	Issue	Suggestion
Section 3.3 Noise level prediction – Tonality (Pg. 11)	This section of the guidelines do not make it clear that tonality is to be assessed at the receiver locations, rather than at a distance of approximately 100m from the turbines as per the method in IEC 61400-11.	Clarify that tonality is to be assessed to the residential locations, rather than directly adjacent the tower as per the method in IEC 61400-11.
	A fixed 5 dB(A) penalty for tonality is required by the guidelines. A sliding penalty for tonality such as that applied in ISO 1996-2 and ETSU- R-97 (United Kingdom DTI 1996) might be more appropriate for cases where installed turbines demonstrate slightly audible tonality at the receivers.	Consider the introduction of a sliding penalty for tonality, for cases where there is only slight tonal audibility.
Section 3.3 Noise level prediction – Vibration data (Pg. 11)	We to not believe there is a 'probable vibration impact' as the guidelines state, and are strongly of the opinion that the requirement for predicting vibration to the residences should be removed.	Requirement for vibration assessment should be confined to only cases where installed turbines create a humanly detectable vibration impact at
	A paper presented by Hunt and Halstead at Wind Farm Noise 2007 <sup>2</sup> confirms our view on likely vibration impact.	the residences.
Section 3.4 Data Analysis – Background noise and wind	IEC 61400-11 (1998) is referenced as stating that downwind within a direction of +/- 45 degrees is acceptable for the background noise measurements.	Remove requirement for background measurements only for periods with worst case wind direction.
speed data (Pg. 11)	IEC 61400-11 is now up to version 2.1 (IEC 61400-11 Ed. 2.1 (2006).	
	Additionally, IEC is used solely for sound power measurements, rather than background noise measurements, and requires measurements at +/- 15 degrees downwind. We do not believe that there is significant benefit in measuring background noise for only the worst case wind direction.	
Section 3.4 Data Analysis – Background	The example graph is poor given the range of wind speeds shown and the resultant graph relative to the baseline level	Update the graph using one that better illustrates a typical background noise plot
noise and wind speed data (Pg. 12)	We suggest that the guidelines should require that noise loggers have noise floors of no more than 25 dB(A).	Include requirement for maximum logger noise floor of 25 dB(A).

e

÷

<sup>&</sup>lt;sup>2</sup> Hunt M. & Halstead M., Towards a review of NZ standard NZS6808:1998 Acoustics – Assessment & measurement of sound from wind turbine generators, Proceedings of Wind Turbine Noise, France (2007)

Re	ference	Issue	Suggestion
Se Data (I	ction 4.2 a analysis Pg. 13)	Guidelines require that the same order of polynomial as was used in the background analysis is used for the compliance checking. However, the same order of polynomial usually provides a poor fit to compliance data as turbine noise most significantly affects noise levels at wind speeds between 6 and 10m/s, while not effecting data below 4m/s and above 10m/s. This causes a visible rise in noise data at around 6 to 10 m/s, so that a linear to third order polynomial does not fit the compliance data or accurately reflect the noise level at the receiver.	The compliance checking procedure should allow for a best fit regression analysis of any order of polynomial equation, not just the linear to third order polynomial that has the same order as was used in the background noise analysis.
		Linear to third order is also normally insufficient to achieve a good fit to the compliance measurements, due to the turbine noise influence at mid wind speeds. Application of a higher order polynomial is required where turbine noise is affecting receiver noise levels.	
Se (	ection 4.3 Criteria Pg. 14)	This section references the section for tonality as section 4.4. Reference is also given to sections 4.3.1 and 4.3.2, which are not included in the document	Amend references in this section.
Se (	ection 4.3 Criteria Pg. 14)	It is required that the compliance checking report contains confirmation that the noise criteria based on previous background noise measurements (if any) are still valid. We are strongly of the opinion that it would be unreasonable to change the noise criteria for a site following construction of the wind farm, as significant investment has been made in a wind farm which has been designed to meet previously agreed criteria.	This requirement should be removed, as altering the noise criteria post construction would impose unreasonable conditions on the wind farm.
Se Cor ba (	ection 4.4 rection for ckground Pg. 14)	Should read ' This method is based on the Substitution of", rather than the 'substruction of'. Inclusion of the equation for background noise is unnecessary, given that the guidelines are to be applied by an acoustic engineer eligible for membership to the AAS.	Amend as per suggestions.

a8k01lt - comment on draft wind farm guidelines 2008.doc Page 8 of 10

۳

.

BASSETT

Reference	ISSUB	Suggestion
Section 4.5 Correction for background (Pg. 14)	<ul> <li>This section references section 4.3.1, which does not exist.</li> <li>This section is dependant on new background noise criteria being determined for a site, which we suggest would be very unreasonable.</li> <li>The proposed method is expected to be unworkable, as; <ul> <li>The turbines are still spinning and creating noise at a wind speed of 0.9 x cut in, making L<sub>b0</sub> unmeasurable without shutting down the wind farm for a significant period of time (weeks).</li> <li>Turbines do not generally make significant noise at low speeds, such that the turbine is typically at least 5 dB below the level of background noise. Subtraction of the background from (turbine + background) will be highly dependant on background variation, so very inaccurate.</li> <li>Summation of wind farm noise will be difficult on sites where turbine mitigation plans are implemented for varying wind speeds, particularly as individual turbines will be subject to wind conditions that vary from the reference wind speed location, due to the topography of the site.</li> </ul> </li> </ul>	The proposed compliance monitoring method has complicated, rather than simplified and improved the accuracy of compliance measurements as was the aim of the Guideline review. Section 4.5 should be removed or heavily modified, based on the issues included. Compliance measurement at an alternative measurement location (at distance of approximately 50m from the residence) could be considered. The alternative measurement location would be selected at the same distance from the turbines as the residence, at a location where the background noise is sufficiently low for the turbine noise to be dominant. An alternative compliance approach that should be considered would be validation of the original environmental noise model, by measuring sound power levels on site and then logging at a reference location (which would be far removed from all other noise sources such as residences, significant vegetation, and major roads.
Section 4.7 Annoying characteristics (Pg. 15)	Refer to the NSW Environment Court – Taralga wind farm matter.	Care should be taken to ensure all fundamental characteristics are excluded from the potential application of a penalty, including modulation that may occur during stable atmospheric conditions.
Section 4.8 Excessive noise (Pg. 16)	"extent of receivers should not be confined to those identified during the DA Stage" The ability for the Guidelines to apply regardless of the encroachment of future dwellings is of extreme concern, given the buffer distances required and the lack of treatment options available.	Relevant receivers must be limited to only those locations which are agreed to be relevant by all parties during the development application. Modification of the noise criteria for a wind farm after construction is unacceptable.

a8k01ll - comment on draft wind farm guidelines 2008.doc Page 9 of 10

BASSETT

Reference	Issue	Suggestion
Section 5 Documentation (pg 17 – 18)	It appears that a number of the documentation requirements are unnecessary, or could be better provided by the developer in the body of the development application, than in the acoustic report, including: - ground vibration data verses wind speed -(unnecessary and unobtainable) - position of all WTG's on a topographic map -(this should have already been provided by developer) - angle direction between the line connecting the relevant receiver and nearest WTG and North (measured clockwise) -(unnecessary) - topographical map of wind farm and affected premises showing labelled contour lines -(map showing noise contours is sufficient) - estimation of vibration impact on nearest residences -(unnecessary) - wind speed data at all noise measurement sites -(it would be sufficient to provide this data for only the most wind exposed location)	Review the list of required information, only including information in the acoustic report that is relevant to the calculation of noise levels at the residences. A requirement for a table of wind turbine and receiver locations used in the modelling could replace a number of the current requirements.
Glossary	References to AS 1259:1990 are out of date.	Refine definitions and
(Pg. 20)	Reference to impulsive or low frequency noise should be carefully considered and worded as they may invoke an unwarranted negative public reaction to wind farm developments.	

The members of the SAACC would welcome a chance to discuss the above points with you in greater detail, or to provide additional comments on further revisions of the guidelines.

Yours faithfully

PS

Principal, National Acoustic Manager @bassett.com.au

For: Bassett Acoustics, Connell Wagner, Marshall Day, Peter Maddern, Sonus & Vipac

a8k01li - comment on draft wind farm guidelines 2008.doc Page 10 of 10

BASSETT

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line
저 이번 선물을 갖추는 것을 가장하는 것을 가운다.	between the substation and the 275kV Para-Bungama
Zone / Policy Area	transmission line). Drimary Industry Zong, Dort Dista Degional Council
Sublect Land:	32 allotments, approximately 3 Skm porth of Crystal Brook and
	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Flinders also be viewed during normal business hours at t	Street, Adelaide during normal business hours. Application documentation may he local Council office (if identified on the public notice).
DA074-01010	an a
	when coaffs & pianned anna
PRIMARY METHOD(5) OF CONTACT: Email add	dress: MINING COULDS & WIGDONN, COM
Postal ad	dress: VO YEAN OWN
CA-45	IM BLOOK SIA Postcode 5523
You may be contacted via your nominated Pl se heard in support of your submission.	RIMARY METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are: [V] owner of lo [V] occupier of [] a represent [V] a private cit [he address of the property affected is 3.1	cal property local property tative of a company/other organisation affected by the proposal tizen K. CATTVE TRACK CHYSTAN, Postcode, 5523
he specific aspects of the application to which	I make comment on are:
1- TOO CLOSE TO HOME	S. OURS INCLUDED; APPROX 4.5Km AWAY
2- FUNDERS RANGES	+ BOWMAN PK, NOT SO APPEALING
WITH THE TURBINE	5 NOISE
3- SIZE OF TUREINES -	- FOR SO CLOSE TO TOWN - BOUND TO
MAKE NOISE, FEINE	SO HUGE -
Wish to be heard in s wish to be heard in s of a prearing personally being represented b (Cross out whichever)	The following person :
14/0/10	Ma 1-
Date:	Signature: 11/109/5

\$ . g

	Fanne
Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the applica Transport and infrastructure, Level 5, 50 Flinders Street, also be viewed during normal business hours at the local	tion documentation can be viewed at the Department of Planning, Adelaide during normal business hours. Application documentation may Council office (if identified on the public notice).
My name: WILLIAM AKBON	9
My phone number: $(1400 100 100 100)$	
PRIMARY METHOD(s) OF CONTACT: Email address: _	Willie _ 808 @hotmail.com
Postal address:	20 West St. BREMPION
SA	Postcode 5007
You may be contacted via your nominated PRIMAR	Y METHOD(s) OF CONTACT If you indicate below that you wish to
be heard in support of your submission.	
My interests are:          []       owner of local pro         []       occupier of local p         []       a representative o         []       a private citizen	perty roperty f a company/other organisation affected by the proposal
The address of the property affected is $\begin{array}{c} 2.3 \\ CRV \\ ST\end{array}$	Talbots Rd Postcode 5523
	AL BROOK MAL A ISL A
The specific aspects of the application to which I make	AL BROOK e comment on are: uffects guility of
The specific aspects of the application to which I make Sleep and operand the	the BROOK affects guility of ecomment on are: affects guility of the hor those living
The specific aspects of the application to which I make Sleep and general the nearby Will Impact	tourism an real estate in
The specific aspects of the application to which I make Sleep and general the nearby Will Impact The area.	AL BROOK ecomment on are: uffects guility of typhealth the those living tourism and real estate in
The specific aspects of the application to which I make Sleep and general the nearby Will Impact The area.	tourism and real estate in
The specific aspects of the application to which I make Sleep and Jereal the nearby Will Impact The area.	tourism and real estate in
The specific aspects of the application to which I make Sleep and general the nearby Will Impact The area.	AL BROOK ecomment on are: uffects guility of etp health tor those living tourism an real estate in
The specific aspects of the application to which I make Sleep and general the nearby Will Impact The area I [] wish to be heard in support M do not wish to be heard in support (Please tick one)	AL BROOK ecomment on are: uffects guility of to health to those living tourism a real estate in to fmy submission support of my submission
The specific aspects of the application to which I make Sleep and general tri nearby Will Impact The area I [] wish to be heard in support A do not wish to be heard in support (Please tick one) appearing personally	AL BROOK ecomment on are: uffects guility of eto health tor those living tourism a real estate in tof my submission support of my submission
The specific aspects of the application to which I make Sleep and Jeneral HT nearby Will Impact The area I [] wish to be heard in support A do not wish to be heard in support (Please tick one) by [] appearing personally M being represented by the for	AL BROOK ecomment on are: uffects guility of eto health the twose living tourism a real estate in tof my submission support of my submission billowing person: Samuel RUTJENS
The specific aspects of the application to which I make Sleep and Jeneral tri nearby Will Impact The area I [] wish to be heard in support A do not wish to be heard in support (Please tick one) by [] appearing personally being represented by the for (Cross out whichever does not (Cross out whichever does not)	AL BROOK ecomment on are: uffects guility of ty health the those living tourism an real estate in tof my submission support of my submission pollowing person: Samuel RUTJENS not apply)
The specific aspects of the application to which I make Sleep and Jeneral HT nearby Will Impact He area I [] wish to be heard in support M do not wish to be heard in support M do not wish to be heard in support M do not wish to be heard in support Sleep and the second He area (Please tick one) by [] appearing personally M being represented by the for (Cross out whichever does the 24/6/18	AL BROOK ecomment on are: uffects guility of eto health the twose living tourism an real estate in tof my submission support of my submission pollowing person: Samuel RUTJENS not apply)

.

Return Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or scapreps@sa.gov.au

243

244/

.

Applicant:	Negen Australia Ptv Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line)
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Flinders Stree also be viewed during normal business hours at the loc My name: AStrial Arbon	t, Adelaide during normal business hours. Application documentation may al Council office (if identified on the public notice).
My phone number: 0437995688	
PRIMARY METHOD(s) OF CONTACT: Email address:	· · · · · · · · · · · · · · · · · · ·
Postol address:	75 Butterick Strept
	Pin Shin Shin
POIT	Postcode 5540
You may be contacted via your nominated PRIMA be heard in support of your submission.	RY METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are:          []       owner of local pr         []       occupier of local         []       a representative         []       a private citizen	operty property of a company/other organisation affected by the proposal
The address of the property affected is しももうろう	Talbots Road Postcode SS23
The specific aspects of the application to which I make	ke comment on are:
Too valy. An effect	on the beautiful town from
a Tourism aspect. T	The property Value and health
of locals will be	Significantly Impacted
I [] wish to be heard in suppor [] do not wish to be heard in (Please tick one)	rt of my submission support of my submission
by [] appearing personally [) being represented by the f (Cross out whichever does	ollowing person : Nel SON Magov . not apply)
Date: 24 06 18	Signature
Return Address: The Secretary, State Commission A	ssessment Panel, GPO Box 1815, Adelaide: \$4,5001 or
scapreps@sa.gov.au	

.

а Дар

245/

!

Applicant:		Neoen Australia Pty Ltd
Developme	nt Numb	er: 354/V003/18
Nature of D	evelopm	ent: Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line)
Zone / Polic	v Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land	d:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
<b>Contact Offi</b>	cer:	Lee Webb
Phone Num	ber:	7109 7066
<b>Close Date:</b>		Friday 29 June 2018
also be viewe		ormal business hours at the local Council office (if identified on the public notice).
My phone num	her:	437 164 045
PRIMARY METH		CONTACT: Email address: 1.2 WILLCLAYND STREET
		Postal address:
		Postcode_5540
You may be c be heard in su	ontacted	<u>via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to your submission.</u>
My interests a	re:	<ol> <li>owner of local property</li> <li>occupier of local property</li> <li>a representative of a company/other organisation affected by the proposal</li> <li>a private citizen</li> </ol>
The address of	the prop	erty affected is CRYSTAL BOOK Postcode SS23
The specific as	pects of t	he application to which I make comment on are:
Nors	SE.	
Imp	ACT	OF TOURISM (26 TOWERS WITHIN
<u>5 km</u>	<u>'s o</u>	F BOWMAN PARK)
	[] [548]	wish to be heard in support of my submission do not wish to be heard in support of my submission (Please tick one)
ру	[] [/	appearing personally being represented by the following person : NUELSON MACOR (Cross out whichever does not apply)
)ate: 24	100	5/18 Signatura
eturn Address	: The Se	cretary. State Commission Assessment Parist GPO Roy 1815 Additide SA 5001 or
capreps@sa.g	ov.au	,,

246/

			Negen Australia Pty I td
<b>Development</b> N	Number:		354/0003/18
Nature of Deve	lopment:		Crystal Brook Energy Park - Hybrid renewable energy project
			comprising a wind farm (26 turbines with a capacity up to
			125MW/) a solar form (400 000-500 000 solar panels with a
			capacity up to 150M(M) an oppray storage facility (Lithium-ion
			hatton with a appacity up to 130MW ( 400MWb) and associated
			infrastructure for some action to the electricity grid (including a
			Intrastructure for connection to the electricity grid (including a
			33kV/2/5kV substation and a 300m long 2/5kV transmission line
			between the substation and the 275kV Para-Bungama
7 / 7 /			transmission line).
Zone / Policy Ar	rea:		Primary Industry Zone - Port Pirie Regional Council
Subject Land:			32 allotments, approximately 3.5km north of Crystal Brook and
0			23km south-east of Port Pirie.
Contact Officer:			Lee Webb
Phone Number:	:		7109 7066
Close Date:			Friday 29 June 2018
During the notific	cation period, har	d copies of the applica	tion documentation can be viewed at the Department of Planning,
Transport and Inf	frastructure, Leve	15, 50 Flinders Street,	Adelaide during normal business hours. Application documentation may
also be viewed du	uring normal busi	ness hours at the local	Council office (if identified on the public notice).
My name: Mal	johan Hu	irst	
My phone number:	048854	9515	
		Facil address W	machan-thoraton@anaail com
PRIMARY METHOD	(S) OF CONTACT:	Email address: II	of grid in the month of the grid in the own
		Postal address:	PO BOX 112
		crustal	Brook SA Postcode 5523
<u>You may be cont</u>	acted via your	nominated PRIMAR	Y METHOD(s) OF CONTACT if you indicate below that you wish to
be heard in suppo	ort of your subr	nission.	
viy interests are:		owner of local pro	perty
	1.71	occupier of local p	
	[*]		roperty
	[]	a representative o	roperty f a company/other organisation affected by the proposal
	[]	a representative o a private citizen	roperty f a company/other organisation affected by the proposal
ri	[]	a representative o a private citizen	roperty f a company/other organisation affected by the proposal A ROAD C/B particular 5523
The address of the	[ ] [ ] e property affec	a representative o a private citizen ted is	roperty f a company/other organisation affected by the proposal a. Road C/B
The address of the	[ ] [ ] e property affec cts of the applica	a representative o a private citizen ted is <u>10</u> 791	roperty f a company/other organisation affected by the proposal g_Road_C/BPostcode.5523 e comment on are: * too_Close_to_homes
The address of the The specific aspection of the specific aspection of the specific aspection of the specific aspective structures and the specific structures and the specific structures and the specific structures and structures as the specific structures as the	[] [] e property affec cts of the applica	a representative o a private citizen ted is IO CIY EI ation to which I make	roperty f a company/other organisation affected by the proposal $g_{comment}$ $C/B_{control }$ Postcode. 5523 e comment on are: $100$ Close to homes
The address of the The specific aspecent of the specific aspecent of the specific aspecent of the specent of the specific aspecent of the specent of the specific aspecent of the specific aspecent	[] [] e property affec cts of the applica <u>+0wn </u> *	a representative o a private citizen ted is <u>10</u> ation to which I make SICEP. É. GE	roperty f a company/other organisation affected by the proposal 19 ROAD C/B Postcode 5523 comment on are: $*$ too Close to homes coneral health & television and
The address of the The specific aspecience ound the internet	[] [] e property affec cts of the applica to wn to	a representative o a private citizen ted is $10$ $10$ $10$ $10$ $10$ $10$ $10$ $10$	roperty f a company/other organisation affected by the proposal $g_Road_C/B_Postcode_5523$ e comment on are: * too Close to homes cneral_health & television and
The address of the specific aspeced of the specific as	[] [] e property affec cts of the applica <u>+0wn</u> <del>*</del> <u>receptio</u>	a representative o a private citizen ted is <u>10</u> <u>Arel</u> ation to which I make Skep <u></u> <u>é</u> <u>g</u> e	roperty f a company/other organisation affected by the proposal ag Road C/B Postcode 5523 e comment on are: * too Close to homes cneral health & television and
The address of the specific aspece ound the internet inte	[] [] e property affec cts of the applica <u>+0wn</u> <del>*</del> <u>receptio</u>	a representative o a private citizen ted is <u>10</u> <u>Arel</u> ation to which I make Step <u>E</u> <u></u>	roperty f a company/other organisation affected by the proposal g_Road_C/BPostcode.5523 e comment on are: * too_Close_to_homes cneral_health_x_television_and
The address of the The specific aspec and the INternet	[] [] e property affec cts of the applica <u>+0.wn </u> * <u>receptio</u>	a representative o a private citizen ted is <u>10</u> <u>Cir el</u> ation to which I make <u>SIEED</u> <u>E</u> <u>g</u> e	roperty f a company/other organisation affected by the proposal a Road C/B Postcode 5523 e comment on are: * too Close to homes cheral health & television and
The address of the specific aspection of the specific aspective of the	[] [] e property affec ts of the applica <u>town </u> * reception	a representative o a private citizen ted is <u>10</u> <u>Ar El</u> ation to which I make <u>SICEP</u> <u>E</u> <u>B</u>	roperty f a company/other organisation affected by the proposal a cond C/B Postcode 5523 comment on are: * too Close to homes cheral health * television and
The address of the specific aspective of the	[] [] e property affec cts of the applica town * reception	a representative o a private citizen ted is <u>10</u> <u>Ar l 1</u> ation to which I make <u>SICEP</u> <u>E</u> <u>B</u> C	roperty f a company/other organisation affected by the proposal a cond C/B Postcode 5523 comment on are: * too Close to homes cheral health & television and
The address of the specific aspective of the	[] [] e property affec cts of the applica <u>town</u> * <u>receptio</u>	a representative o a private citizen ted is $.0$ $.0$ $.0$ $.0$ $.0$ $.0$ $.0$ $.0$	roperty f a company/other organisation affected by the proposal a.g. ROAD C/B Postcode 5523 e comment on are: * too Close to homes cneral health * television and
The address of the specific aspective of the	[] [] e property affec cts of the applica <u>HOWN</u> <u>receptio</u>	a representative o a private citizen ted is <u>IO</u> <u>Ar</u> <u>CI</u> ation to which I make <u>SICED</u> <u>E</u> <u>O</u>	roperty f a company/other organisation affected by the proposal a.g. ROAD C/B Postcode 5523 e comment on are: * too Close to homes cneral health & television and of my submission
The address of the specific aspecting of the specific aspecting of the specific aspect of t	[] e property affect ts of the applica <u>HOWN</u> <u>reception</u>	a representative o a private citizen ted is <u>IO</u> <u>Ar</u> <u>CI</u> ation to which I make <u>SICED</u> <u>E</u> <u>B</u> O be heard in support wish to be heard in support	roperty f a company/other organisation affected by the proposal i.g. Road C/B Postcode. 5523 e comment on are: * too Close to homes cneral health & television and of my submission
The address of the The specific aspecting of the specific aspecting of the specific aspect	[] e property affect cts of the applica <u>HOWN</u> <u>reception</u> [] wish to [] do not	a representative o a private citizen ted is <u>IO</u> <u>Ar</u> <u>CI</u> ation to which I make <u>SREP</u> <u>E</u> <u>B</u> <u>O</u> be heard in support wish to be heard in s	roperty f a company/other organisation affected by the proposal a comment on are: * too close to homes cneral health & television and of my submission support of my submission
The address of the The specific aspec and the internet	[] [] e property affec cts of the applica <u>HOWN</u> <u>reception</u> [] wish to [] wish to [] on ot (Please	a representative o a private citizen ted is <u>IO</u> <u>Ar</u> <u>CI</u> ation to which I make <u>SREP</u> <u>E</u> <u>B</u> <u>O</u> be heard in support wish to be heard in support tick one)	roperty f a company/other organisation affected by the proposal ag Road C/B Postcode 5523 e comment on are: * too Close to homes eneral health & television and of my submission support of my submission
The address of the specific aspec and the <u>internet</u>	[] e property affect tts of the applica <u>town</u> <u>reception</u> [] wish to [] on to (Please [] appear	a representative o a private citizen ted is $10$ $011$ $0$	roperty f a company/other organisation affected by the proposal ag <u>Road</u> C/BPostcode.5523 comment on are: * too Close to homes cneral health & television and cof my submission support of my submission
The address of the The specific aspec and the internet	[] e property affect cts of the applica <u>town</u> <u>reception</u> [] wish to [] appear [] being r	a representative o a private citizen ted is $10$ $011$ $0$	roperty f a company/other organisation affected by the proposal a.g. Road C/BPostcode 5523 comment on are: * too Close to homes cheral health & television and cof my submission support of my submission
The address of the The specific aspect and the Internet	[] e property affect cts of the applica <u>town</u> <u>reception</u> [] wish to [] wish to [] appear [] being r (Cross	a representative o a private citizen ted is $.0$ $.0$ $.0$ $.10$ $.0$ $.0$ $.0$ $.0$ $.0$ $.0$ $.0$ $.$	roperty f a company/other organisation affected by the proposal a.g. ROAD C/B Postcode 5523 comment on are: * too Close to homes cheral health & television and cof my submission support of my submission support of my submission
The address of the The specific aspect and the Internet	[] [] e property affec cts of the applica <u>town *</u> <u>reception</u> [] wish to [] do not (Please [] appear [] being r (Cross	a representative o a private citizen ted is $.0$ $.0$ $.0$ $.10$ $.0$ $.0$ $.0$ $.0$ $.0$ $.0$ $.0$ $.$	roperty f a company/other organisation affected by the proposal a.g. ROAD C/BPostcode 5523 comment on are: * too Close to homes cheral health & television and cof my submission support of my submission support of my submission

scapreps@sa.gov.au

	Nooon Australia Divided
Development Number:	
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama
Zone / Policy Area:	transmission line).
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Phone Number	Lee Webb
Close Date:	7109 7066
During the notification period, hard copies of the applic Transport and Infrastructure, Level 5, 50 Flinders Street, also be viewed during normal business hours at the loca My name: MICHAEL ADAIK	ation documentation can be viewed at the Department of Planning, , Adelaide during normal business hours. Application documentation may al Council office (if identified on the public notice).
My phone number:	
PRIMARY METHOD(s) OF CONTACT: Email address:	
Postal address	
er lieata in support of your submission.	
My interests are: [] owner of local pro [] occupier of local p [] a representative o [V] a private citizen	operty property of a company/other organisation affected by the proposal
My interests are: [] owner of local pro [] occupier of local pro [] a representative o [] a private citizen The address of the property affected is	operty property of a company/other organisation affected by the proposal Postcode
My interests are: [] owner of local pro [] occupier of local pro [] a representative o [] a private citizen The address of the property affected is The specific aspects of the application to which I make	pperty property of a company/other organisation affected by the proposal Postcode comment on are:
My interests are: [] owner of local pro [] occupier of local pro [] a representative o [] a private citizen The address of the property affected is The specific aspects of the application to which I make	pperty property of a company/other organisation affected by the proposal Postcode comment on are:
My interests are: [] owner of local pro [] occupier of local pro [] a representative o [Y] a private citizen The address of the property affected is The specific aspects of the application to which I make	pperty property of a company/other organisation affected by the proposal 

.

÷ .

:

248

Applicant:	Negen Australia Ptv Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy, Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirle.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Flinders S also be viewed during normal business hours at th	treet, Adelaide during normal business hours. Application documentation may e local Council office (if identified on the public notice).
My name: Myri I UCAMEA	$(A \leq 1)$
My phone number: (72) (72) (72) (72)	
PRIMARY METHOD(s) OF CONTACT: Émail addr	ress: JOSHVA PudgeMotrial Com
Fostal auu	1555SSA
My interests are: [V] owner of loc. [] occupier of loc. [] a representa [V] a private citiz The address of the property affected is	al property ocal property tive of a company/other organisation affected by the proposal zen 10+53 talbots Postcode 552-3
The specific aspects of the application to which I	make comment on are:
ur M. areas	an a
<ul> <li>wish to be heard in superior of the superior of t</li></ul>	pport of my submission d in support of my submission the following person :
Date: 27/6/18 Nate: 27/6/18 Nate: 27/6/18	Signature:

scapreps@sa.gov.au

2,

,

249/

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy, Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Subject Land	32 allotments approximately 3 Skm parts of Crustal Brook and
	23km south-east of Port Pirle
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Flinders Street, also be viewed during normal business hours at the local 25244025	Adelaide during normal business hours. Application documentation may l Council office (if identified on the public notice). 227 + 42 foot
My phone number:	
PRIMARY METHOD(s) OF CONTACT: Email address: _	
Postal address:	••••••••••••••••••••••••••••••••••••••
	Postcode
You may be contacted via your nominated PRIMAR be heard in support of your submission.	Y METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are: [] owner of local pro [] occupier of local pro [] a representative o [] a private citizen	perty property of a company/other organisation affected by the proposal
The address of the property affected is $400$ ( $R_{\rm r}$	SS (AUDOTS (L)) Postcode SSZS
he specific aspects of the application to which I make	comment on are:
- Too way TO TOWI	V (HOUSES.
-	
<ul> <li>[] wish to be heard in support</li> <li>[] do not wish to be heard in support</li> <li>(Please tick one)</li> </ul>	of my submission support of my submission
y [] appearing personally [] being represented by the fo	illowing person :
Cross out whichever does r	not apply)
	Signature:
eturn Address: The Serretary State Commission A	ssessment Panel, GPO Box 1815, Adelaide, SA 5001 or

2. 1

•

250

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (Including a 33W/725kV substation and a 300m long 725kV transmission line
	between the substation and the 275kV Para-Bungama
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Transport and Infrastructure, Level 5, 50 Flinders Street, J also be viewed during normal business hours at the local	Adelalde during normal business hours. Application documentation may Council office (if identified on the public notice).
ly name: JUlicinne Hi	
Ay phone number: 0413 831	074
RIMARY METHOD(s) OF CONTACT: Email address:	hilly032bigpond.com
	Boy 214
Postal address:	
	rystell Bronc Postcode 3323
ou may be contacted via your nominated PRIMAR) e heard in support of your submission.	Y METHOD(s) OF CONTACT if you indicate below that you wish t
Iv interests are:       Image: owner of local property of loca	perty roperty f a company/other organisation affected by the proposal
he address of the property affected is 255. The	CONTHETRACK Postcode 5523
he specific aspects of the application to which I make	comment on are:
· Wireless Broadbe	and
. TV Reception	
· To close to hom	~es
· Effect of Tourish	$\bigcirc$
<ul> <li>[] wish to be heard in support</li> <li>[] do not wish to be heard in s</li> <li>(Dense tick and)</li> </ul>	of my submission upport of my submission
IT PASE LICK UTEL	
/ [] appearing personally	
y [] appearing personally [] being represented by the fo (Cross out whichever does r	llowing person :
y [] appearing personally [] being represented by the fo (Cross out whichever does r	Illowing person :
y [] appearing personally [] being represented by the fo (Cross out whichever does r	Illowing person : not apply) Signature:

۶.

•

Applicant:	Neoen Australia Ptv Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date: During the notification period, hard copies of the applica	Friday 29 June 2018 stion documentation can be viewed at the Department of Planning,
also be viewed during normal business hours at the loca	Adelaide during normal business hours. Application documentation may I Council office (if identified on the public notice).
My name: Peter HILL	
My phone number: 0408 085	332
PRIMARY METHOD(s) OF CONTACT: Email address: _	Petershillivestock com.au
Postal address:	30× 214
cryst	al Brook Postcode 5523
You may be contacted via your nominated PRIMAR be heard in support of your submission.	Y METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are: My interest are: My	operty property of a company/other organisation affected by the proposal
The address of the property affected is 255. Th	tal Brook
The specific aspects of the application to which I make	e comment on are:
concerned about WI	reless broad band as this
is my Business, I alre	ady have issues and this will
make it even more dif	ficult, IV Reception, I feel
they are to close	to the local Community
and not a Viable opt wish to be heard in support do not wish to be heard in support (Please tick one)	tof my submission support of my submission
by [ ] appearing personally [ ] being represented by the for (Cross out whichever does a	not apply)
Date:	Signature:
Return Address: The Secretary, State Commission A	ssessment Panel, GPO Box,1815, Adelaide, SA 5001 or
<u>scapreps@sa.gov.au</u>	$\mathcal{U}$

₹.

5 2

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the a Transport and Infrastructure, Level 5, 50 Flinders 5 also be viewed during normal business hours at th	application documentation can be viewed at the Department of Planning, treet, Adelaide during normal business hours. Application documentation may e local Council office (if identified on the public notice).

My name: NICK Se	widers		
My phone number: CU23	27537.5		
PRIMARY METHOD(s) OF CONTACT:	Email address: Micksaunders 4:	36004	look.com
	Postal address: 10 LSMCndrd	Pt	Pirie.
	SA	Postcode	5540

You may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to be heard in support of your submission.

My interests are:

owner of local property occupier of local property

a representative of a company/other organisation affected by the proposal

a private citizen

11

[] []

N

The address of the prope	rty affected is Lot 53 Talbots (2d Postcode 5523
	CLOSE Provide for
The specific aspects of the	e application to which I make comment on are:
to houses	> >
alfect	tu reseption & WITET
•• ••• •• • • • • • • • • • • • • • • •	
•	
1 []	wish to be heard in support of my submission
[]	do not wish to be heard in support of my submission
	(Please tick one)

by

appearing personally

2.

[] []

being represented by the following person : ..... (Cross out whichever does not apply)

1/6/18 Signature: N'Uan Date: Return Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelalde, SA 5001 or scapreps@sa.gov.au

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018

During the notification period, hard copies of the application documentation can be viewed at the Department of Planning, Transport and Infrastructure, Level 5, 50 Flinders Street, Adelaide during normal business hours. Application documentation may also be viewed during normal business hours at the local Council office (if identified on the public notice).

4 My name:\_ ۵ My phone number: CUM CICIN PRIMARY METHOD(s) OF CONTACT: Email address: Postal address: Postcode

You may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to be heard in support of your submission.

My interests are:

owner of local property occupier of local property

a representative of a company/other organisation affected by the proposal

a private citizen

[]

[]

[]

Clandae Road C The address of the property affected is  $...\lambda$ 

The specific aspects of the application to which I make comment on are: ..... I RECEDITION, WINGERS MILENNEL C S, Clobedrance. ...... wish to be heard in support of my submission [] ł do not wish to be heard in support of my submission [] (Please tick one) appearing personally by [] being represented by the following person : ..... [] (Cross out whichever does not apply) Signature: .... Date: Return Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or scapreps@sa.gov.au

.24

Applicant:	Negen Australia Pty Ltd
Development Nymber:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies Transport and Infrastructure, Level 5, 50 F also be viewed during normal business ho	of the application documentation can be viewed at the Department of Planning, linders Street, Adelaide during normal business hours. Application documentation may urs at the local Council office (if identified on the public notice).

My name: Mcradith AVery My phone number: 408801270 PRIMARY METHOD(s) OF CONTACT: Email address: 1011 (1010) - COM Postal address: 22 Mitchell St. Crystol Brock Postcode 5523

You may be contacted via your nominated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to be heard in support of your submission.

My interests are:

owner of local property occupier of local property

a representative of a company/other organisation affected by the proposal

[] [] a private citizen

V

[]

The address of the property affected is 22 MITChell St ROOK\_Postcode The specific aspects of the application to which I make comment on are: . evision ( wish to be heard in support of my submission [] 1 do not wish to be heard in support of my submission [] (Please tick one) appearing personally [] by being represented by the following person : ..... [] (Cross out whichever does not apply) Signature: Macauch Date: 26-6-18 \*\*\* Return Address: The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelade, SA 5001 or scapreps@sa.gov.au

255/

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project
	comprising a wind farm (26 turbines with a capacity up to
	125MW), a solar farm (400,000-500,000 solar panels with a
	capacity up to 150MW), an energy storage facility (Lithium-Ion
	battery with a capacity up to 130000 / 40000000 and associated
	Intrastructure for connection to the electricity gift (including a
	between the substation and the 275kV Para-Rungama
	transmission line)
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land	32 allotments approximately 3.5km north of Crystal Brook and
Subject tand.	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the	application documentation can be viewed at the Department of Planning,
Transport and Infrastructure, Level 5, 50 Flinders 5	Street, Adelaide during normal business hours. Application documentation may
also be viewed during normal business hours at th	ne local Council office (if identified on the public notice).
Tower BEI	
Ay name: () \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7 \$.
Ay phone number:	
PRIMARY METHOD(s) OF CONTACT: Émail add	ress: 10 2000, 5011, 151409190, 1. 000
Postal add	Iress: 6 Angle St Selamantour
	Pactorda 554C
ou may be contacted via your nominated PR	MMARY METHOD(s) OF CONTACT if you indicate below that you wish to
he heard in support of your submission.	
the interacts area the award of law	ral araparty
ny interests are: [] owner of to	
[] a represent:	ative of a company/other organisation affected by the proposal
a private cit	izen
( , _ ,	102 711 1 D1 4-72
he address of the property affected is	1 >> laborts Cer Postcode.
	the according to the
he specific aspects of the application to which	I make comment on are:
6.0.05	is all the conso line + WI
P112 C.3	Sin to a Soft for S. C. T
+ /	is a church
	1
4	
[] wish to be heard in s	upport of my submission

Ьу

[]

(Please tick one)

3,

.

 Z 9
 5
 18

 Date:
 Signature:
 Signature:

 Return Address:
 The Secretary, State Commission Assessment Panel, GPC Box 1815, Adelaide, SA 5001 or

 scapreps@sa.gov.au

do not wish to be heard in support of my submission

Applicant:	Neoen Australia Pty Ltd
Development Nymber:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line
	between the substation and the 275kV Para-Bungama
	transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirre Regional Council
	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 7.9 June 2018
During the notification period, hard copies of the applica Transport and Infrastructure, Level 5, 50 Flinders Street, also be viewed during normal business hours at the local	ation documentation can be viewed at the Department of Planning, Adelaide during normal business hours. Application documentation may I Council office (if identified on the public notice).
Myname: Rebekah Hill	
My phone number: 048818422	3
PRIMARY METHOD(s) OF CONTACT. Email address:	herth 3 pgmall. com
	DUENCE ROOD
CUIST	(1) Brack S523
You may be contacted via your nominated PRIMAR be beard in support of your submission	Y METHOD(s) OF CONTACT if you indicate below that you wish to
My interests are: M owner of local pro [] occupier of local p [] a representative o [] a private citizen	pperty property of a company/other organisation affected by the proposal
The address of the property affected is $ 00.E+1$	re Road ClBrook Postcode 5523
The specific aspects of the application to which I make	e comment on are: <u>NP PFFPCT ON</u>
property valuation	is concerning,
Television reception	and wireless broadband,
Noise Levels for the	ose living in affected areas
and the general	visual appearence.
<ul> <li>[] wish to be heard in support</li> <li>[] do not wish to be heard in support</li> <li>[] do not wish to be heard in support</li> <li>[] (Please tick one)</li> </ul>	t of my submission support of my submission
y [] appearing personally [] being represented by the for (Cross out whichever does)	bllowing person :
J6/6/18	Signature:
Return Address: The Secretary, State Commission A Return Address: The Secretary, State Commission A	ssessment Panel, GPO Box 1815, Adelaide, SA 5001 or

.

з.

•

256/

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy, Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone – Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday ?9 June 2018
Transport and Infrastructure, Level 5, 50 Flinders Stre also be viewed during normal business hours at the lo My name:	et, Adelaide during normal business hours. Application documentation may ocal Council office (if identified on the public notice).
My phone number: 04880969	<u>10</u>
PRIMARY METHOD(s) OF CONTACT: Email address Postal address <u>You may be contacted via your nominated PRIM</u> , <u>be heard in support of your submission.</u>	SI 22 Mitchell St ARY METHOD(s) OF CONTACT IF you indicate below that you wish to
My interests are: [] owner of local p [] occupier of loca [] a representative [] a private citizen	property Il property e of a company/other organisation affected by the proposal I
The address of the property affected is $\dots$	above Postcode
The specific aspects of the application to which I may	ake comment on are:
nou'se hull als	fect hegith from
and internet - h	U-f' convection Tor
bio to k	es doe to homes
toursel	
I [] wish to be heard in supp do not wish to be heard i (Please tick one) by [] appearing personally [] being represented by the (Cross out whichever doe	ort of my submission n support of my submission following person :
Date: 28.6.18 Return Address: The Secretary, State Commission scapreps@sa.gov.au	Signature:

з,

٠

1

251/

8

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
Ay name: Stophen	Nitschke
Ay phone number: 0439449	1900
RIMARY METHOD(s) OF CONTACT: En	nail address: <u>frittersbebigpond.com</u> ostal address: <u>Box 13</u> Postende 5523
be heard in support of your submission. My interests are: [/ owne [] occu [] a rep [] a priv	er of local property pier of local property presentative of a company/other organisation affected by the proposal vate citizen
he address of the property affected is 🕈	34 Talbots Rd. Gestel Brostide 5523
he specific aspects of the application to	which I make comment on are: Correct that the
my revely bilt	- home. Also television quali
1 believe will !	a saverely affected by this
proposed . All in	tavour of windfame & sobr
[] wish to be her do not wish to (Please tick on	and in support of my submission be heard in support of my submission ne)
y [] appearing per [] being represer (Cross out whi	sonally nted by the following person :
eturn Address: The Secretary, State C	Signature:

•

**₽**₿**\$**6

\$

Applicant:	Neoen Australia Pty Ltd
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-Ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line)
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
also be viewed during normal business hours	at the local Council office (if identified on the public notice).
Austrane: 08 2621	-2871
	R-W
RIMARY METHOD(s) OF CONTACT: Emai	laddress: trattersbie biggool.com
Posta	al address: $Box 15$
G	Total Brook Postcode 5523
interests are: [1] owner o [v] occupie [1] a repre: [1] a privat	or local property er of local property sentative of a company/other organisation affected by the proposal e citizen
he address of the property affected is 🔝	4 Talbets Rd. CIBeck Postcode 5523
he specific aspects of the application to w	hich I make comment on are: 1 Stiller with
anxiety issue	+ have trable sleeping. 1
ani Moreitea ai	
torsat want he	r playgrand views taken
y [] wish to be heard do not wish to be (Please tick one) appearing person	in support of my submission e heard in support of my submission nally
[ ] being represente (Cross out which	ed by the following person : ever does not apply)
ate: 20 6 K	signature: Aleesha Nrtschke
eturn Address: The Secretary, State Con :apreps@sa.gov.au	nmission Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or
	24 YM 26 - 이번 모르 바로 그럼 특별한 행동을 받았는 것

1 Sec

...

The second se	Neoen Australia Pty Ltu
Development Number:	354/V003/18
Nature of Development:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-Ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and 23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
vy name: Ebonee N	Utschie
My phone number: <u>08 86</u>	3628 (1
PRIMARY METHOD(s) OF CONTACT:	Email address: frittes be bigpend.com
	Postal address: Box B
28 영향 28 일이 집에 많이	(retal Proof Protoge 5523
You may be contacted via your non	ninated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish to
be neard in support of your submiss	dona, e
My interests are: [] o M o [] a	wner of local property ccupier of local property representative of a company/other organisation affected by the proposal
ll a	private citizen
L J a The address of the property affected	is 84 Talbats Rd. C Brook Postcode. 5523
L J a The address of the property affected The specific aspects of the application	private citizen is <u>84 Talbats Rd. C Brook</u> Postcode. <u>5523</u> n to which I make comment on are: <u>1, 20, 00, 8, 4950 ol</u> c
The address of the property affected The specific aspects of the application	private citizen is <u>S4</u> Talbats <u>Rd</u> <u>C</u> <u>Brack</u> Postcode. <u>SS23</u> n to which I make comment on are: <u>L</u> <u>QM</u> <u>QM</u> <u>Q</u> <u>S</u> <u>Q</u> <u>Q</u> <u>Q</u> <u>C</u> <u>C</u> <u>Q</u> <u>C</u> <u>C</u> <u>Q</u> <u>C</u> <u>Q</u> <u>C</u> <u>Q</u> <u>C</u> <u>C</u> <u>Q</u> <u>C</u> <u>C</u> <u>Q</u> <u>C</u> <u>Q</u> <u>C</u>
The address of the property affected The specific aspects of the application girl with ast but dont when	private citizen is <u>S4</u> Tabats Rd. C Brook Postcode. <u>SS23</u> n to which I make comment on are: <u>1.900 an 8.9987 alco</u> <u>1.1000 which I lave which I lave who have</u> <u>1.1000 who have</u> to my have
II a The address of the property affected the specific aspects of the application girl with asth but dont non My siste to	private citizen is <u>84</u> Talbots <u>Rd.</u> <u>C</u> <u>Brook</u> Postcode. <u>SS23</u> n to which I make comment on are: <u>1.900, an</u> <u>8.9550, alcone</u> <u>mon.</u> <u>1.101e</u> <u>Whatmills</u> <u>at solar porce</u> <u>t them so close to my house</u> <u>is anxiety a has trouble shap</u>
The address of the property affected The specific aspects of the application of the specific aspect of the specific aspe	private citizen is <u>S4</u> Tabats Rd. C Brook Postcode. <u>SS23</u> n to which I make comment on are: <u>1.200 an S. year</u> do <u>mon. 1. love who mills a solar por</u> <u>t then so close to my hose</u> <u>is aniety a has trouble shep</u> <u>it the windmill wise to keep</u>
II a The address of the property affected The specific aspects of the application girl with asth but don't was My sister ha hor another II wish to be M on ot wish The second	private citizen is <u>S4</u> Tabats Rd. CB: <u>B</u> : <u>Postcode</u> . <u>SS23</u> n to which I make comment on are: <u>1.900.00</u> <u>S.900.00</u> <u>1.101.00000000000000000000000000000000</u>
I J a The address of the property affected The specific aspects of the application <u>girl with asth</u> <u>but dont non</u> <u>my sister</u> <u>hor anote</u> (1) wish to be <u>if</u> (2) wish to be <u>if</u> (2) wish to be <u>if</u> (3) being repre- (1) being repre- (1) being repre-	private citizen is <u>S4</u> Tabats Rd. CB: <u>B</u> : <u>Postcode</u> . <u>SS23</u> n to which I make comment on are: <u>1.900.00</u> <u>S.900.00</u> <u>1.101.00000000000000000000000000000000</u>
I J a The address of the property affected The specific aspects of the application girl with asth but don't asth but don't with asth but don't with asth asth but don't with asth but don't with asth but don't with asth but don't with asth but don't with asth but don't with asth but don't with asth asth but don't with asth asth but don't with asth asth but don't with asth	private citizen is <u>S4</u> Tabats Rd. CBrock Postcode. <u>SS23</u> In to which I make comment on are: <u>I</u> <u>an</u> <u>an</u> <u>S</u> <u>SSC</u> <u>also</u> <u>Market</u> <u>I</u>
II a The address of the property affected the specific aspects of the application girl with asther but don't with but don't way My sister to II wish to be II on twist (Please tick y [] appearing I] being repro- (Cross out wate: 2016118	private citizen is <u>S4</u> Tabats <u>Rd</u> <u>C</u> <u>Brook</u> Postcode. <u>SS23</u> In to which I make comment on are: <u>1900 and System of Comments</u> the <u>Modernills</u> <u>the Start point</u> the <u>Modernills</u> <u>the Start point</u> <u>the Modernill comment</u> <u>the Start point</u> <u>the Modernill comment</u> <u>the Start point</u> <u>the Modernill comment</u> <u>the Start point</u> <u>the Modernills</u> <u>the Modernills</u> <u>the Start point</u> <u>the Modernills</u> <u>the Start point</u> <u>the Start point <u>the Start point <u>the Start point</u> <u>the Start point <u>the Sta</u></u></u></u>
II a The address of the property affected the specific aspects of the application girl with asther but don't waste My sister to II wish to be II on the wish (Please tick Y II appearing II being repro- (Cross out ate: 2016118	private citizen is <u>S4</u> <u>Tabots Rd</u> <u>CBreak</u> Postcode. <u>SS23</u> In to which I make comment on are: <u>1900 and</u> <u>System of a start of </u>

.

260/

261/

\*

	Necen Australia Pty Ltd
Applicant:	354/V003/18
Development Number:	Crystal Brook Energy Park - Hybrid renewable energy project
Nature of Development.	comprising a wind farm (26 turbines with a capacity up to
	125MW), a solar farm (400,000-500,000 solar panels with a
	capacity up to 150MW), an energy storage facility (Lithium-ion
	battery with a capacity up to 130MW / 400MWh) and associated
	infrastructure for connection to the electricity grid (including a
	33kV/275kV substation and a 300m long 275kV transmission line
	between the substation and the 275kV Para-Bungama
	transmission line).
Zone / Policy Area:	Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and
	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
During the notification period, hard copies of the applic	Addition during normal business hours. Application documentation may
Transport and Infrastructure, Level 5, 50 Flinders Street,	a Council office (if identified on the public notice).
also be viewed during normal business nours at the loca	
CHRISTOPHER STRO	UD
My phone number: 0401600630	al instand 51, Q amail, Cam
PRIMARY METHOD(s) OF CONTACT: Email address:	chrisstroual JI to Unall. Contain
Postal address:	676 Beetaloo Valley Kol, Deetaloo
Valley	Postcode 5523
Vance	www.manually.or.commerce if you indicate below that you wish to
You may be contacted via your nominated PRIMA	RY METHOD(S) OF CONTACT IF you marcate below more fee
be heard in support of your submission.	
t local p	roperty
My interests are: Why owner of local pl	nonerty
	of a company/other organisation affected by the proposal
[] a representative	
	1, 1, 0, 5512
The address of the property affected is 676 Bee	taloo Valley Kol Postcode UJAJ
The address of the property affected is mighting	J
The specific aspects of the application to which I ma	ke comment on are:
Ol L	that ad document
Please see The	a jachen aucument
·	
3 .	
	art of my submission
1 wish to be heard in supp	in current of my submission
[] do not wish to be heard	In addition of the additional
(Please tick one)	
by dif appearing personally	a following person :
[] being represented by th	e rollowing person
(Cross out whichever do	Att is a
11th Tring 2018	Signature: TIX/DOUG
Date:	n Assessment Panel, GPO Box 1815, Adelaide, SA 5001 or
Return Address: The Secretary, State Commissio	
scapreps@sa.gov.au	

Submission to the State Planning Commission regarding the application by Neoen Australia Pty Ltd for the development of Crystal Brook Energy Park Dev No 354/V003/18.

I wish to express my complete opposition to this project. It is my opinion that the application contains substantial errors which even to a lay person indicates a lack of rigour in assessing the implications of such a large scale industrial development so close to a population used to the tranquillity of rural life.

I suggest to the Commission that if the health and safety of people living near this development and protection of the environment is given the highest priority, there are ample reasons for it not to go ahead at all.

EPA regulations were written when wind towers were half the height and output of those proposed by Neoen Australia for the Crystal Brook project.

I urge you to call for a complete moratorium on wind farm development until the Flinders University study into wind farm noise is complete, the research findings published and the EPA guidelines rewritten.

**Chris Stroud** 

# **Discussion of the Consultation Process**

• <b>Terminology</b> : Throughout the application NEOEN refers to the Beetaloo Valley Association (BVA) as a collective in opposition to the project. References to "BVA properties" appear in the application.	<ul> <li>Some Association members opposed to the project but others have been on NEOEN's landholder list. Meetings with NEOEN are not BVA meetings. The BVA does not have any property holdings.</li> </ul>
<ul> <li>Consultation: In March 2017 selected households in Beetaloo Valley received a personal approach from NEOEN and were offered private meetings. Two community meetings were held as a public forum and the project hotly opposed.</li> </ul>	<ul> <li>Crystal Brook residents were notified by newspaper of an "open day" style presentation at the Football Club.</li> <li>Months later most Crystal Brook residents had not heard of the project.</li> <li>Community members in opposition leafleted the whole town at minimal cost. Was this beyond NEOEN?</li> </ul>
<ul> <li>NEOEN offered to answer any questions submitted by the community. Ref. Minutes Community Meeting.</li> </ul>	<ul> <li>To date 17 pages of questions remain unanswered. After April 2017 the company went silent on the project. Letters to the CEO in France were not answered.</li> </ul>
• State Government Consultation: Our community sent a delegation to country cabinet where it had to be pointed out to The Hon Minister for Energy that maps in the 2012 Wind Farm Development Plan Amended document showed exclusion of the Southern Flinders Ranges Zone. At that meeting and after, everyone writing to the Hon Minister for Energy and Hon Premier about the project was encouraged to be part of the process.	<ul> <li>After a year of silence the community is surprised by the announcement of Crown Sponsorship and an imminent application date. The community sees it as a behind the scenes deal between NEOEN and an outgoing government and we did not feel part of the process. This will affect the lives of over 1000 people.</li> <li>The final "Open Day" and Tell" than community consultation.</li> </ul>
<ul> <li>NEOEN cites 83% approval in a messenger newspaper survey circulated in Port Pirie 27km from the project. No data base is indicated.</li> </ul>	<ul> <li>The Hon Geoff Brock submitted a petition to State Parliament with over 800 signatures against the project.</li> <li>Our community has approximately 70 people actively campaigning against the project and 800 people accessing the Flinders Ranges Windfarm Free Facebook page.</li> </ul>

 $\bigcirc$ 

# Environment

# Page Numbers refer to NEOEN Application Documents V1&V2

<ul> <li>V1 P.31 Mid North Region Plan 2011: (Avoid) development in areas where there will be an adverse impact on scenic Landscapes.</li> <li>NEOEN – this (the above) is relevant to the northern portion of the project area.</li> </ul>	<ul> <li>This is relevant to the whole project region. The view of Crystal Brook from the south is unsurpassed for scenic beauty.</li> <li>Heysen Trail walkers will have wind towers in sight all the way down the range from approx. 15km north to Crystal Brook.</li> <li>All scenic tourist drives in the Southern Flinders will have wind towers in sight.</li> </ul>
• <b>V1 P.34</b> The lack of policy (in the Port Pirie Development Plan) specific to the nature of the proposed land use can be problematic as it can generate intense public debate.	<ul> <li>Before a project of this size is imposed on us we should have a public debate about land use. Wind Farms of this size were not envisaged when development plans were written.</li> </ul>
<ul> <li>V1 P.34 It should be noted that some parts of the project area are identified as having medium and high bushfire risk.</li> </ul>	<ul> <li>Having recently experienced catastrophic fires which reached to the boundary of the current project area in 2014 our community is highly sensitised to the ability of emergency services to respond. Houses were saved by aircraft. Aircraft were used again in 2016 as a rapid response in the same area.</li> <li>Statements such as "pilots view wind towers as just another obstacle to be avoided," don't help when 240 metre towers are jammed close together in steep country only 3.5km from the Crystal Brook CBD.</li> </ul>
<ul> <li>V2 P11 4.3.1 A drive-by survey was undertaken along the public roads, with survey undertaken on foot in selected and representative areas considered as potential habitat for threatened species. The survey was also undertaken on foot in larger patches of native vegetation. A ramble survey method was adopted (i.e. randomly walking through areas</li> </ul>	<ul> <li>There are 84 threatened species within 10km of the project. 10 within the project area.</li> <li>Using online resources and older surveys misrepresents the complex diversity of species and is inaccurate.</li> <li>Surveys were undertaken in summer or autumn which automatically eliminates the possibility of observing many species flora and related fauna</li> </ul>

of vegetation, attempting to cover different topography and habitats) to ensure best coverage of the patches of vegetation within the time available.

- V2 P.13 Consequently there is uncertainty in relation to the status of species, and additional species are likely to occur that are not reflected by database records
- V2 P49 The state vulnerable and regionally endangered Diamond Firetail was observed during the March 2017 survey, with 24 individuals observed.
- The rare and endangered Hooded Robin is present. 100 metre buffers to habitat suggested.
- Wedge tail eagles are a common site in the region. Fledglings are most in danger from colliding with turbine blades. 500 metre buffer to habitat suggested.

usually flourishing in spring.

- NEOEN's environmental surveys are derivative and inaccurate.
- Data cited rates the rare Lace Monitor (a large goanna) as unlikely. This species is famous locally, hence the statue in the main street of Crystal Brook. Most local school children have seen Lace Monitors at Bowman Park, a historic nature reserve adjacent to the project area.
- I can state personally that this firetail population is part of others that use this valuable riparian corridor as they are seen regularly 6km north of the project.
- It is acknowledged that the Biodiversity Data Base SA is not complete and thus....
- There is no mention of echidna which are sighted regularly by local people in the ranges and all the way to Crystal Brook and onto the plains.
- The danger of environment fragmentation cannot be stressed too highly in this circumstance. The project is connected to the most intact original woodland landscape for hundreds of kilometres north. An aerial view shows the huge loss of native vegetation through the mid north until this belt of ranges vegetation intrudes as a narrow strip.
- Where are the studies and data that show successful survival of species amongst wind farms?
- Why can't NEOEN cite data based on their previous projects?
- The region is already host to two large windfarms which have had an impact on remnant woodlands and rare or endangered species. This project adds to the cumulative assault on biodiversity in the region.

- V1 5.3 P37 Overall this LVIA concludes that the Project would not have an unreasonable impact on the landscape character, or the visual amenity of people living, working, or travelling through the landscape surrounding the Project Site.
- And in direct contradiction......
- V1 P49 It is acknowledged that this development will introduce a significant change to the visual appearance of the land involved and will have a visual impact in the context of the immediate locality. The potential impacts are considered to be generally confined to the site and its immediate surrounds...
- Landscape sensitivity rating 19/30
- 26 Wind towers 240 metres high

- Please note the contradictory statements opposite.
- For those of us who live and move through the landscape the effect is cumulative. While glossed over by the application many of us are already distressed at seeing landscapes we love marred by the visual impact of towers.
- These will be the largest wind towers nearest the largest rural population in the nation so far.
- Wide angle photography presents the project inaccurately compared to what people will really see.
- Photographs included as data show a wind farm in another part of Australia with smaller towers.
- Neither NEOEN nor government seem to understand that many of the people protesting this decided to pursue a professional life in rural Australia because of the lifestyle values it offered. The community actively engages with conservation and weed control. While pursuing professional careers they also participate in regional food and tourism with high value products such as olive oil, smallgoods, mushrooms, oranges and breeding livestock.
- Attracting professional people to rural areas is a goal of government. Ruining lifestyle values with heavy industry runs in direct contradiction.
- Maps included show several towers outside General Farming and still in the Ranges Zone.

# Noise

<ul> <li>Port Pirie Development Plan states:</li> <li>Development should not detrimentally affect the amenity of the locality or cause unreasonable interference through any of the following:Noise</li> <li>Development should be sited and designed to minimise negative impacts on existing and potential future land uses desired in the locality.</li> </ul>	<ul> <li>At the first meeting with Garth Heron (NEOEN) I asked him about the noise generated by wind turbines. His reply was, "Oh yes, there will be noise."</li> <li>Our region is haunted by the testimony of Clive and Trina Gare's testimony to the senate enquiry 2014-15. Despite being hosts to 19 turbines and receiving substantial financial gain (up to \$1 million at the time) they told the enquiry they would never do it again because of the sleep destroying noise.</li> <li>Local residents near towers of the Clements Gap and Hornsdale projects report the "whumping" noise as blades pass the base of the tower.</li> <li>Siemens, the manufacturer of the turbines cites a noise output of over 100db. The steep valley of the Crystal Brook will funnel noise the equivalent of 26 freight trains into the town.</li> </ul>
• V1 P38 Sonus undertook a noise impact assessment against the relevant criteria as provided by the <i>Wind farms environmental noise</i> <i>guidelines 2009</i> (the Guidelines), and the <i>Environment Protection (Noise)</i> <i>Policy 2007.</i> based on the information derived from monitoring which occurred at 5 locations in the vicinity of the proposed wind farm between 7 December 2017 and 24 January 2018.	<ul> <li>The EPA Guidelines only test audible noise and not the noise below 20Hz (infrasound).</li> <li>Only 5 residences were tested in rural locations when harvest was on and noise levels known to be at a seasonal high. Inaccurate data is highly likely under the circumstance and since the Acoustic industry's manipulation of data in favour of clients has been mentioned in Parliament it should be viewed appropriately.</li> <li>Other landholders invited acoustic monitoring but were refused because they wanted access to the data.</li> <li>Why is there a need for secrecy?</li> </ul>

()

•	In community meetings NEOEN holds
	the line that there is no data linking
	the infrasound to human health
	issues.

- Audible sound and infrasound are internationally recognised outputs of wind turbines.
- "A small percentage of the population is so unbearably sensitive to infrasound that they become nauseous near the ocean (which naturally generates low frequency signals)....Ultra low frequencies will nauseate and disorient people under the right conditions". (Daria Vaisman, Research Editor, New York Press, in "The Acoustics of War")
- In the 1957 Scientist Vladimir Gavreau discovered that air conditioning fans producing low frequency sound waves were responsible for making researchers sick. Convinced he had discovered a new weapon he subjected researchers to different frequencies. When exposed to infrasound ""they felt pressure against the eyes and ears...and internal organs...filled with... painful spasms".
- In 1980 John Alexander wrote in an article "The New Mental Battlefield", (infrasound) can be used to induce depression or irritability in a target population."
- 1972, France is using infrasonic generation on its civilian population for riot control.
- 1973 The British Army uses "The Squawk Box" (generating infrasound) in Northern Ireland for crowd control.
- 1980 Katy Payne, acoustic biologist observing elephants communicating at Washington Park Zoo felt her ears pop and a throbbing "like the deepest notes of a church organ" or "thunder but no thunder". This led to the discovery that elephants communicate long distance by infrasound.

Conclusion: Infrasound has long
been known to affect the human
body.
<ul> <li>Flinders University has a research</li> </ul>
team working on a wind farm noise
study. There should be a
moratorium on all wind farm
development until the study is
complete.

# Telecommunications

telecommunications for some households.	<ul> <li>broadband and the landline often fails when it is too wet or too hot.</li> <li>Communications are expensive and unreliable. We have no access to product bundling as do customers in urban areas.</li> <li>Any possibility of disruption to communications by this project puts the community at great risk.</li> </ul>
--	--

Thank you for your consideration of this submission.

Chris Stroud

 $\bigcirc$ 

Development Numbers	Heberi Adstralia i ty Etc
Development Number:	354/V003/18
Nature of Development: Zone / Policy Area:	Crystal Brook Energy Park - Hybrid renewable energy project comprising a wind farm (26 turbines with a capacity up to 125MW), a solar farm (400,000-500,000 solar panels with a capacity up to 150MW), an energy storage facility (Lithium-ion battery with a capacity up to 130MW / 400MWh) and associated infrastructure for connection to the electricity grid (including a 33kV/275kV substation and a 300m long 275kV transmission line between the substation and the 275kV Para-Bungama transmission line). Primary Industry Zone - Port Pirie Regional Council
Subject Land:	32 allotments, approximately 3.5km north of Crystal Brook and
	23km south-east of Port Pirie.
Contact Officer:	Lee Webb
Phone Number:	7109 7066
Close Date:	Friday 29 June 2018
also be viewed during normal business h	iours at the local Council office (if identified on the public notice).
My name: / <u>///////////////////////////////////</u>	nLLL34
PRIMARY METHOD(s) OF CONTACT:	Email address: <u>morrisdg@ outlook.com</u>
	Postal address: PO Box 788
	EUDUNDA SA Postcode 5374
You may be contacted via your nomin be heard in support of your submissio	nated PRIMARY METHOD(s) OF CONTACT if you indicate below that you wish in.
My interests are: [] own [] occ [] a re [] a p	ner of local property supier of local property epresentative of a company/other organisation affected by the proposal rivate citizen
The address of the property affected is	Bertaloo Valley Rd, Betaloo Postcode 5523
The specific aspects of the application 1	to which I make comment on are: As a long term + from vent visit
Object 1 11	ad had in a first the start of
Object to the win meet Objective 2 c	nd turbines in the project. Project can of Interface between land uses " Protect
Object to the will neet Objective 2 c community health 4	nd turbines in the project. Project can of Interface between land uses " Protect amenity from adverse impacts of development
Object to the win neet Objective 2 c <u>community</u> health <u>4</u> See attack	nd turbines in the project. Project car of Interface between land uses " Protect amenity from adverse impacts of development ument for further information
Object to the will neet Objective 2 c community health 4 See attack [] do not wish (Please tick of	nd tyrbines in the project. Project and of Interface between land uses "Protect <u>amenity from adverse impacts of development</u> <u>hment for further information</u> eard in support of my submission to be heard in support of my submission and
Object to the will neet Objective 2 c <u>community</u> health 4 <u>See</u> attack [] do not wish (Please tick c w [] appearing pe [] being repres (Cross out w	nd turbines in the project. Project can of Interface between land uses * Protect <u>amenity from adverse impacts of development</u> <u>hment for further information</u> eard in support of my submission to be heard in support of my submission one) ersonally OR ented by the following person: TBA - depending on hear hichever does not apply)

# Wind turbines in Denmark published by the Danish Energy Agency, November 2009

http://www.ens.dk/sites/ens.dk/files/dokumenter/publikationer/downloads/wind\_turbines\_in\_denmark.pdf

Increase in wind turbine size since 1985 and comparison with other tall structures



WIND TURBINES IN DENMARK

- +

WIND TURBINES IN

Emeritus Professor Colin Hansen School of Mechanical Engineering University of Adelaide

February 25, 2014

### Dear Ms Morris

I am writing to provide my opinions concerning some of the problems associated with the 2009 SA Guidelines for wind farm noise and in particular I am writing in support of the comments made by the well-respected acoustical consultant, Mr Les Huson in his February, 2014 report reviewing the Flyers Creek wind farm approval and his November, 2011 report for the Cooranga North Community in which he described his outside to inside noise reduction measurements. The opinions I express here are my own and are not necessarily endorsed by The University of Adelaide.

One of the more important incorrect assumptions implicit in the guidelines is that there is a substantial reduction in noise when travelling from outdoors to indoors. To satisfy World Health Organisation (WHO) Guidelines, the maximum allowable noise level in a bedroom at night is 30 dBA if the sleep of 90% of people is not to be disturbed. This implies that to protect 90% of people, there must be a minimum noise reduction from outdoors to indoors of 10 dBA if the allowed outside noise level is 40 dBA. The validity of this assumption is discussed below.

The A-weighted noise reduction, from outside noise levels to inside noise levels, that will be experienced by any dwelling will depend on the following factors:

- 1. The construction of the dwelling (wall materials, number of windows, roof materials etc).
- 2. The area of openings due to windows being open, particularly in walls facing the source of the sound.
- 3. The character of the noise: low-frequency noise is less attenuated by houses than high-frequency noise. Thus if the noise consists of mainly low-frequency components (as does wind farm noise at distances of 1 km or more from the nearest turbine in a wind farm), then the noise reduction from outside to inside will be much less and sound will intrude through open windows that are not even facing the turbines.

During the course of undertaking our Australian Research Council funded project on the impact of wind farm noise on rural communities, my research team has made a substantial number of measurements of the reduction in wind farm noise levels from outside to inside for a number of residences in the vicinity of the Waterloo wind farm. All of our measurements have been for the situation where all windows and doors were closed. For this case we have measured between 12 and 15 dBA noise reductions at times during the night when it was clear that the wind farm was the dominant noise source. However, if windows were open, the noise reduction would be substantially less than this and this is supported by the measurements taken by Mr Les Huson and reported in his November, 2011 report. Especially at low frequencies, inside noise levels are very dependent on where in a room they are measured, which means that there would need to be multiple inside measurements taken to properly define an average outside to inside noise reduction and the noise source would need to have a similar frequency content as the predicted wind farm noise at each particular location.

It is clear that specification of 40 dBA of allowable outdoor noise levels is no guarantee that noise levels indoors will not exceed 30 dBA at night so it would be safer to specify average indoor noise levels and the number and location of measurement microphones. During compliance checking it would be preferable to measure indoor noise levels during times when the local wind strength is low to avoid contamination of the data due to noise generated by wind blowing past vegetation and other objects. Taking measurements indoors would also mean that large microphone wind shields would be unnecessary. To avoid contamination of the data by internal noise sources in a residence, the measurements would need to be attended. If this caused problems, compliance checking could consist of outside to inside noise reduction measurements using an artificial sound source and outdoor noise measurements with just the wind farm noise.

A complicating factor that should be mentioned here is that the 30 dBA limit recommended by WHO for people to not suffer sleep disturbance is based on the noise being dominated by traffic noise which is not so heavily weighted towards low-frequencies as wind turbine noise is. It is well-known that low-frequency noise is more annoying than noise spread over low, mid and high frequencies for the same total A-weighted level (dBA). Thus 30 dBA of predominantly low—frequency noise as produced at distant residences by a wind farm will cause more annoyance than 30 dBA of traffic noise. The 30 dBA limit proposed by WHO is also based on the response of people living in the suburbs of European cities where levels of background noise experienced and accepted by residents would be much greater than experienced in an Australian rural environment. Of course there are always a certain percentage of individuals even in an urban environment who will be disturbed at levels of 30 dBA. Finally, distant traffic noise is not modulated, does not vary rapidly over short periods of time and is thus much less likely to cause annoyance than noise of the same average level produced at residences by wind farms, which does vary substantially over very short time periods as well as over long time periods.

The SA EPA wind farm guidelines also suffer from the additional limitations listed below.

1. Compliance checking is based on the measurement of LA90 noise levels, which are the noise levels that are exceeded 90% of the time. Reporting these measurements thus misses the 90% of the data that exceed the reported level. Typically, average LAeq levels would be at least 2 dBA above the LA90 levels (much more for modulated sound which often characterises wind farm noise) and it is the average levels (over a 10-minute time period) that are used in the noise level prediction process specified in the guidelines. Compliance checking also implements the dubious process of fitting a regression line to a large number of data points of measured noise level vs wind speed at the turbine nacelle height. There is usually a large spread in these data of at least 20 dBA. This means that there can be many 10-minute periods for which the average noise level exceeds the allowed exterior noise level by a very large amount, resulting in excessive interior noise levels for significant periods of time, even though the wind farm will be deemed compliant. Thus compliance checking is over-generous to the developer and the process is unfair to the residents as it overlooks extensive time periods where the wind farm noise levels exceed those that are allowed. Therefore I believe that the guidelines should be changed so that the allowable noise levels are "not to exceed" average indoor noise levels, rather than regression-line fitted outdoor noise levels. This is particularly important for the night time, when there is a risk of people being awakened by a loud event. After such an event, the person may have trouble going back to sleep and may lie awake in anticipation of the next noise event.
- 2. Although there is a penalty of 5 dBA to be added to the measured noise levels if the noise is shown to be "tonal" in nature, there is no consideration of any penalty to be applied if the noise is excessively amplitude modulated (AM) or if it varies substantially over short time periods or if it is predominantly low-frequency in nature. The methodology used to determine the level of AM should be clearly specified and should be based on the results of listening tests. It may be necessary to consider AM of specific third-octave bands rather than the overall level. Findings from the Renewable UK report released in 2013 could provide a basis for an acceptable criteria and method of establishing and quantifying AM.
- 3. Another limitation is associated with the method of tonality assessment which according to the SA guidelines should follow the method recommended in the standard, IEC 61 400-11. This standard suggests that the assessment should be based on measurements made near a turbine, but it would seem more appropriate to make the measurements near houses where residents are subjected to the noise. The guidelines should also include a requirement to use night-time as well as day-time measurements and should analyse data from all wind directions, not just downwind. In addition all data should be assessed, rather than just the 2 minutes closest to the integer wind speed, all wind speeds should be given on whether to apply the 5 dBA correction to the affected measurement only or to apply it to the value calculated from the regression curve.
- 4. Another limitation of the SA guidelines is associated with the establishment of the allowable levels when the wind speed becomes sufficient that background noise levels exceed the specified allowed level (35 or 40 dBA, depending on whether the site is zoned "rural living" or "rural industry"). One aspect of the problem is that, especially in conditions of high wind shear, wind at the residence location is not necessarily related to the wind speed and direction at hub height. A second aspect is that according to the guidelines, night-time data are averaged with day-time data to provide a single regression curve which represents the "measured" background noise levels that will be used in compliance checking. A serious draw-back with this approach is that the night time background noise levels are generally substantially lower than day-time levels, so as a result of day-time and night-time averaging, residents are being subjected to excessive noise right at the time they are trying to sleep. Thus there should be different regression curves presented for day-time and night-time. Also the night-time hours should be specified to be between midnight and 5am as this is usually the quietest time period.
- 5. The guidelines do not address the issue of the noise spectrum being dominated by low frequency noise at the location of the affected residences. To address this highly probable event, limits should be provided that are directed at the low-frequency part of the spectrum such as the DEFRA guidelines published in 2005.
- 6. Another limitation is associated with the development assessment in many cases, and this is the classification of rural residences as "rural industry" if they produce goods that they sell, rather than the much more reasonable "rural living", as people need to be able to sleep in these "rural industry" zones, something that is not generally a requirement in other industrial zones. In terms of allowed outdoor noise levels, the difference in the above-mentioned classifications is 5 dBA. As the aim of the specification of acceptable noise levels in the case of wind farm

developments is primarily to ensure that the majority of people exposed do not suffer sleep disturbance, and in Australia all wind farm developments are in rural areas, the use of zoning does not make sense – there should just be a single number specified that ensured that people could sleep without being interrupted by wind farm noise. The selected noise limit should be based on a dose response study specific to South Australian rural areas.

- 7. If on/off testing is to be done to assist in determining compliance, it should be done according to Australian Standard, AS4959:2010 at the "critical wind speed", which is the wind speed associated with the predicted smallest margin of compliance.
- 8. Implicit in the EPA guidelines is the assumption that external background noise is capable of masking wind farm noise provided that wind farm noise does not exceed the background noise by more than 5 dBA. However, there is no evidence in the literature that supports this assumption. Further work is required in this area, including the analysis of the masking potential of background noise in relation to typical indoor wind turbine spectra, to determine a suitable threshold.
- 9. Since measurements of wind farm noise are often required in windy conditions, the guidelines should include specifications for secondary windshields for microphones, which will minimise the contamination of the data from noise resulting from atmospheric turbulence as well as noise produced by wind blowing across the measurement microphones.
- 10. The effect of air density, wind shear, inflow turbulence and inflow angle at hub height on the turbine sound power levels should be included in the noise predictions so that an upper bound to the turbine sound power is used rather than the values measured in flat terrain with little inflow turbulence and negligible wind shear. Alternatively an acceptable safety margin could be applied to the sound power levels provided by the manufacturer that takes into account variations between turbines as well as the effects mentioned above.
- 11. More recent sound propagation models such as Nord2000 and harmonoise are now available and should be investigated for their suitability. In particular, the guidelines should address the uncertainty associated with use of a particular model and the allowable predicted noise levels should take this uncertainty into account.

In conclusion, I believe that there is a strong case for revisiting and modifying the 2009 SA EPA Guidelines for wind farm noise.

I. H. Hansen

Emeritus Professor Colin Hansen University of Adelaide



## Assessment of the methods addressing atmospheric stability effects in the latest SA EPA "Wind farms environmental noise guidelines", New Zealand NZS 6808 and Australian AS 4959

Radek Kochanowski (1)

(1) Aurecon, Sydney, Australia

PACS: 43.15.+S, 43.50.RQ, 43.50.SR

#### ABSTRACT

Wind farms are an important part of the renewable energy strategy; however with the developments predominantly occurring in rural areas with low background noise levels, they can significantly alter the existing noise environment creating considerable impacts for the affected sensitive receivers. The South Australian EPA "Wind farm environmental noise guidelines" and New Zealand Standard NZS 6808 "Acoustics – Wind farm noise" are the predominant environmental noise assessment methods employed in Australia and New Zealand. Both of these documents have undergone recent revisions along with the introduction of Australian Standard AS 4959 "Acoustics – Measurement, prediction and assessment of noise from wind turbine generators". This paper investigates and assesses the recent changes in methods with a particular focus on addressing the effect of atmospheric stability on the developed noise criteria.

#### INTRODUCTION

Wind turbine generated noise levels are unique when compared to standard industrial noise sources as they are highly dependant on the local wind conditions. The emitted noise levels are a function of the wind speed experienced by the wind turbine generator (WTG). The general relationship can be summarised that as the wind speed increases, the sound power of the WTG increases up to a rated power wind speed at which the WTG emits the maximum noise. Figure 1 below shows a typical sound power curve for a WTG.



Figure 1. Wind turbine generator sound power curve

As such, this requires a different approach to develop applicable design noise criteria for wind farms, compared to the usual industrial developments because as the wind speed increases it has the potential to create background noise at the sensitive receivers leading to a masking effect of the WTG noise. Standard methods require measurement of noise levels at the sensitive receivers in conjunction with wind speeds at the WTG location. They aim to determine the variance in the background noise environment at the receiver with respect to the changing wind speeds at the WTG site. This is a consistent approach across all of the main assessment methods utilised in Australia and New Zealand as outlined in South Australian EPA "Wind farm environmental noise guidelines", New Zealand Standard NZS 6808 "Acoustics – Wind farm noise" and the newly introduced Australian Standard AS 4959 "Acoustics – Measurement, prediction and assessment of noise from wind turbine generators".

Previous versions of these guidelines and standards have not taken into account the van den Berg effect (van den Berg, 2003) when developing noise criteria. This relates to the fact that the relationship between hub height wind speeds at the WTG and ground level wind speeds at the sensitive receiver will be different based on the applicable wind profile which is dependent on the atmospheric stability.

This paper investigates the recent changes in the assessment methods outlined in the local guidelines with a particular focus on the benefits of incorporating atmospheric stability into criteria development and thus taking into account the van den Berg effect.

#### METEOROLOGY

#### **Atmospheric Stability**

The degree of stability in the atmosphere is determined by the temperature difference between an 'air parcel' and the air surrounding it. This difference can cause the air parcel to move vertically, and this movement is characterised by four basic conditions that describe the general stability of the atmosphere. In stable conditions, this vertical movement is discouraged, whereas in unstable conditions the air parcel tends to move upward or downward and to continue that movement. When conditions neither encourage nor discourage that movement beyond the rate of adiabatic heating or cooling they are considered neutral. When conditions are extremely stable, cooler air near the surface is trapped by a layer of warmer air above it, with this condition being called an inversion which results in virtually no vertical air motion. These conditions are favourable for noise propagation as the density of the changes increases with altitude which alters the speed of sound creating a refractive effect, which leads the sound waves that would normally radiate out to space to refract back down to surface of the earth leading to an increased experienced noise level at the receiver.

The Pasquill-Gifford (P-G) (Pasquill, 1961) stability category scheme is normally used to describe atmospheric stability. Stability class under the P-G scheme is designated a letter from A-F (and sometimes G), ranging from highly unstable to extremely stable, with class D symbolising neutral conditions which are the most prominent day time conditions.

#### van den Berg Effect

While assessing complaints of noise from wind turbines, van den Berg originally demonstrated the well known fact in meteorology (and in particular atmospheric boundary layer physics that effects many disciplines) that wind profiles change significantly with atmospheric stability. This is shown below in Figure 2, with the exponent of a logarithmic or power law expression for the velocity modified under differing stability conditions (see for example Irwin, 1979). Prior to this work the wind profile had been assumed to be constant for varying meteorological conditions when considered in environmental noise assessments.

It is apparent from Figure 3 when the velocity profile is referenced to hub height that low ground level wind speeds and therefore low background noise levels can correlate with high upper level wind speeds under stable conditions, and therefore potential exceedance of noise criteria derived from background noise levels correlated to ground level wind speeds (as shown in Kochanowski et al, 2008).



Figure 2. Wind speed profile variation with stability



The van den Berg effect has been recognised recently by Land and Environment Courts in New South Wales, Victoria, and New Zealand. This paper reviews the updated guidelines and standards to assess in what steps have been taken to take into account this effect.

#### ASSESSMENT GUIDELINES AND STANDARDS

#### **SA EPA Guidelines**

The SA EPA Wind farms – environmental noise guidelines are the only state developed guidelines currently available and enforce in Australia relating to noise assessments of wind energy projects. The guidelines have been also adopted as the preferred assessment method by other states such as New South Wales and Western Australia. The 2009 revisions of the guidelines supersede the original 2003 version.

The noise criteria are set out for two types of receivers which are outlined in the Table 1 below.

Table 1. Receiver types	
Receiver type	Relationship with wind farm project
Relevant	The landowner is unconnected with the
	wind farm project
Non-relevant	The landowner has entered into an
	agreement with the wind farm devel-
	oper and is a beneficiary of the project

For the relevant receivers the following predicted noise levels from a wind farm development should not exceed:

- L<sub>Aeq,10</sub> 35 dBA in localities which are primarily intended for rural living, or
- L<sub>Aeq, 10</sub> 40 dBA, in other zones, or
- The background noise level  $(L_{A90,10})$  by more than 5 dBA.

Rural living zones are considered to be "rural-residential lifestyle" areas which are not used for primary production other than for the occupiers' own use.

Criteria for non-relevant receivers are in accordance with the World Health Organization (WHO) Guidelines for Community Noise and which recommend noise levels of 30 dBA for internal areas and 45 dBA for outdoor areas.

The 2003 version of the SA Guidelines provided a base criteria of  $L_{Aeq, 10}$  35 dBA for all relevant receivers. Through the distinction of the different rural zones in the 2009 update of the Guidelines, a higher allowable noise level has been set for areas which contain some rural industry noise.

Background noise measurements should be carried out within 30 m of a house and in the direction of the wind farm ensuring that the position is not sheltered from the wind farm by any elements. In cases where microphone wind levels have exceeded 5 m/s manufacturer windshield specifications have to be provided to display the validity of the data otherwise measurements at wind speeds in excess of 5 m/s need to be discarded. As per standard noise survey methodology, rain affected samples are also to be removed from analysis. A total of 2,000 valid measurement intervals, where at least 500 points are collected for the worse case wind direction, are required for the regression analysis to develop background noise levels at integer wind speeds. Worse case wind direction is defined as a spread of 45° either side of the direct line between the nearest wind turbine and the relevant receiver.

The SA Guidelines have been updated to carry out the regression analysis relative to hub height wind speeds at the turbine location instead of previously relaying on wind speeds at 10 m above ground. Should the wind data be only available at lower levels the Guidelines state that:

Atmospheric stability conditions should be taken into account to assure accurate conversion of the data from the different height.

The SA Guidelines also recommend the use of ISO 9613-2 or CONCAWE noise propagation model with the following conservative inputs:

- Atmospheric conditions at 10°C and 80% humidity
- Weather category 6 (if CONCAWE method utilised)
- Hard ground (zero ground factor)

However, the updated SA Guidelines do not give consideration to the effect of atmospheric stability on the noise propagation nor is there any potential allowance for the generation of time specific or wind direction specific criteria especially if distinct groups of data are present in the scatter plots. The introduction of relating wind speeds to hub height rather than to data at 10 m above ground will only reduce the error previously associated with estimating the wind shear model for the site.

#### **New Zealand Standard NZS 6808**

The current version of the NZS 6808:2010 supersedes the original issue of the Standard which was published in 1998.

The assessment initially requires a prediction of the noise emissions from the wind farm to identify the location of the  $L_{90,10 \text{ min}}$  35 dBA noise contour. This can be carried out using the full ISO 9613-2 noise propagation algorithm in noise modelling software or utilising simpler scaled down version of the ISO 9613 which can be calculated by hand. If sensitive receivers are identified within the 35 dBA contour, noise monitoring should then be carried out.

The Standard sets acceptable noise limits (at sensitive locations and at any wind speed) at a level which should not exceed the background noise by more than 5 dB or level of  $L_{90,10 \text{ min}} 40 \text{ dBA}$ , whichever is greater. For the 2010 version of the standard a "High Amenity Area" criteria was introduced lowering the criteria to background noise + 5 dB or  $L_{90,10 \text{ min}} 35 \text{ dBA}$ , whichever is lower. This was introduced to allow for special circumstances where a more stringent level may be justified especially when predicted wind farm noise levels are on average more than 8 dB above the existing background noise during evening and night times.

The noise monitoring in the Standard requires the correlation of background noise data with wind speeds at the wind turbine location for a minimum of 10 days which is equivalent to 1440 data points. A regression analysis is to be carried out to determine whether any relationship between the two is present. The 2010 version of the Standard requires wind speeds to be referenced to hub height. This reduces the error of assuming a constant wind profile for various atmospheric stabilities when the wind speeds were referenced to 10 m above ground and then extrapolated to hub height.

The Standard highlights that:

If there are markedly different groups within the scatter plot then separate scatter plots may be required for different conditions, including wind direction and times-of-day.

This allows for the potential to develop criteria that could be restricted to various time periods or to develop atmospheric stability specific criteria. If it is impractical to accommodate the multiple criteria into the operation strategy of a wind farm, the more stringent and most conservative criteria should be applied for the whole project.

However there is no guidance to specific meteorological criteria or reference to atmospheric stability conditions and when these separate regression analyses should be developed. It is essentially left up to the discretion of the acoustic engineer carrying out the assessment whether such criteria are applicable for a given site.

#### Australian Standard AS 4959–2010

The Australian Standard AS 4959–2010 has been developed in an effort to standardise the measurement, prediction and assessment methods used to assess the noise emissions from wind farms across Australia. Input is required from the Relevant Local Regulatory Authority to determine what is considered a minimum noise level limit based on the existing ambient noise environment at the affected receivers. The Relevant Local Regulatory Authority should allow the minimum noise level limit to be exceeded provided the background noise level is not exceeded by a certain amount.

At each nominal wind speed, the noise limit should be the higher of:

- Minimum noise level limit
- Background noise levels plus the specified amount

This allows for individual council or state bodies to determine what are deemed as appropriate noise criteria for their specific areas while applying standardised measurement, prediction and assessment methodology for Australia-wide wind energy developments.

Similar to the NZS 6808, an indicative noise prediction equation is specified (which is the same as per NZS 6808:1998). It is explicitly stated that all analysis should be referenced to hub height wind speeds, with an explanation (as provided above) that the... ...actual wind speed that would be measured at 10m AGL varies from site to site and in different atmospheric conditions.

The noise monitoring requirements are consistent with the SA Guidelines (2009), requiring at least 2000 valid data points which cover the required range of wind speeds and directions. Exclusions are required of rain affected samples and wind speeds at the microphone in excess of 5 m/s without specially built microphone windshields for higher wind speeds. A regression analysis as per the other guidelines is to be carried out relating to hub height wind speeds.

As outlined in NZS 6808, the Australian standard similarly states that:

Where regression curve analysis does not conform to the expected trends, i.e. there is not a clear relationship between increasing wind speed and increasing background noise levels or there appears to be more than one distribution, then further investigations are necessary to determine possible causes.

Further on in the Standard it is emphasised that:

Consideration should be given to carrying out separate correlation of background sound levels with wind speed for different directions and/or times of day, particularly where atmospheric stability issues are apparent or are suspected.

By separating the collected data into different times of day and/or wind directions, specific criteria can be generated which apply to the particular conditions.

Unfortunately no guidance is provided on the minimum sample sizes of the separate regression analyses as well as when should they be undertaken, i.e. what is considered a sufficient occurrence of atmospherically stable conditions and/or down wind conditions such that separate analysis is required.

#### DISCUSSION

It is unfortunate that the updated versions of the guidelines and standards only provide minimal guidance if any, in relation to the effect of atmospheric stability on wind farm noise emissions.

Based on the above assessment techniques, only the AS 4959 explicitly mentions the possibility of carrying out separate correlations of background noise for different wind directions and/or times of day particularly where atmospheric stability issues are apparent or suspected.

One other particular observation is the lack of guidance in the guidelines and standards as to when such an assessment is deemed appropriate, along with what is considered a sufficient and practically obtainable sample data size to carry out the correlation studies of noise levels versus hub height wind speeds at the WTG site.

The NSW Industrial Noise Policy notes that atmospheric stability represents a significant noise impact and calls for additional assessment when instability occurs for 30% or more of the total night-time during winter (June, July and August), a similar threshold level should be adopted for wind farm noise assessments. The occurrence of various atmospheric stability classes can be easily calculated from long term collected proponent wind mast data based on the standard deviation of the change in wind direction as outlined by the Sigma Theta descriptor.

Splitting up the correlation analysis into individual Pasquill Stability Criteria can lead to very small sample sizes especially if stable conditions were not prevalent during the carried out noise survey. Should a minimum sample size be introduced, this then has the potential to significantly increase noise assessment costs, as well as delay project deadlines. This would likely be due to the fact that the noise survey would have to be carried out during a site-specific time of year when the stable conditions would be most prevalent (usually the night time during winter months).

There is also the issue of the practical application of these criteria, i.e. when should one set of criteria begin to apply compared to another during shoulder periods when there is a change in the atmospheric conditions. This would have significant implications on the WTG programming should different operating modes be required for different stability noise criteria. As outlined in the NZS 6808, the most conservative criteria should be applied for the whole project however this has the potential to unfairly limit full capacity operation of the wind farm especially without explicitly outlining when such measures should be applied.

Developing regression curves between day and night times can provide significantly increased sample sizes from the noise survey, thus the determination of specific criteria for each time of day. This will potentially take into account the occurrence of most of the stable conditions at each site as they predominantly occur during the sunset hours. Based on seasonal analysis on the likelihood of stable conditions occurring, specific criteria could be applied to certain times of year when there is an increased likelihood of stable conditions occurring at regular intervals.

Another benefit of time specific criteria is that they are easier to understand for the general public (especially the affected receivers) as it would clearly state at what time of day and/or year specific criteria would be applicable. Implementing stability specific criteria leaves the public confused as to when certain criteria apply, since it is generally very difficult to determine in what current stability state the atmosphere is in without meteorological monitoring equipment. This leaves affected receivers with no option but to trust the wind farm operator that they are correctly monitoring atmospheric conditions and applying control measures to reduce noise emissions as outlined per the applicable development conditions. This is not a desirable situation for sensitive receivers which do not have a good relationship with the wind farm operators, based on the fact there is regular opposition to wind farm developments.

#### CONCLUSION

This review of the updated Australian and New Zealand guidelines and standards for the assessment of noise from wind turbine farm developments has identified the need to take into account some of the effects relating to atmospheric stable conditions as part of the assessment process.

A strength of the updated versions of these documents, is that they have reduced the potential error associated with wind shear approximation by referencing all wind measurements to wind turbine hub heights rather than 10 m above ground level. However these assessment methods do not take into account the potential atmospherically stable effects during the criteria generation process.

The AS 4959 and NZS 6808 provide clauses for the potential to develop condition or time of day specific noise criteria, yet it's shortfall is that there is no explicit method outlined.

It is the opinion of the author that future updates of the reviewed documents should include explicit and detailed methodology on when and how atmospheric effects should be taken into account as part of the assessment, as well as the generation of atmospherically stability specific criteria whether they are relative to individual stability classes or relating to times of day and year when stable conditions have been determined to be most prevalent for the specific development site Such an approach would result in the development of more accurate and realistic criteria and allow for the improved operation of WTGs.

#### REFERENCES

Australian Standard AS 4959, 2010, Acoustics- Measurement, prediction and assessment of noise from wind turbine generators

EPA (SA), 2003, Wind farms – Environmental Noise Guidelines, Environmental Protection Agency

EPA (SA), 2009, *Wind farms – environmental noise guidelines*, Environmental Protection Agency

EPA (NSW), 2000, *NSW Industrial Noise Policy*, Environmental Protection Agency

Irwin, J.S., 1979, A Theoretical Variation of the Wind Profile Power Law Exponent as a Function of Surface Roughness and Stability, Atmo. Env., Vol. 13, pp. 191-194

Kochanowski, R., Mackenzie, N., 2008, Atmospheric Stability Specific Noise Criteria and Noise Predictions for Wind Farms, Acoustics 2008

New Zealand Standard NZS 6808, 1998, Acoustics-Assessment and Measurement of Sound from Wind Turbine Generators

New Zealand Standard NZS 6808, 2010, Acoustics- Wind farm noise

Pasquill, F., 1961, *The estimation of dispersion of windborne material*, Meteorological Magazine, vol 90(1063), pp 33-49

van den Berg, G. P., 2003, *Effects of the wind profile at night on wind turbine sound*, Journal of Sound and Vibration, Elsevier Ltd.

World Health Organization, 2001, Fact Sheet No. 258 "Occupational and community noise", WHO

# Objections to the siting of 26 wind turbines on the Flinders Ranges as a component of the Crystal Brook Energy Park.

- 1. As a frequent visitor to the Mid North and Flinders Ranges I object to the negative visual impact which 26 turbines 240 m high will have on the iconic Flinders Ranges.
- 2. Similarly, I object to the sub-audible sound emissions and amplitude modulation which will make it unpleasant, even unbearable for me and my daughter to visit friends and family in this area if the turbines are built and operating.
- 3. Current SA EPA environmental wind farm guidelines 2009 (SA2009) are overdue for review and do not adequately protect the amenity and sleep of the nearby community from adverse impacts. (see Attachment: Emeritus Professor Hansen guidelines discussion)
- 4. SA2009 are based on ETSU R-97, written in 1996 when the tallest turbine height was 63 metres, 40 m hub height and 23 m blades producing 660KW of power. It is unthinkable that the SA guidelines which are over 20 years old are relevant for turbines 4 times this height and many times the blade swept area. (Attachment: Danish Energy Agency Comparison of sizes)
- 5. SA2009 and SONUS do not address Amplitude Modulation which is a major source of disturbance for residents at other Mid North wind farms despite "statistical compliance" with the 40 dB(A) limit.
- 6. SA2009 do not address the effect of atmospheric stability on wind farm noise emissions. Ie Van den Berg Effect. (See Attachment: Kochanowski 2010)
- 7. SA2009 and SONUS do not address vibration or excitation of the building fabric or low frequency noise inside residences even though Hansen has shown that LFN levels can be greater inside dwellings due to room resonances and standing waves. (Hansen attachment)
- 8. SONUS have carried out their background noise measurements at nearby homes in the Summer months of December and January and as such this data is not representative of the background noise at other times of the year. Eg stable conditions in winter when the presence of inversion layers increases noise levels for residents.
- 9. NHMRC funded studies are currently underway to investigate the impacts of wind turbine noise on sleep. It is irresponsible of planning authorities to approve further wind farms before the results of these studies are known.
- 10. The Precautionary Principle should be used to refuse the wind turbine component of the proposed Crystal Brook Energy Park.

Melissa Ware 16 Deakin St Bell Park, Victoria, 3215

Mobile 0426729525

wmlyss@yahoo.com.au

The Secretary, State Commission Assessment Panel, GPO Box 1815, Adelaide, SA 5001

scapadmin@sa.gov.au

29.6.18

## **OBJECTION TO CRYSTAL BROOK ENERGY PARK AND ENERGY STORAGE FACILITY**

-Development Number 354/V003/18.- Neoen Australia Pty Ltd.

As a private citizen and owner of property and house next to the Cape Bridgewater Wind Farm (CBWF) in Victoria I am objecting to the Crystal Brook Energy Park and Energy Storage Facility based on my experiences and what is known about these proposals.

The CBWF has been causing nuisance to my family and neighbours for over ten years, the documented and verified issues of noise, vibration and sensation complaints continue despite utilising all established complaints processes, including that of the National Wind Farm Commissioner. No protective measures to prevent harm have been initiated by the Government or by the developer.

Adverse impacts of wind turbines on quality of life was recognised in Australia's Administrative Appeals Tribunal (AAT) of Dec 2017, (where I submitted evidence and testified to the impacts the CBWF has on my health), has declared that;

the "noise annoyance" caused by wind turbine generated low frequency noise and infrasound to be "a plausible pathway to disease" based on the "established association between noise annoyance and some diseases, including hypertension and cardiovascular disease, possibly mediated in part by disturbed sleep and /or psychological stress/distress".

The AAT also held that "The dB(A) weighting system is not designed to measure [wind turbine noise] and is not an appropriate way of measuring it".

## Duty of Care.

- With the AAT ruling decision makers have a duty of care to protect the public, be independently informed, to be fair and to not wilfully ignore the anecdotal and factual evidence of wind farm harm being put to you. There can be no bias towards developers to condone current noise and health impacts of these industrial developments.
- Three Australian Federal Senate Inquiries, 2011, 2012 and 2015 recognised the health and noise issues, the 2015 Senate Panel visited my home, saw the enormity of the turbines, discussed the appalling noise and vibration conditions we endure and also the impacts on our lives and well-being in Parliament. They made recommendations which have since been ignored or adulterated and have not been adopted to make a difference to the lives of those of us being negatively affected by wind farms.
- <u>There is no proof or evidence that environmental, visual, noise, vibration and sensation</u> <u>impacts will be avoided at or near a wind energy development</u> let alone this 'energy park' industrial complex comprised of wind, solar, battery and hydrogen production.

#### Health Impacts from wind turbines

• We are not protected from wind farm noise and vibration. Detail and degree of impacts on people can be fully recognised prior to granting approvals by heeding what people like myself actually experience near existing wind developments regardless of the size or scale of development or MW outputs.

I (and many others) experience the following symptoms:

Extreme sensitivity to certain sounds, triggering a flight fright response and you have to leave the house; this is the startle reflex response and is an automatic response to inaudible or audible noise, annoyance, inability to get to sleep, sleep disturbance, exhaustion, headaches, excruciating ear pain, tinnitus, loss of balance, blood pressure changes, affected cognitive function, irritability and distress, to name a few.

Muscles in the inner ear responding to heard and unheard sound at wind farms and uncontrollably spasm and lock up as a protective mechanism against the noise. This along with the startle reflex is beyond our control, it is a subconscious, automatic human response to a trigger which we are not being protected from and which community GP's are not being alerted to. It is not 'in our heads'. It is not 'nocebo', not 'stress' and it is not a 'truth belief' causing these symptoms. Stop ignoring these impacts.

• Steven Cooper an independent acoustician investigated the acoustic conditions inside our homes at Cape Bridgewater, and at sites on and around the wind farm, has done a few investigations, (his findings are accepted worldwide); has used inaudible wind turbine amplitude modulated sound recorded in a CB bedroom and noise sensitised people exposed to low levels of that sound in a controlled environment, a reverberation chamber, have a reaction to those sounds without hearing or knowing when the sounds were played, showing that the symptoms we have been describing especially when the turbines power up or down, are real.

- During the Cape Bridgewater acoustic study Steven Cooper determined the worst symptoms or sensations we separately documented in our diaries occurred while the wind farm was powering up or down by more than 20%. This showed a turbine signature which is not recognised by dBA noise measuring.
- The acoustic impacts of the CBWF have caused me to become extremely sensitised to low frequency noise and sound pulsations and I am now affected by urban noise and everyday sounds which were not a nuisance pre-wind farm exposure. Health investigations and treatment is ongoing at our expense. Damage has occurred.

## **Buffer Zones**

- A ten km or more buffer to wind energy projects is required as wind farms increase in height, length and size. A 1.3 km setback from this 125 MW, 26-wind turbine energy 'park', or even a 5km distance, and its cumulatively impacting 180-metre-high turbines is insufficient at reducing or preventing low frequency noise (LFN) or amplitude modulation (AM) or sound energy pulses which cause disturbance in homes and cause health impacts.
- Bowman Park being located in a valley or being surrounded by dense vegetation is no guarantee that the people using the Trail or Facilities will be protected from noise and vibration nuisance from the adjoining project.
- Goyder Council negotiated a 2 km setback for the Stony Gap wind farm which use Vestas V90 or V112 turbines. This is a slight improvement on the 1.3km at Crystal Brook.
- Locating an Energy Park with battery storage, solar farm, wind farm and a hydrogen production plant in this location will adversely impact on the township of Crystal Brook and probably Port Pirie. Wind farm acoustic emissions have been detected by independent acoustician Les Huson and others, across 3 Victorian wind farms over a 70km distance; even further at other wind farm locations.

## Management of project.

- Remote controlling and external facilities monitoring the CBWF has meant the owners are not always aware of what is actually occurring on site at the wind farm i.e. when gearboxes explode, or blades split and spew fibreglass, or fires are burning near the turbines. With three or four major components to the Crystal Brook development and without effective on-site monitoring there could be a disaster ahead for the local residents.
- There are no staff on site at wf's during normal business hours except while during scheduled maintenance or repairs. This puts the onus on surrounding communities to observe the wind project and report issues to the developer, this is not the residents' responsibility. Then, to endure the movement of heavy equipment and the associated traffic jams and thumps through the ground when heavy equipment such as cranes are operating. The goodwill of communities across Australia has been severely damaged and so has Wind Developer 'social licence to operate'.

- The use of drones would be monitored under their own set of aviation regulations and not what the renewable proponent determines. No rural neighbour would feel comfortable with drones and cameras flying over or near their properties and livestock.
- The Crystal Brook Energy Generation graph depicts a fairly steady wind farm MW output, which is not possible because wind flow is naturally never steady, it stops, starts, blows too hard, too little, so no wind farm is capable of any constancy in supply. Turbines stop and start, breakdown and are shut down for maintenance. We see this every day at Cape Bridgewater and this unreliability is reflected in the energy output graphs at the AEMO and Aneroid websites.
- Neoen and other developers cannot avoid the impacts of industrial noise on people and should not be permitted to bulldoze homes as a means of mitigation. This is not 'minimising' the impacts, it is blatant destruction.

## Community Consultations and 'benefits'.

- Conducting community consultations, developers proclaiming 'fair and open engagement' and of educating people with propaganda, has not resulted in communities being protected from adverse wind energy emission impacts on neighbours.
- It is not fair and open to dismiss a participant from the Stockyard Hill consultations, (and this has occurred at other developments), because of a letterbox drop and standing up to give a truer picture of what is occurring near operating wind farms.
- It is not fair to dictate the terms of reference and rules around the meetings without input to those terms by the community being engaged in the process.
- It is not fair when friends of the earth or the wind farm alliance attend public meetings or forums to disrupt them or be a threatening force as happened at community meetings in Penshurst and Ballarat.
- Media or developer polls are not an indicator of local consensus for the development of a wind farm. Pacific Hydro did a community survey but excluded anyone who lived within a certain distance to an operating wind farm and the results are skewed.
- Public consultations don't prevent horrific 'surprises' to the community while there is denial of the true impacts of wind farm noise and vibrations on people. No-one prepares you for the disturbances, the noise, the rumbles, the vibrations, the limbic fear, the health impacts and uncontrolled reactions to the amplitude modulation and LFN which drives us from our homes. No-one cares.
- Openness and transparency of wind energy generators and any commitment to resolve concerns would require using updated noise monitoring not using dBA but looking at the significant turbine signature and alleviating the impacts by altering and modifying the turbines and operations or not allowing them. It would require less secrecy about signing up landholders and letting the whole community know from the very beginning that a wind farm is being proposed for an area. Openness, would remove gag clauses and restrictions.

- Money is not a 'fair solution' to noise and vibration impacts are forcing people like me to leave our homes, properties and businesses.
- Being suitably 'responsive' should be the norm for any business but is not an answer or resolution to complaints made about wind developments while nothing changes.
- *'Sharing the benefits with the community'* never makes the destruction of the natural environment, its people or creatures acceptable. The Government should be handing out any benefits and not the subsidy reliant operator.
- A possible Government allocation of \$24 million towards any construction should not be considered any kind of benefit to the local community facing the impacts of such a development. Neoen stating that government money is being allocated, is not an indicator of transparency, nor is it an indicator of being 'an independent power producer'. This is stated even without the projects approval.
- Targeting children in schools and walkers on trails with signs and information promoting renewable energy, open days and tours of the energy project does not prepare communities or protect them from the real noise and vibration and health impacts on homes and families. It is simply advertising and propaganda.

## Turbine & Planning

- For public safety, health and well-being there should be a development buffer of more than 1km from people and places of value, the recommended distance should be 10km.
- Cumulative impacts of this project and the proximity to other wind farms in the region must be factored in as a planning issue and cumulative noise issue.
- Increasing the density of turbines and increasing the turbine 'sweep' zone will increase wind shear and turbulence off the blades which predictably causes increased impacts to neighbours. Larger turbines, blades and bases create a larger mass which do not impede sound pulsations but may contribute to an increase in noise disturbance.
- Exhaust fumes, turbine breakdowns, blade splits and lifting, gear box explosions, painting of turbines, oil spatters, additional traffic, workers who don't respect the local environment or local needs, all contribute to polluting the environment and issues don't simply stop post construction as developers imply.
- Regardless of the materials and colours used in this large project, there will still be enormous visual impact on the Beetaloo Valley residents and surrounding areas. In comparison to Cape Bridgewater WF, one of the earliest in Australia, these proposed turbines are HUGE and will be visible, like other wind farms are visible over great distances, particularly when viewed from a height or over open spaces.

- Areas of high conservation or valued landscapes should be evaluated only by independent ecologists and not by the self- interested developer.
- Planning Approval bodies must realise that this nationwide industry is mostly focused on economic gain at all costs, and redesign of the development excluding half of the turbines and half of the landholders is little hardship compared to the economic situation of towns; which will cease to develop because no-one will want to live in a wind farm and no-one who acknowledges the detrimental aspects of wind turbines will want to buy property in or next door to one.
- After approval landholders excluded from any initial, often secret deals, will be dealt with in the same manner as any neighbour to wind farms and probably still bound to any signed agreements about noise etc.
- Wind developments are only financially viable due to the subsidies, tax cuts and financial 'packages', grants and government support; just because the turbines and sweep paths are larger does not guarantee financial viability for the business. Turbines with larger components face larger maintenance costs. Politics and regulations change with public expectations.

## Wind Farm noise and vibration.

Wind Farm noise and vibration detrimentally impacts on neighbours and can cause;

- Unacceptable sleep disturbances
- Unacceptable vibrational disturbances to life and property,
- Health issues and ongoing costly impacts on health,
- Loss of amenity and ability to enjoy indoor and outdoor living or working spaces.
- Home abandonments, unsellable homes and properties and increased rates costs.
- Economic and social impacts causing hardship.
- The EPA methodology may have changed since 2012 but acoustic experts like Steven Cooper and Professor Colin Hansen say that wind turbine noise pollution guidelines do not relate to Australian conditions creating wind turbine noise and traffic noise guidelines which are inapplicable. Adverse and unacceptable audible and inaudible noise and vibration nuisance still impacts on neighbours inside and outside their homes and buildings.
- These energy generation complexes have a requirement to satisfy noise criteria at all residential locations yet dBA measured outside is the widely accepted criteria for measuring noise levels and impacts, so any 'compliance' conditions to protect people from broadband noise and wf 'noise' and harm occurring inside homes, can never be met.

- Lower inaudible frequencies may not be audible or heard but is uncomfortably felt particularly by people like myself becoming hypersensitised to LFN and AM. This has many impacts on health including being annoying. With current noise standards residents are not being protected from this harm.
- Noise modelling and predictions are useless as they use dBA, are based on averages and do not indicate what will occur inside homes and the bedrooms where people spend most time. They don't reflect what is actually experienced by noise sensitised residents.
- For mitigation of noise impacts, use Amplitude Modulation Noise conditions similar to those imposed on RES UK's Den Brook wind farm (Vestas V90 turbines) or the UK Acoustics 2015 Amplitude Assessment or 5dBA penalty for Amplitude Modulation.
- Each turbine emits different sound powers and the impacts on neighbours vary. These differences of sound energy are not measured by averaged dBA assessments.
- The Sonus Noise Report is deficient and like the Sonus reports for the CBWF (which were
  investigated during the Senate Inquiry into wf's), does not include monitoring or assessment of
  noise levels inside dwellings, excluding LFN, AM, or tonality occurring at lower frequencies.
  Sonus uses 2009 and 2007 guidelines and policies which are outdated as more accurate acoustic
  testing has discovered the turbine signature not covered in them. They don't reflect what is
  required to protect neighbouring landowners and nearby towns from harmful impacts.
- The presence of noise issues at the Waterloo wind farm (Vestas V90 turbines) has been proven in scientific papers by Dr Kristy Hansen and also by Steven Cooper at many wind farms, including the CBWF in the Acoustic Study of 2015, Dr Bob Thorne and Mr Les Huson have also confirmed the presence of nuisance at CB and other sites.
- LFN is excluded from the SA 2009 wind farm noise guidelines. NSW guidelines have been updated and include an LFN limit and separate day and night time noise limits which could help alleviate some of the wf noise issues.
- If the wf is monitored, compliance with SA EPA wind farm guidelines 2009, cannot be relied upon to prevent adverse amenity impacts on nearby neighbours.
- The Senate Inquiry into wind farms 2015 and residents across Australia request Permanent Noise Monitoring Stations to be installed at wf's, and real time noise data be publicly available on-line for the life of wind energy projects. There is an obligation to meet those recommendations.
- Noise which is predictable and measurable cannot be ignored. I and many other people are
  purchasing acoustic technology to accurately measure and record the soundscape where we are
  being adversely sound impacted. We are using a diarised method developed during the CB
  Acoustic Study and both tools provide a legal chain of evidence which will help in any nuisance
  litigation. Professionals and decision makers allowing the harm could be legally held to account.

#### Wind turbine Shadow flicker and glints.

- Shadow flicker and glints are problematic, they intrude onto external and internal walls and windows. They extend over long distances, flicker through trees and across roads and cause a nuisance when working indoors or out. It is an unwanted physical and mental intrusion, and screening and landscaping is not enough.
- Shutting down the turbines for the duration of shadow flicker is not a common practice and has never been implemented at CB. There is no monitoring of the shadow flicker, problems reported to wind farm operators and planning departments are ignored, no-one enforces conditions specified in Planning Permits and no-one truly cares about the well-being of neighbours either before or after the project is up and running.
- Reflections of the CB spinning blades are visible on glass in windows, in cars, on any reflective surfaces and are intrusive and distractive as you drive in the area, work and live your daily life.

## Landscape mitigation.

- Landowners accepting turbines on their land to the North of the Wilkins Highway acted against the municipality's 2013 Development Plans which states that this Ranges Zone should be protected from developments which impact the "scenic amenity of the area". People should be protected from harm, it is not enough to reduce the visual impacts on residents or ignore environment protections.
- Landscape mitigation measures are usually inadequate to address the scope of impacts wf's of this size have on communities.
- Tree planting can never be tall enough to block the visual intrusion and tree planting cannot protect the population from likely turbine noise and vibration harm.
- Any vegetation screening should be sourced locally and be native to the area.
- At CB our experience with tree planting as a visual mitigation attempt included numerous applications of weed kill to clear the areas before tree planting or seeding began. This was repeated a number of times on our (unofficially) organic, and land for wildlife farm and the process actually introduced more weeds. The property had been hand weeded for the fifteen years or so prior to the program being undertaken.
- Trees planted by Pacific Hydro are in poor condition and in no way could ever protect my family as a 'block' to turbine emissions, noise, additional noise during breakdowns or maintenance, turbines powering up and down, oil leaks and sprays from exploded gear boxes or lifting chains. And totally fails as a visual barrier.
- Tree planting on our property by the developer on the fence closest to the wf is spindly and has not grown properly. Other trees further from the wf, planted afterward by us have grown normally.

• The problematic CB turbines are 105m from ground to blade tip and are considered small by todays standards. Tree planting has failed to prevent shadow flicker, glint and glint flicker, or the visual intrusion of spinning blades onto or into our house.

## Flora and Fauna.

- Birds cannot be protected from wind turbines literally slicing and dicing them in an area covering several thousand hectares. A ridiculously proposed 100m buffer zone will not protect the Diamond Firetail and Hooded Robin.
- A 500m buffer zone will not protect the Wedge-tailed Eagle nest for returning birds, nor protect the eggs within the nest, nor the fledglings.
- Raptor biologists recommend 2 km buffer to reduce breeding disturbance and fledgling mortality. -Dr Stephen Debus, Ian Falkenberg (DEWNR)
- Disturbances due to vehicle movements, dust covering habitat and feeding areas, levelling, excavation, disturbance of topsoil, powerlines, noise from turbines, vibration, shadow flicker from turbines and alteration of habitat create unacceptable levels of disturbance to local species.
- At CB, other wf's and at this possible project; native, significant natural vegetation and habitats are being sacrificed and cannot be replaced or rehabilitated. At Cape Bridgewater a wedge tailed eagle nesting tree was wrongfully and quietly destroyed to allow infrastructure to be erected at the same spot.
- There is no independent monitoring of bird kills at the site.

## Water.

- Moving the water source (??) will not protect birds, insects, soil biodiversity etc from harm.
- A 'specialised approach' by the developer does not provide evidence that ground and surface water will not be impacted or contaminated by the operations, underground cabling, concrete bases, access roads and sonic vibrations of this industrial complex.
- Natural Springs, water tables, rainwater tank collection or any water supplies in the area should not be interfered with by blasting or likely impacts from vibrating turbines and water sources must be investigated for unusual conditions and any risks to water supply averted. Turbine spills have contaminated water sources at CB.
- Any water used by the developer should be sourced outside the region and should be paid at usual rates and in full, by the developer.

## **Electromagnetic Radiation**

• Electromagnetic Interference (EMI) impacts on television reception, radio, emergency services communications, GPS and point to point communications.

- Acousticians at Cape Bridgewater found there was interference to noise data collections in proximity to the wind farm, this causes blank spots in graphs, and no data is able to be recorded during the period of interference. This also impacts on post construction noise reports and Sonus is well aware of the problem. Independent investigators into noise recognise the issue.
- No-one actually independently monitors or proves that there are safe levels of EMR at wind energy projects, no-one guarantees our health is not impacted. I have witnessed a corona over the high voltage transmission lines at CB, loudly buzzing power poles and voltage meters being activated inside even when all power is shut off to the house. Coronas are a fire and health hazard.
- An independent assessor should verify when EMI interferes with residents' television or radio reception, and measure pre and post construction interference. Any verification should not be determined by neoen and their proposed 'survey' within the vicinity of the project. Cape Bridgewater experienced reception difficulties losing either Victorian or South Australian reception depending on the weather conditions impacting on wind farm operations which interfered with transmissions.

## Roads.

- Roads cover a vast area of the proposed project to cause dust, more traffic, traffic noise, pollution, rubbish, road closures, long delays, roadkill, and the construction disturbances to residents continue during maintenance of the turbines and intrusions last for the lifetime of the project.
- Wind development traffic intrudes on safety near school buses and impacts on school bus timetables and routines.
- Roads are widened to allow easier movement for long, large vehicles, destroying roadside vegetation and creating additional expense for Councils to maintain over the lifetime of the project.

## **Emergencies and Site Hazards**

- Emergencies and breakdowns occur at any time and not only within the sites working hours of 7 am to 6pm which means not only is it a long day for residents being impacted by movements at and to and from the wind farm but, disturbances will occur during the night with lights and noise and additional traffic and movements of super-sized components of the turbines etc in the area affecting sleep and normal rural night life.
- Fire Hazards. At CB and other Australian wf's turbines are not shut down on fire danger days and are not shut down during bushfires in the area. I have watched live ash carried on the wind, falling onto our land and the turbines on the Cape.
- I have witnessed a farmer doing a large burn off beneath the operating turbines and its inherent chemicals, defying common sense with total disregard to the hazard. These are potential problems likely to occur at or near the Crystal Brook development and other wf's, causing hazard to public safety.

- Wind turbines are not like usual structures, they have moving combustible parts and chemicals and should like other farming and industrial equipment in rural areas, be turned off on high fire days and must be shut down in the event of a fire so crews can safely get into the area.
- Improved access tracks are always locked at wind farms.
- Firefighters may not be insured or trained or have the required resources to fight industrial fires in a rural setting. It has been said they are not allowed within 2km of a burning turbine due to the chemicals stored on site and the chemicals within a turbine which create a risk to them.
- When wind turbines are slowed or shut down in high temperatures or high wind speed the braking system is utilised and requires an energy source, which can cause a fire hazard and additional noise and vibration.
- Aviation Hazards-The CFS acknowledges that the presence of wind turbines can impede aerial firefighting activities, (particularly in low cloud conditions).
- Turbines cannot be sited where they will inhibit the use of aerial spraying on neighbouring farming properties.
- Wind turbines must not be compared to tall structures such as buildings or trees especially when industrial turbines are close together and with wider sweep paths, the turbulence is unpredictable.
- Wind turbines are not highly visible at night, in fog or rainy conditions.
- When there are on site spills or other emergencies the electricity generator must notify the EPA and/or other relevant health and safety bodies and be monitored to ensure decontamination etc is properly done. The on-site incident/complaints form and the complaints register, including about noise etc should be readily publicly available for scrutiny.
- Wind turbine or energy generators passing the buck or responsibility onto Contractors is unacceptable, the owner operator in this case neoen should ultimately be held to account and take responsibility for hazards caused.
- Lightning strikes at wind farms create potential hazards. At Cape Bridgewater I have witnessed lightning strike a turbine, hit the ground and move rapidly from tower to tower near the ground surface.
- As the tallest moving point in agricultural areas, turbines attract lightning strikes which can split blades and start fires showing the lightning has not been safely grounded.

## **Aboriginal Communities**

• Developers may work with Aboriginal Communities to avoid sensitive locations and address impacts but at Cape Bridgewater the developer was responsible for causing harmful division.

One of the local Koori groups was paid money, the community was divided to the extent of a member of one group being run out of town and threatened. (reported in the media & federal Senate).

• The CB development impacted on known and protected middens located on the Great South West Walk and cliffs.

#### Decommissioning

- Decommissioning should involve the complete removal of all concrete and wiring and not just covered by topsoil.
- The developer should by law, set aside funding for decommissioning from the start of the project.
- Renewable energy projects should not be 'recommissioned' without further community consultation, input and review by a planning body and independent assessors.

#### Concluding comments.

Wind farm developers must accept that individuals, the public and community groups such as the Beetaloo Valley Association and its 43 landholders, have a democratic and moral right to give feedback, validated evidence to oppose any development in their community and have that input utilised.

Supporting SA's strategic plan to think globally while developing renewable energy is questionable while so many countries around the world cannot afford the associated cost of renewable energy and are investing in coal fired energy which is cheaper and provides cheaper electricity and simpler infrastructure.

There is no guarantee this project will meet its projections to provide reliable energy nor will it provide cheaper electricity for Australian households or businesses. Any excess energy sent to Victoria or the Northern States will be done so at additional expense to consumers. Consumers are fed up by outrageous electricity bills many are being disconnected from the grid because they can't afford the bill.

Grand sustainability plans are not fine and dandy. There is understandable political uncertainty around renewable energy. A moratorium should be placed on the construction of further wind farm development until the many recommendations of the Senate Inquiries into wind farms and those of the Waubra Foundation have been adopted.

There are cumulative impacts with adjoining wind farms and with wind turbine noise and vibration being detected over vaster distances. Whilst these cumulative impacts are becoming more researched and understood by independent acousticians, those like myself whom are sensitised by these industrial sourced noise frequencies are being further adversely impacted and our health deteriorates.

With direct experiences and knowledge of living close to a wind farm and other sources of LFN I have a moral obligation to object to wind farm developments while the problems stay buried. After 10 years living with the wf we have been forced to abandon our home for medical reasons despite all attempts to avoid having to do so by seeking resolution of the problems. Problems of wf noise, vibrations and unwanted sensations impacting my families' health and wellbeing and our amenity and problems have never been resolved.

The co-operative acoustic study undertaken in our home by Pacific Hydro, Steven Cooper and the participating families cannot be ignored or dismissed by regulating authorities responsible for protecting communities from harm. This study is not alone in discovering the presence of a wind turbine signature or amplitude modulation at an infrasonic rate and confirmed 'noise' and vibration problems exist. Wind farm operations have a link with sensations causing more distress and health impacts than at other times of operation. The major impact being sleep disturbance.

Mr Cooper presented a paper to the American Society of Acousticians in New Orleans last year on a study which he conducted in his reverberation chamber, where I and other participants were exposed to sounds which we were not aware of in the silence of the chamber. We involuntarily physically reacted in various ways to those unheard sounds. I also gave a presentation at this conference on my personal experiences living near a wind farm.

The unbearable conditions since the wf was constructed in 2008 have forced my family to close the door while we continue to pay the mortgage on our devaluing land and virtually unsellable property. We reside between the two homes at added personal expense and distress while we seek a resolution to our unacceptable situation.

Negotiations arranged by the NWFC failed and so has the complaints process. Pacific Hydro has not altered operations at its wf to protect the neighbours from intrusive noise, vibration and sensation. Without changes to this industry others will suffer.

Wind energy generation has not proven to be a safe or effective energy technology and while people including elders, children or disabled are being health impacted, large scale renewable energy projects are likely to cause infliction of further pain, hardship and major impacts on other rural residents and rural families and to allow this is showing deliberate and wilful blindness to the known facts.

I request families and rural populations be protected from the building of more turbines until further in the field research into the health, social, economic and environmental impacts is independently undertaken and authentic steps are initiated in protecting people from harm.

Research must be independently undertaken in the homes of the impacted and with input from those of us who are the real-life experts. South Australia has set the example of the ineffectiveness and out of control high cost of renewables as an energy source and Victoria follows the same pattern.

Cape Bridgewater is the example of impacts of a wf on heritage and cultural and tourist values, and on the homes and lives being impacted on and desecrated by a wf. The intermittency and expense of wind, solar and their back-up systems along with ruining local environments makes the push for more renewables and the building or more turbines unacceptable and fails a duty of care to the general public particularly those of us being directly adversely impacted by wf's.

My experiences and contribution to informing others about a health affected life near a wind farm should be accepted with all seriousness for the benefit of this panel and for communities; and not only be filed away; or scrutinised by developers, who over years of such submissions, have fixed the minor nuisances to garner some kind of social licence to operate, and not fixed the (wind turbine annoyance) elephant in the room. The annoyance and noise, vibration and sensation impacts on residents at Australian wind energy projects are not acceptable. The World Health Organisation defines health as a state of complete physical, mental, and social well-being, not just the absence of disease. (WHO 1947)

There is an obligation to recognise that poor health and annoyance near wind energy projects are not legally ignored as shown by the AAT ruling and recognition that 'WTN is complex, highly variable and has unique characteristics'. Also recognised by the NHMRC.

I am willing to provide further details to support all of my statements above. Please represent the people who are being impacted already or likely to be adversely impacted by wind energy projects by recognising peoples basic right to good health and rights to live peacefully and safely in our own homes.

Yours Sincerely,

Melissa Ware